

Single-Case Experimental Designs: A Systematic Review of Published Research and Current Standards

Justin D. Smith
University of Oregon

This article systematically reviews the research design and methodological characteristics of single-case experimental design (SCED) research published in peer-reviewed journals between 2000 and 2010. SCEDs provide researchers with a flexible and viable alternative to group designs with large sample sizes. However, methodological challenges have precluded widespread implementation and acceptance of the SCED as a viable complementary methodology to the predominant group design. This article includes a description of the research design, measurement, and analysis domains distinctive to the SCED; a discussion of the results within the framework of contemporary standards and guidelines in the field; and a presentation of updated benchmarks for key characteristics (e.g., baseline sampling, method of analysis), and overall, it provides researchers and reviewers with a resource for conducting and evaluating SCED research. The results of the systematic review of 409 studies suggest that recently published SCED research is largely in accordance with contemporary criteria for experimental quality. Analytic method emerged as an area of discord. Comparison of the findings of this review with historical estimates of the use of statistical analysis indicates an upward trend, but visual analysis remains the most common analytic method and also garners the most support among those entities providing SCED standards. Although consensus exists along key dimensions of single-case research design, and researchers appear to be practicing within these parameters, there remains a need for further evaluation of assessment and sampling techniques and data analytic methods.

Keywords: daily diary, research standards, single-case experimental design, systematic review, time-series

The single-case experiment has a storied history in psychology dating back to the field's founders: Fechner (1889); Watson (1925), and Skinner (1938). It has been used to inform and develop theory, examine interpersonal processes, study the behavior of organisms, establish the effectiveness of psychological interventions, and address a host of other research questions (for a review, see Morgan & Morgan, 2001). In recent years the single-case experimental design (SCED) has been represented in the literature more often than in past decades, as is evidenced by recent reviews (Hammond & Gast, 2010; Shadish & Sullivan, 2011), but it still languishes behind the more prominent group design in nearly all subfields of psychology. Group designs are often professed to be superior because they minimize, although do not necessarily eliminate, the major internal validity threats to drawing scientifically valid inferences from the results (Shadish, Cook, & Campbell, 2002). SCEDs provide a rigorous, methodologically sound alternative method of evaluation (e.g., Barlow, Nock, & Hersen, 2008;

Horner et al., 2005; Kazdin, 2010; Kratochwill & Levin, 2010; Shadish et al., 2002) but are often overlooked as a true experimental methodology capable of eliciting legitimate inferences (e.g., Barlow et al., 2008; Kazdin, 2010). Despite a shift in the zeitgeist from single-case experiments to group designs more than a half century ago, recent and rapid methodological advancements suggest that SCEDs are poised for resurgence.

Basics of the SCED

Single case refers to the participant or cluster of participants (e.g., a classroom, hospital, or neighborhood) under investigation. In contrast to an experimental group design, in which one group is compared with another, participants in a single-subject experiment provide their own control data for the purpose of comparison in a within-subject, rather than a between-subjects, design. SCEDs typically involve a comparison between two experimental time periods, known as *phases*. This approach typically includes collecting a representative baseline phase to serve as a comparison with subsequent phases. In studies examining single subjects that are actually groups (i.e., classroom, school), there are additional threats to internal validity of the results, as noted by Kratochwill and Levin (2010), which include setting or site effects.

The central goal of the SCED is to determine whether a causal or functional relationship exists between a researcher-manipulated independent variable (IV) and a meaningful change in the dependent variable (DV). SCEDs generally involve repeated, systematic assessment of one or more IVs and DVs over time. The DV is

This article was published Online First July 30, 2012.

Research support was provided by National Institute of Mental Health Research Training Grant MH20012 awarded to Elizabeth A. Stormshak. The author gratefully acknowledges Robert Horner and Laura Lee McIntyre, University of Oregon; Michael Nash, University of Tennessee; John Ferron, University of South Florida; Cheryl Mikkola for editorial support; and Victoria Mollison for assistance in the systematic review process.

Correspondence concerning this article should be addressed to Justin D. Smith, Child and Family Center, University of Oregon, 195 West 12th Avenue, Eugene, OR 97401-3408. E-mail: jsmith6@uoregon.edu

measured repeatedly across and within all conditions or phases of the IV. Experimental control in SCEDs includes replication of the effect either within or between participants (Horner et al., 2005). Randomization is another way in which threats to internal validity can be experimentally controlled. Kratochwill and Levin (2010) recently provided multiple suggestions for adding a randomization component to SCEDs to improve the methodological rigor and internal validity of the findings.

Examination of the effectiveness of interventions is perhaps the area in which SCEDs are most well represented (Morgan & Morgan, 2001). Researchers in behavioral medicine and in clinical, health, educational, school, sport, rehabilitation, and counseling psychology often use SCEDs because they are particularly well suited to examining the processes and outcomes of psychological and behavioral interventions (e.g., Borckardt et al., 2008; Kazdin, 2010; Robey, Schultz, Crawford, & Sinner, 1999). Skepticism about the clinical utility of the randomized controlled trial (e.g., Jacobson & Christensen, 1996; Wachtel, 2010; Westen & Bradley, 2005; Westen, Novotny, & Thompson-Brenner, 2004) has renewed researchers' interest in SCEDs as a means to assess intervention outcomes (e.g., Borckardt et al., 2008; Dattilio, Edwards, & Fishman, 2010; Horner et al., 2005; Kratochwill, 2007; Kratochwill & Levin, 2010). Although SCEDs are relatively well represented in the intervention literature, it is by no means their sole home: Examples appear in nearly every subfield of psychology (e.g., Bolger, Davis, & Rafaeli, 2003; Piasecki, Hufford, Solham, & Trull, 2007; Reis & Gable, 2000; Shiffman, Stone, & Hufford, 2008; Soliday, Moore, & Lande, 2002). Aside from the current preference for group-based research designs, several methodological challenges have repressed the proliferation of the SCED.

Methodological Complexity

SCEDs undeniably present researchers with a complex array of methodological and research design challenges, such as establishing a representative baseline, managing the nonindependence of sequential observations (i.e., autocorrelation, serial dependence), interpreting single-subject effect sizes, analyzing the short data streams seen in many applications, and appropriately addressing the matter of missing observations. In the field of intervention research for example, Hser, Shen, Chou, Messer, and Anglin (2001) noted that studies using SCEDs are "rare" because of the minimum number of observations that are necessary (e.g., three to five data points in each phase) and the complexity of available data analysis approaches. Advances in longitudinal person-based trajectory analysis (e.g., Nagin, 1999), structural equation modeling techniques (e.g., Lubke & Muthén, 2005), time-series forecasting (e.g., autoregressive integrated moving averages; Box & Jenkins, 1970), and statistical programs designed specifically for SCEDs (e.g., simulation modeling analysis; Borckardt, 2006) have provided researchers with robust means of analysis, but they might not be feasible methods for the average psychological scientist.

Application of the SCED has also expanded. Today, researchers use variants of the SCED to examine complex psychological processes and the relationship between daily and momentary events in peoples' lives and their psychological correlates. Research in nearly all subfields of psychology has begun to use daily diary and ecological momentary assessment (EMA) methods in the context of the SCED, opening the door to understanding increas-

ingly complex psychological phenomena (see Bolger et al., 2003; Shiffman et al., 2008). In contrast to the carefully controlled laboratory experiment that dominated research in the first half of the twentieth century (e.g., Skinner, 1938; Watson, 1925), contemporary proponents advocate application of the SCED in naturalistic studies to increase the ecological validity of empirical findings (e.g., Bloom, Fisher, & Orme, 2003; Borckardt et al., 2008; Dattilio et al., 2010; Jacobson & Christensen, 1996; Kazdin, 2008; Morgan & Morgan, 2001; Westen & Bradley, 2005; Westen et al., 2004). Recent advancements and expanded application of SCEDs indicate a need for updated design and reporting standards.

This Review

Many current benchmarks in the literature concerning key parameters of the SCED were established well before current advancements and innovations, such as the suggested minimum number of data points in the baseline phase(s), which remains a disputed area of SCED research (e.g., Center, Skiba, & Casey, 1986; Huitema, 1985; R. R. Jones, Vaught, & Weinrott, 1977; Sharpley, 1987). This article comprises (a) an examination of contemporary SCED methodological and reporting standards; (b) a systematic review of select design, measurement, and statistical characteristics of published SCED research during the past decade; and (c) a broad discussion of the critical aspects of this research to inform methodological improvements and study reporting standards. The reader will garner a fundamental understanding of what constitutes appropriate methodological soundness in single-case experimental research according to the established standards in the field, which can be used to guide the design of future studies, improve the presentation of publishable empirical findings, and inform the peer-review process. The discussion begins with the basic characteristics of the SCED, including an introduction to time-series, daily diary, and EMA strategies, and describes how current reporting and design standards apply to each of these areas of single-case research. Interweaved within this presentation are the results of a systematic review of SCED research published between 2000 and 2010 in peer-reviewed outlets and a discussion of the way in which these findings support, or differ from, existing design and reporting standards and published SCED benchmarks.

Method

Review of Current SCED Guidelines and Reporting Standards

In contrast to experimental group comparison studies, which conform to generally well agreed upon methodological design and reporting guidelines, such as the CONSORT (Moher, Schulz, Altman, & the CONSORT Group, 2001) and TREND (Des Jarlais, Lyles, & Crepaz, 2004) statements for randomized and nonrandomized trials, respectively, there is comparatively much less consensus when it comes to the SCED. Until fairly recently, design and reporting guidelines for single-case experiments were almost entirely absent in the literature and were typically determined by the preferences of a research subspecialty or a particular journal's editorial board. Factions still exist within the larger field of psychology, as can be seen in the collection of standards presented in this article, particularly in regard to data analytic methods of

SCEDs, but fortunately there is budding agreement about certain design and measurement characteristics. A number of task forces, professional groups, and independent experts in the field have recently put forth guidelines; each has a relatively distinct purpose, which likely accounts for some of the discrepancies between them. In what is to be a central theme of this article, researchers are ultimately responsible for thoughtfully and synergistically combining research design, measurement, and analysis aspects of a study.

This review presents the more prominent, comprehensive, and recently established SCED standards. Six sources are discussed: (a) Single-Case Design Technical Documentation from the What Works Clearinghouse (WWC; Kratochwill et al., 2010); (b) the American Psychological Association (APA) Division 12 Task Force on Psychological Interventions, with contributions from the Division 12 Task Force on Promotion and Dissemination of Psychological Procedures and the APA Task Force for Psychological Intervention Guidelines (DIV12; presented in Chambless & Hollon, 1998; Chambless & Ollendick, 2001), adopted and expanded by APA Division 53, the Society for Clinical Child and Adolescent Psychology (Weisz & Hawley, 1998, 1999); (c) the APA Division 16 Task Force on Evidence-Based Interventions in School Psychology (DIV16; Members of the Task Force on Evidence-Based Interventions in School Psychology, 2003); (d) the National Reading Panel (NRP; National Institute of Child Health and Human Development, 2000); (e) the Single-Case Experimental Design Scale (Tate et al., 2008); and (f) the reporting guidelines for EMA put forth by Stone and Shiffman (2002). Although the specific purposes of each source differ somewhat, the overall aim is to provide researchers and reviewers with agreed-upon criteria to be used in the conduct and evaluation of SCED research. The standards provided by WWC, DIV12, DIV16, and the NRP represent the efforts of task forces. The Tate et al. (2008) scale was selected for inclusion in this review because it represents perhaps the only psychometrically validated tool for assessing the rigor of SCED methodology. Stone and Shiffman's standards were intended specifically for EMA methods, but many of their criteria also apply to time-series, daily diary, and other repeated-measurement and sampling methods, making them pertinent to this article. The design, measurement, and analysis standards are presented in the later sections of this article and notable concurrences, discrepancies, strengths, and deficiencies are summarized.

Systematic Review Search Procedures and Selection Criteria

Search strategy. A comprehensive search strategy of SCEDs was performed to identify studies published in peer-reviewed journals meeting a priori search and inclusion criteria. First, a computer-based PsycINFO search of articles published between 2000 and 2010 (search conducted in July 2011) was conducted that used the following primary key terms and phrases that appeared anywhere in the article (asterisks denote that any characters/letters can follow the last character of the search term): alternating treatment design, changing criterion design, experimental case*, multiple baseline design, replicated single-case design, simultaneous treatment design, time-series design. The search was limited to studies published in the English language and those appearing in peer-reviewed journals within the specified publication year range.

Additional limiters of the type of article were also used in PsycINFO to increase specificity: The search was limited to include methodologies indexed as either quantitative study OR treatment outcome/randomized clinical trial and NOT field study OR interview OR focus group OR literature review OR systematic review OR mathematical model OR qualitative study.

Study selection. The author used a three-phase study selection, screening, and coding procedure to select the highest number of applicable studies. Phase 1 consisted of the initial systematic review conducted using PsycINFO, which resulted in 571 articles. In Phase 2, titles and abstracts were screened: Articles appearing to use a SCED were retained (451) for Phase 3, in which the author and a trained research assistant read each full-text article and entered the characteristics of interest into a database. At each phase of the screening process, studies that did not use a SCED or that either self-identified as, or were determined to be, quasiexperimental were dropped. Of the 571 original studies, 82 studies were determined to be quasiexperimental. The definition of a quasiexperimental design used in the screening procedure conforms to the descriptions provided by Kazdin (2010) and Shadish et al. (2002) regarding the necessary components of an experimental design. For example, reversal designs require a minimum of four phases (e.g., ABAB), and multiple baseline designs must demonstrate replication of the effect across at least three conditions (e.g., subjects, settings, behaviors). Sixteen studies were unavailable in full text in English, and five could not be obtained in full text and were thus dropped. The remaining articles that were not retained for review (59) were determined not to be SCED studies meeting our inclusion criteria but had been identified in our PsycINFO search using the specified keyword and methodology terms. For this review, 409 studies were selected. The sources of the 409 reviewed studies are summarized in Table 1. A complete bibliography of the 571 studies appearing in the initial search, with the included studies marked, is available in the Appendix or from the author.

Coding criteria amplifications. A comprehensive description of the coding criteria for each category in this review is available from the author by request. The primary coding criteria are described here and in later sections of this article.

- Research design was classified into one of the types discussed later in the section titled Predominant Single-Case Experimental Designs on the basis of the authors' stated design type. Secondary research designs were then coded when applicable (i.e., mixed designs). Distinctions between primary and secondary research designs were made based on the authors' description of their study. For example, if an author described the study as a "multiple baseline design with time-series measurement," the primary research design would be coded as being multiple baseline, and time-series would be coded as the secondary research design.

- Observer ratings were coded as present when observational coding procedures were described and/or the results of a test of interobserver agreement were reported.

- Interrater reliability for observer ratings was coded as present in any case in which percent agreement, alpha, kappa, or another appropriate statistic was reported, regardless of the amount of the total data that were examined for agreement.

- Daily diary, daily self-report, and EMA codes were given when authors explicitly described these procedures in the text by

Table 1
Journal Sources of Studies Included in the Systematic Review (N = 409)

Journal title	N
<i>Journal of Applied Behavior Analysis</i>	45
<i>Behavioral Interventions</i>	15
<i>Journal of Positive Behavior Interventions</i>	14
<i>Research in Autism Spectrum Disorders</i>	14
<i>Journal of Autism and Developmental Disorders</i>	13
<i>Education & Treatment of Children</i>	12
<i>Focus on Autism and Other Developmental Disabilities</i>	12
<i>Journal of Developmental and Physical Disabilities</i>	10
<i>Journal of Early Intervention</i>	10
<i>Aphasiology</i>	9
<i>Journal of Behavioral Education</i>	9
<i>Journal of Organizational Behavior Management</i>	9
<i>Research in Developmental Disabilities</i>	9
<i>Education and Training in Developmental Disabilities</i>	8
<i>Behavioral Disorders</i>	8
<i>Analysis of Verbal Behavior</i>	8
<i>Child & Family Behavior Therapy</i>	8
<i>Behavior Modification</i>	6
<i>Psychology in the Schools</i>	6
<i>Journal of Emotional and Behavioral Disorders</i>	5
<i>School Psychology Review</i>	5
<i>Behavior Therapy</i>	4
<i>Journal of Applied School Psychology</i>	4
<i>Topics in Early Childhood Special Education</i>	4

Note. Each of the following journal titles contributed one study unless otherwise noted in parentheses: *Augmentative and Alternative Communication*; *Acta Colombiana de Psicología*; *Acta Comportamentalia*; *Adapted Physical Activity Quarterly* (2); *Addiction Research and Theory*; *Advances in Speech Language Pathology*; *American Annals of the Deaf*; *American Journal of Education*; *American Journal of Occupational Therapy*; *American Journal of Speech-Language Pathology*; *The American Journal on Addictions*; *American Journal on Mental Retardation*; *Applied Ergonomics*; *Applied Psychophysiology and Biofeedback*; *Australian Journal of Guidance & Counseling*; *Australian Psychologist*; *Autism*; *The Behavior Analyst*; *The Behavior Analyst Today*; *Behavior Analysis in Practice* (2); *Behavior and Social Issues* (2); *Behaviour Change* (2); *Behavioural and Cognitive Psychotherapy*; *Behaviour Research and Therapy* (3); *Brain and Language* (2); *Brain Injury* (2); *Canadian Journal of Occupational Therapy* (2); *Canadian Journal of School Psychology*; *Career Development for Exceptional Individuals*; *Chinese Mental Health Journal*; *Clinical Linguistics and Phonetics*; *Clinical Psychology and Psychotherapy*; *Cognitive and Behavioral Practice*; *Cognitive Computation*; *Cognitive Therapy and Research*; *Communication Disorders Quarterly*; *Developmental Medicine & Child Neurology* (2); *Developmental Neurorehabilitation* (2); *Disability and Rehabilitation: An International, Multidisciplinary Journal* (3); *Disability and Rehabilitation: Assistive Technology*; *Down Syndrome: Research & Practice*; *Drug and Alcohol Dependence* (2); *Early Childhood Education Journal* (2); *Early Childhood Services: An Interdisciplinary Journal of Effectiveness*; *Educational Psychology* (2); *Education and Training in Autism and Developmental Disabilities*; *Electronic Journal of Research in Educational Psychology*; *Environment and Behavior* (2); *European Eating Disorders Review*; *European Journal of Sport Science*; *European Review of Applied Psychology*; *Exceptional Children*; *Exceptionality*; *Experimental and Clinical Psychopharmacology*; *Family & Community Health: The Journal of Health Promotion & Maintenance*; *Headache: The Journal of Head and Face Pain*; *International Journal of Behavioral Consultation and Therapy* (2); *International Journal of Disability, Development and Education* (2); *International Journal of Drug Policy*; *International Journal of Psychology*; *International Journal of Speech-Language Pathology*; *International Psychogeriatrics*; *Japanese Journal of Behavior Analysis* (3); *Japanese Journal of Special Education*; *Journal of Applied Research in Intellectual Disabilities* (2); *Journal of Applied Sport Psychology* (3); *Journal of Attention Disorders* (2); *Journal of Behavior Therapy and Experimental Psychiatry*; *Journal of Child Psychology and Psychiatry*; *Journal of Clinical Psychology in Medical Settings*; *Journal of Clinical Sport Psychology*; *Journal of Cognitive Psychotherapy*; *Journal of Consulting and Clinical Psychology* (2); *Journal of Deaf Studies and Deaf Education*; *Journal of Educational & Psychological Consultation* (2); *Journal of Evidence-Based Practices for Schools* (2); *Journal of the Experimental Analysis of Behavior* (2); *Journal of General Internal Medicine*; *Journal of Intellectual and Developmental Disabilities*; *Journal of Intellectual Disability Research* (2); *Journal of Medical Speech-Language Pathology*; *Journal of Neurology*; *Neurosurgery & Psychiatry*; *Journal of Paediatrics and Child Health*; *Journal of Prevention and Intervention in the Community*; *Journal of Safety Research*; *Journal of School Psychology* (3); *The Journal of Socio-Economics*; *The Journal of Special Education*; *Journal of Speech, Language, and Hearing Research* (2); *Journal of Sport Behavior*; *Journal of Substance Abuse Treatment*; *Journal of the International Neuropsychological Society*; *Journal of Traumatic Stress*; *The Journals of Gerontology: Series B: Psychological Sciences and Social Sciences*; *Language, Speech, and Hearing Sciences in Schools*; *Learning Disabilities Research & Practice* (2); *Learning Disability Quarterly* (2); *Music Therapy Perspectives*; *Neurorehabilitation and Neural Repair*; *Neuropsychological Rehabilitation* (2); *Pain*; *Physical Education and Sport Pedagogy* (2); *Preventive Medicine: An International Journal Devoted to Practice and Theory*; *Psychological Assessment*; *Psychological Medicine: A Journal of Research in Psychiatry and the Allied Sciences*; *The Psychological Record*; *Reading and Writing*; *Remedial and Special Education* (3); *Research and Practice for Persons with Severe Disabilities* (2); *Restorative Neurology and Neuroscience*; *School Psychology International*; *Seminars in Speech and Language*; *Sleep and Hypnosis*; *School Psychology Quarterly*; *Social Work in Health Care*; *The Sport Psychologist* (3); *Therapeutic Recreation Journal* (2); *The Volta Review*; *Work: Journal of Prevention, Assessment & Rehabilitation*.

name. Coders did not infer the use of these measurement strategies.

- The number of baseline observations was either taken directly from the figures provided in text or was simply counted in graphical displays of the data when this was determined to be a reliable approach. In some cases, it was not possible to reliably determine the number of baseline data points from the graphical display of data, in which case, the “unavailable” code was assigned. Similarly, the “unavailable” code was assigned when the number of observations was either unreported or ambiguous, or only a range was provided and thus no mean could be determined. Similarly, the mean number of baseline observations was calculated for each study prior to further descriptive statistical analyses because a number of studies reported means only.

- The coding of the analytic method used in the reviewed studies is discussed later in the section titled Discussion of Review Results and Coding of Analytic Methods.

Results of the Systematic Review

Descriptive statistics of the design, measurement, and analysis characteristics of the reviewed studies are presented in Table 2. The results and their implications are discussed in the relevant sections throughout the remainder of the article.

Discussion of the Systematic Review Results in Context

The SCED is a very flexible methodology and has many variants. Those mentioned here are the building blocks from which other designs are then derived. For those readers interested in the nuances of each design, Barlow et al. (2008); Franklin, Allison, and Gorman (1997); Kazdin (2010); and Kratochwill and Levin (1992), among others, provide cogent, in-depth discussions. Identifying the appropriate SCED depends upon many factors, including the specifics of the IV, the setting in which the study will be conducted, participant characteristics, the desired or hypothesized outcomes, and the research question(s). Similarly, the researcher’s selection of measurement and analysis techniques is determined by these factors.

Predominant Single-Case Experimental Designs

Alternating/simultaneous designs (6%; primary design of the studies reviewed). Alternating and simultaneous designs involve an iterative manipulation of the IV(s) across different phases to show that changes in the DV vary systematically as a function of manipulating the IV(s). In these multielement designs, the researcher has the option to alternate the introduction of two or more IVs or present two or more IVs at the same time. In the alternating variation, the researcher is able to determine the relative impact of two different IVs on the DV, when all other conditions are held constant. Another variation of this design is to alternate IVs across various conditions that could be related to the DV (e.g., class period, interventionist). Similarly, the simultaneous design would occur when the IVs were presented at the same time within the same phase of the study.

Changing criterion design (4%). Changing criterion designs are used to demonstrate a gradual change in the DV over the

course of the phase involving the active manipulation of the IV. Criteria indicating that a change has occurred happen in a step-wise manner, in which the criterion shifts as the participant responds to the presence of the manipulated IV. The changing criterion design is particularly useful in applied intervention research for a number of reasons. The IV is continuous and never withdrawn, unlike the strategy used in a reversal design. This is particularly important in situations where removal of a psychological intervention would be either detrimental or dangerous to the participant, or would be otherwise unfeasible or unethical. The multiple baseline design also does not withdraw intervention, but it requires replicating the effects of the intervention across participants, settings, or situations. A changing criterion design can be accomplished with one participant in one setting without withholding or withdrawing treatment.

Multiple baseline/combined series design (69%). The multiple baseline or combined series design can be used to test within-subject change across conditions and often involves multiple participants in a replication context. The multiple baseline design is quite simple in many ways, essentially consisting of a number of repeated, miniature AB experiments or variations thereof. Introduction of the IV is staggered temporally across multiple participants or across multiple within-subject conditions, which allows the researcher to demonstrate that changes in the DV reliably occur only when the IV is introduced, thus controlling for the effects of extraneous factors. Multiple baseline designs can be used both within and across units (i.e., persons or groups of persons). When the baseline phase of each subject begins simultaneously, it is called a *concurrent multiple baseline design*. In a nonconcurrent variation, baseline periods across subjects begin at different points in time. The multiple baseline design is useful in many settings in which withdrawal of the IV would not be appropriate or when introduction of the IV is hypothesized to result in permanent change that would not reverse when the IV is withdrawn. The major drawback of this design is that the IV must be initially withheld for a period of time to ensure different starting points across the different units in the baseline phase. Depending upon the nature of the research questions, withholding an IV, such as a treatment, could be potentially detrimental to participants.

Reversal designs (17%). Reversal designs are also known as *introduction and withdrawal* and are denoted as ABAB designs in their simplest form. As the name suggests, the reversal design involves collecting a baseline measure of the DV (the first A phase), introducing the IV (the first B phase), removing the IV while continuing to assess the DV (the second A phase), and then reintroducing the IV (the second B phase). This pattern can be repeated as many times as is necessary to demonstrate an effect or otherwise address the research question. Reversal designs are useful when the manipulation is hypothesized to result in changes in the DV that are expected to reverse or discontinue when the manipulation is not present. Maintenance of an effect is often necessary to uphold the findings of reversal designs. The demonstration of an effect is evident in reversal designs when improvement occurs during the first manipulation phase, compared with the first baseline phase, then reverts to or approaches original baseline levels during the second baseline phase when the manipulation has been withdrawn, and then improves again when the manipulation is then reinstated. This pattern of reversal, when the manipulation is introduced and then withdrawn, is essential to

Table 2
Descriptive Statistics of Reviewed SCED Characteristics

Variable	Subjects			Observer ratings		Diary/EMA		Baseline observations ^f			Method of analysis (%) ^g		Not reported	
	N	M	SD	Range	%	IRR	%	M	SD	Range	Visual	Statistical		Visual & statistical
Research design^a														
Alternating condition	26	4.77	3.34	1-17	84.6	95.5	3.8	8.44	9.50	2-39	23.1	7.7	19.2	46.2
Changing/shifting criterion	18	1.94	1.06	1-4	77.8	85.7	0.0	5.29	2.93	2-10	27.8			
Multiple baseline/combined series	283	7.29	18.08	1-200	75.6	98.1	7.1	10.40	8.84	2-89	21.6	13.4	6.4	55.8
Reversal	70 ^c	6.64	10.64	1-75	78.6	100.0	4.3	11.69	13.78	1-72	17.1	12.9	5.7	62.9
Simultaneous condition	2 ^d	8			50.0	100.0	0.0	2.00			50.0	50.0	0.0	0.0
Time-series	10 ^e	26.78	35.43	2-114	50.0	40.0	10.0	6.21	2.59	3-10	0.0	70.0	30.0	0.0
Mixed designs^b														
Multiple baseline with reversal	12	6.89	8.24	1-32	92.9	100.0	7.1	13.01	9.59	3-33	14.3	21.4	0.0	64.3
Multiple baseline with changing criterion	6	3.17	1.33	1-5	83.3	80.0	16.7	11.00	9.61	5-30				
Multiple baseline with time-series	6	5.00	1.79	3-8	16.7	100.0	50.0	17.30	15.68	4-42	0.0	66.7	16.7	16.7
Total of reviewed studies	409	6.63	14.61	1-200	76.0	97.1	6.1	10.22	9.59	1-89	20.8	13.9	7.3	52.3

Note. SCED = single-case experimental design; EMA = ecological momentary assessment; IRR = interrater reliability; % = the proportion of reviewed studies that satisfied criteria for this code; For example, the percent of studies reporting observer ratings.

^a The categories in the "Research design" subsection are the primary designs identified by the authors. ^b Categories in the "Mixed designs" subsection are included in the "Research design" subsection. Only the three most prevalent mixed designs are reported. ^c One study of 624 subjects was excluded from the calculation of the number of subjects because it was a significant outlier. ^{d,e} Similarly, one study with 500 subjects and one study with 950 subjects were excluded from the number of subject analyses for the simultaneous condition and time-series designs, respectively. This resulted in only one simultaneous condition study, which is why no standard deviation or range is reported. ^f Because of reporting inconsistencies in the reviewed articles, the mean number of baseline observations for each study was first calculated and then combined and reported in this table. ^g In contrast to the results reported in text, the findings here are based on the total number of studies and are not divided into those that reported an analysis and those that did not. Visual and statistical analyses are not applicable to most studies using changing criterion designs. However, some authors reported using visual analysis methods.

attributing changes in the DV to the IV. However, maintenance of the effects in a reversal design, in which the DV is hypothesized to reverse when the IV is withdrawn, is not incompatible (Kazdin, 2010). Maintenance is demonstrated by repeating introduction-withdrawal segments until improvement in the DV becomes permanent even when the IV is withdrawn. There is not always a need to demonstrate maintenance in all applications, nor is it always possible or desirable, but it is paramount in the learning and intervention research contexts.

Mixed designs (10%). Mixed designs include a combination of more than one SCED (e.g., a reversal design embedded within a multiple baseline) or a SCED embedded within a group design (i.e., a randomized controlled trial comparing two groups of multiple baseline experiments). Mixed designs afford the researcher even greater flexibility in designing a study to address complex psychological hypotheses but also capitalize on the strengths of the various designs. See Kazdin (2010) for a discussion of the variations and utility of mixed designs.

Related Nonexperimental Designs

Quasiexperimental designs. In contrast to the designs previously described, all of which constitute “true experiments” (Kazdin, 2010; Shadish et al., 2002), in quasiexperimental designs the conditions of a true experiment (e.g., active manipulation of the IV, replication of the effect) are approximated and are not readily under the control of the researcher. Because the focus of this article is on experimental designs, quasiexperiments are not discussed in detail; instead, the reader is referred to Kazdin (2010) and Shadish et al. (2002).

Ecological and naturalistic single-case designs. For a single-case design to be experimental, there must be active manipulation of the IV, but in some applications, such as those that might be used in social and personality psychology, the researcher might be interested in measuring naturally occurring phenomena and examining their temporal relationships. Thus, the researcher will not use a manipulation. An example of this type of research might be a study about the temporal relationship between alcohol consumption and depressed mood, which can be measured reliably using EMA methods. Psychotherapy process researchers also use this type of design to assess dyadic relationship dynamics between therapists and clients (e.g., Tschacher & Ramseyer, 2009).

Research Design Standards

Each of the reviewed standards provides some degree of direction regarding acceptable research designs. The WWC provides the most detailed and specific requirements regarding design characteristics. Those guidelines presented in Tables 3, 4, and 5 are consistent with the methodological rigor necessary to meet the WWC distinction “meets standards.” The WWC also provides less-stringent standards for a “meets standards with reservations” distinction. When minimum criteria in the design, measurement, or analysis sections of a study are not met, it is rated “does not meet standards” (Kratochwill et al., 2010). Many SCEDs are acceptable within the standards of DIV12, DIV16, NRP, and in the Tate et al. (2008) SCED scale. DIV12 specifies that replication occurs across a minimum of three successive cases, which differs from the WWC specifications, which allow for three replications within a

single-subject design but does not necessarily need to be across multiple subjects. DIV16 does not require, but seems to prefer, a multiple baseline design with a between-subjects replication. Tate et al. (2008) stated that the “design allows for the examination of cause and effect relationships to demonstrate efficacy” (p. 400). Determining whether a design meets this requirement is left up to the evaluator, who might then refer to one of the other standards or another source for direction.

The Stone and Shiffman (2002) standards for EMA are concerned almost entirely with the reporting of measurement characteristics and less so with research design. One way in which these standards differ from those of other sources is in the active manipulation of the IV. Many research questions in EMA, daily diary, and time-series designs are concerned with naturally occurring phenomena, and a researcher manipulation would run counter to this aim. The EMA standards become important when selecting an appropriate measurement strategy within the SCED. In EMA applications, as is also true in some other time-series and daily diary designs, researcher manipulation occurs as a function of the sampling interval in which DVs of interest are measured according to fixed time schedules (e.g., reporting occurs at the end of each day), random time schedules (e.g., the data-collection device prompts the participant to respond at random intervals throughout the day), or on an event-based schedule (e.g., reporting occurs after a specified event takes place).

Measurement

The basic measurement requirement of the SCED is a repeated assessment of the DV across each phase of the design in order to draw valid inferences regarding the effect of the IV on the DV. In other applications, such as those used by personality and social psychology researchers to study various human phenomena (Bolger et al., 2003; Reis & Gable, 2000), sampling strategies vary widely depending on the topic area under investigation. Regardless of the research area, SCEDs are most typically concerned with within-person change and processes and involve a time-based strategy, most commonly to assess global daily averages or peak daily levels of the DV. Many sampling strategies, such as time-series, in which reporting occurs at uniform intervals or on event-based, fixed, or variable schedules, are also appropriate measurement methods and are common in psychological research (see Bolger et al., 2003).

Repeated-measurement methods permit the natural, even spontaneous, reporting of information (Reis, 1994), which reduces the biases of retrospection by minimizing the amount of time elapsed between an experience and the account of this experience (Bolger et al., 2003). Shiffman et al. (2008) aptly noted that the majority of research in the field of psychology relies heavily on retrospective assessment measures, even though retrospective reports have been found to be susceptible to state-congruent recall (e.g., Bower, 1981) and a tendency to report peak levels of the experience instead of giving credence to temporal fluctuations (Redelmeier & Kahneman, 1996; Stone, Broderick, Kaell, Deles-Paul, & Porter, 2000). Furthermore, Shiffman et al. (1997) demonstrated that subjective aggregate accounts were a poor fit to daily reported experiences, which can be attributed to reductions in measurement error resulting in increased validity and reliability of the daily reports.

Table 3
Research Design Standards and Guidelines

Variable	What Works Clearinghouse	APA Division 12 Task Force on Psychological Interventions	APA Division 16 Task Force on Evidence-Based Interventions in School Psychology	National Reading Panel	The Single-Case Experimental Design Scale (Tate et al., 2008)	Ecological momentary assessment (EMA; Stone & Shiffman, 2002)
1. Experimental manipulation (independent variable [IV])	The IV (i.e., the intervention) must be systematically manipulated as determined by the researcher	Need a well-defined and replicable intervention for a specific disorder, problem behavior, or condition	Specified intervention according to the Institute of Medicine's (1994) classification system	Specified intervention	Scale was designed to assess the quality of interventions; thus, an intervention is required	Manipulation in EMA is concerned with the sampling procedure of the study
2. Research designs	At least 3 attempts to demonstrate an effect at 3 different points in time or with 3 different phase repetitions	Many research designs are acceptable beyond those mentioned	The stage of the intervention program must be specified (see Rossi & Freeman, 1993)		The design allows for the examination of cause and effect to demonstrate efficacy	EMA is almost entirely concerned with measurement of variables of interest; thus, the design of the study is determined solely by the research question(s)
General guidelines						
Reversal (e.g., ABAB)	Minimum of 4 A and B phases	Mentioned as acceptable	Mentioned as acceptable		Mentioned as acceptable	
Multiple baseline/combined series	At least 3 baseline conditions	At least 3 different, successive subjects	Both within and between subjects	Single-subject or aggregated subjects	Mentioned as acceptable	
Alternating treatment	At least 3 alternating treatments compared with a baseline condition or two alternating treatments compared with each other		Considered the strongest because replication occurs across individuals			
Simultaneous treatment	Same as for alternating treatment designs		Mentioned as acceptable			
Changing/shifting criterion	At least 3 different criteria					
Mixed designs						
Quasiexperimental						
3. Baseline	Minimum of 3 data points	Minimum of 3 data points	Minimum of 3 data points, although more observations are preferred	Mentioned as acceptable		
4. Randomization specifications provided				No minimum specified	No minimum ("sufficient sampling of behavior occurred pretreatment")	

Note. APA = American Psychological Association.

The necessity of measuring at least one DV repeatedly means that the selected assessment method, instrument, and/or construct must be sensitive to change over time and be capable of reliably and validly capturing change. Horner et al. (2005) discussed the important features of outcome measures selected for use in these types of designs. Kazdin (2010) suggested that measures be dimensional, which can more readily detect effects than categorical and binary measures. Although using an established measure or scale, such as the Outcome Questionnaire System (M. J. Lambert, Hansen, & Harmon, 2010), provides empirically validated items for assessing various outcomes, most measure-validation studies conducted on this type of instrument involve between-subjects designs, which is no guarantee that these measures are reliable and valid for assessing within-person variability. Borsboom, Mellenbergh, and van Heerden (2003) suggested that researchers adapting validated measures should consider whether the items they propose using have a factor structure within subject similar to that obtained between subjects. This is one of the reasons that SCEDs often use observational assessments from multiple sources and report the interrater reliability of the measure. Self-report measures are acceptable practice in some circles, but generally additional assessment methods or informants are necessary to uphold the highest methodological standards. The results of this review indicate that the majority of studies include observational measurement (76.0%). Within those studies, nearly all (97.1%) reported interrater reliability procedures and results. The results within each design were similar, with the exception of time-series designs, which used observer ratings in only half of the reviewed studies.

Time-series. Time-series designs are defined by repeated measurement of variables of interest over a period of time (Box & Jenkins, 1970). Time-series measurement most often occurs in uniform intervals; however, this is no longer a constraint of time-series designs (see Harvey, 2001). Although uniform interval reporting is not necessary in SCED research, repeated measures often occur at uniform intervals, such as once each day or each week, which constitutes a time-series design. The time-series design has been used in various basic science applications (Scolton, Kim-Pietro, & Diener, 2003) across nearly all subspecialties in psychology (e.g., Bolger et al., 2003; Piasecki et al., 2007; for a review, see Reis & Gable, 2000; Soliday et al., 2002). The basic time-series formula for a two-phase (AB) data stream is presented in Equation 1. In this formula α represents the step function of the data stream; S represents the change between the first and second phases, which is also the intercept in a two-phase data stream and a step function being 0 at times $i = 1, 2, 3 \dots n_1$ and 1 at times $i = n_1 + 1, n_1 + 2, n_1 + 3 \dots n$; n_1 is the number of observations in the baseline phase; n is the total number of data points in the data stream; i represents time; and $\varepsilon_i = \rho\varepsilon_{i-1} + e_i$, which indicates the relationship between the autoregressive function (ρ) and the distribution of the data in the stream.

$$y_i = \alpha \times S(n_1) + \varepsilon_i \quad (1)$$

Time-series formulas become increasingly complex when seasonality and autoregressive processes are modeled in the analytic procedures, but these are rarely of concern for short time-series data streams in SCEDs. For a detailed description of other time-series design and analysis issues, see Borckardt et al. (2008); Box and Jenkins (1970); Crosbie (1993), R. R. Jones et al. (1977), and Velicer and Fava (2003).

Time-series and other repeated-measures methodologies also enable examination of temporal effects. Borckardt et al. (2008) and others have noted that time-series designs have the potential to reveal how change occurs, not simply if it occurs. This distinction is what most interested Skinner (1938), but it often falls below the purview of today's researchers in favor of group designs, which Skinner felt obscured the process of change. In intervention and psychopathology research, time-series designs can assess mediators of change (Doss & Atkins, 2006), treatment processes (Stout, 2007; Tschacher & Ramseyer, 2009), and the relationship between psychological symptoms (e.g., Alloy, Just, & Panzarella, 1997; Hanson & Chen, 2010; Oslin, Cary, Slaymaker, Colleran, & Blow, 2009) and might be capable of revealing mechanisms of change (Kazdin, 2007, 2009, 2010). Between-subjects and within-subject SCED designs with repeated measurements enable researchers to examine similarities and differences in the course of change, both during and as a result of manipulating an IV. Temporal effects have been largely overlooked in many areas of psychological science (Bolger et al., 2003): Examining temporal relationships is sorely needed to further our understanding of the etiology and amplification of numerous psychological phenomena.

Time-series studies were very infrequently found in this literature search (2%). Time-series studies traditionally occur in sub-fields of psychology in which single-case research is not often used (e.g., personality, physiological/biological). Recent advances in methods for collecting and analyzing time-series data (e.g., Borckardt et al., 2008) could expand the use of time-series methodology in the SCED community. One problem with drawing firm conclusions from this particular review finding is a semantic factor: *Time-series* is a specific term reserved for measurement occurring at a uniform interval. However, SCED research appears to not yet have adopted this language when referring to data collected in this fashion. When time-series data analytic methods are not used, the matter of measurement interval is of less importance and might not need to be specified or described as a time-series. An interesting extension of this work would be to examine SCED research that used time-series measurement strategies but did not label it as such. This is important because then it could be determined how many SCEDs could be analyzed with time-series statistical methods.

Daily diary and ecological momentary assessment methods. EMA and daily diary approaches represent methodological procedures for collecting repeated measurements in time-series and non-time-series experiments, which are also known as *experience sampling*. Presenting an in-depth discussion of the nuances of these sampling techniques is well beyond the scope of this article. The reader is referred to the following review articles: daily diary (Bolger et al., 2003; Reis & Gable, 2000; Thiele, Laireiter, & Baumann, 2002), and EMA (Shiffman et al., 2008). Experience sampling in psychology has burgeoned in the past two decades as technological advances have permitted more precise and immediate reporting by participants (e.g., Internet-based, two-way pagers, cellular telephones, handheld computers) than do paper-and-pencil methods (for reviews, see Barrett & Barrett, 2001; Shiffman & Stone, 1998). Both methods have practical limitations and advantages. For example, electronic methods are more costly and may exclude certain subjects from participating in the study, either because they do not have access to the necessary technology or they do not have the familiarity or savvy to successfully complete

reporting. Electronic data-collection methods enable the researcher to prompt responses at random or predetermined intervals and also accurately assess compliance. Paper-and-pencil methods have been criticized for their inability to reliably track respondents' compliance: Palermo, Valenzuela, and Stork (2004) found better compliance with electronic diaries than with paper and pencil. On the other hand, Green, Rafaeli, Bolger, Shrout, and Reis (2006) demonstrated the psychometric data structure equivalence between these two methods, suggesting that the data collected in either method will yield similar statistical results given comparable compliance rates.

Daily diary/daily self-report and EMA measurement were somewhat rarely represented in this review, occurring in only 6.1% of the total studies. EMA methods had been used in only one of the reviewed studies. The recent proliferation of EMA and daily diary studies in psychology reported by others (Bolger et al., 2003; Piasecki et al., 2007; Shiffman et al., 2008) suggests that these methods have not yet reached SCED researchers, which could, in part, have resulted from the long-held supremacy of observational measurement in fields that commonly practice single-case research.

Measurement Standards

As was previously mentioned, measurement in SCEDs requires the reliable assessment of change over time. As illustrated in Table 4, DIV16 and the NRP explicitly require that reliability of all measures be reported. DIV12 provides little direction in the selection of the measurement instrument, except to require that three or more clinically important behaviors with relative independence be assessed. Similarly, the only item concerned with measurement on the Tate et al. (2008) scale specifies assessing behaviors consistent with the target of the intervention. The WWC and the Tate et al. scale require at least two independent assessors of the DV and that interrater reliability meeting minimum established thresholds be reported. Furthermore, WWC requires that interrater reliability be assessed on at least 20% of the data in each phase and in each condition. DIV16 expects that assessment of the outcome measures will be multisource and multimethod, when applicable. The interval of measurement is not specified by any of the reviewed sources. The WWC and the Tate et al. scale require that DVs be measured repeatedly across phases (e.g., baseline and treatment), which is a typical requirement of a SCED. The NRP asks that the time points at which DV measurement occurred be reported.

Baseline. The baseline measurement represents one of the most crucial design elements of the SCED. Because subjects provide their own data for comparison, gathering a representative, stable sampling of behavior before manipulating the IV is essential to accurately inferring an effect. Some researchers have reported the typical length of the baseline period to range from three to 12 observations in intervention research applications (e.g., Center et al., 1986; Huitema, 1985; R. R. Jones et al., 1977; Sharpley, 1987); Huitema's (1985) review of 881 experiments published in the *Journal of Applied Behavior Analysis* resulted in a modal number of three to four baseline points. Center et al. (1986) suggested five as the minimum number of baseline measurements needed to accurately estimate autocorrelation. Longer baseline periods suggest a greater likelihood of a representative measurement of the DVs, which has been found to increase the validity of the effects

and reduce bias resulting from autocorrelation (Huitema & McKean, 1994). The results of this review are largely consistent with those of previous researchers: The mean number of baseline observations was found to be 10.22 ($SD = 9.59$), and 6 was the modal number of observations. Baseline data were available in 77.8% of the reviewed studies. Although the baseline assessment has tremendous bearing on the results of a SCED study, it was often difficult to locate the exact number of data points. Similarly, the number of data points assessed across all phases of the study were not easily identified.

The WWC, DIV12, and DIV16 agree that a minimum of three data points during the baseline is necessary. However, to receive the highest rating by the WWC, five data points are necessary in each phase, including the baseline and any subsequent withdrawal baselines as would occur in a reversal design. DIV16 explicitly states that more than three points are preferred and further stipulates that the baseline must demonstrate stability (i.e., limited variability), absence of overlap between the baseline and other phases, absence of a trend, and that the level of the baseline measurement is severe enough to warrant intervention; each of these aspects of the data is important in inferential accuracy. Detrending techniques can be used to address baseline data trend. The integration option in ARIMA-based modeling and the empirical mode decomposition method (Wu, Huang, Long, & Peng, 2007) are two sophisticated detrending techniques. In regression-based analytic methods, detrending can be accomplished by simply regressing each variable in the model on *time* (i.e., the residuals become the detrended series), which is analogous to adding a linear, exponential, or quadratic term to the regression equation.

NRP does not provide a minimum for data points, nor does the Tate et al. (2008) scale, which requires only a sufficient sampling of baseline behavior. Although the mean and modal number of baseline observations is well within these parameters, seven (1.7%) studies reported mean baselines of less than three data points.

Establishing a uniform minimum number of required baseline observations would provide researchers and reviewers with only a starting guide. The baseline phase is important in SCED research because it establishes a trend that can then be compared with that of subsequent phases. Although a minimum number of observations might be required to meet standards, many more might be necessary to establish a trend when there is variability and trends in the direction of the expected effect. The selected data analytic approach also has some bearing on the number of necessary baseline observations. This is discussed further in the Analysis section.

Reporting of repeated measurements. Stone and Shiffman (2002) provided a comprehensive set of guidelines for the reporting of EMA data, which can also be applied to other repeated-measurement strategies. Because the application of EMA is widespread and not confined to specific research designs, Stone and Shiffman intentionally placed few constraints on researchers regarding selection of the DV and the reporter, which is determined by the research question under investigation. The methods of measurement, however, are specified in detail: Descriptions of prompting, recording of responses, participant-initiated entries, and the data acquisition interface (e.g., paper-and-pencil diary, PDA, cellular telephone) ought to be provided with sufficient detail for replication. Because EMA specifically, and time-series/

Table 4
Measurement and Assessment Standards and Guidelines

Variable	What Works Clearinghouse	APA Division 12 Task Force on Psychological Interventions	APA Division 16 Task Force on Evidence-Based Interventions in School Psychology	National Reading Panel	The Single-Case Experimental Design Scale (Tate et al., 2008)	Ecological momentary assessment (Stone & Shiffman, 2002)
1. Dependent variable (DV) Selection of DV		≥3 clinically important behaviors that are relatively independent	Outcome measures that produce reliable scores (validity of measure reported)	Standardized or investigator-constructed outcomes measures (report reliability)	Measure behaviors that are the target of the intervention	Determined by research question(s)
Assessor(s)/reporter(s)	More than one (self-report not acceptable)		Multisource (not always applicable)		Independent (implied minimum of 2)	Determined by research question(s)
Intrater reliability	On at least 20% of the data in each phase and in each condition. Must meet minimal established thresholds				Intrater reliability is reported	
Method(s) of measurement/assessment			Multimethod (e.g., at least 2 assessment methods to evaluate primary outcomes; not always applicable)	Quantitative or qualitative measure		Description of prompting, recording, participant-initiated entries, data acquisition interface (e.g., diary)
Interval of assessment	Must be measured repeatedly over time (no minimum specified) within and across different conditions and levels of the independent variable			List time points when dependent measures were assessed	Sampling of the targeted behavior (i.e., DV) occurs during the treatment period	Density and schedule are reported and consistent with addressing research question(s). Define "immediate and timely response"
Other guidelines					Raw data record provided (represent the variability of the target behavior)	
2. Baseline measurement	Minimum of 3 data points across multiple phases of a reversal or multiple baseline design; 5 data points in each phase for highest rating	Minimum of 3 data points (to establish a linear trend)	1. Minimum of 3 data points (more is preferred) 2. Stability (limited variability) 3. Absence of overlap between baseline and other phases 4. Level (severe enough to warrant intervention) 5. Absence of trends	No minimum specified	No minimum ("sufficient sampling of behavior [i.e., DV] occurred pretreatment")	
3. Compliance and missing data guidelines	1 or 2 data points can be sufficient in alternating treatment designs					Rationale for compliance decisions, rates reported, missing data criteria and actions

Note. APA = American Psychological Association.

daily diary methods similarly, are primarily concerned with the interval of assessment, Stone and Shiffman suggested reporting the density and schedule of assessment. The approach is generally determined by the nature of the research question and pragmatic considerations, such as access to electronic data-collection devices at certain times of the day and participant burden. Compliance and missing data concerns are present in any longitudinal research design, but they are of particular importance in repeated-measurement applications with frequent measurement. When the research question pertains to temporal effects, compliance becomes paramount, and timely, immediate responding is necessary. For this reason, compliance decisions, rates of missing data, and missing data management techniques must be reported. The effect of missing data in time-series data streams has been the topic of recent research in the social sciences (e.g., Smith, Borckardt, & Nash, 2012; Velicer & Colby, 2005a, 2005b). The results and implications of these and other missing data studies are discussed in the next section.

Analysis of SCED Data

Visual analysis. Experts in the field generally agree about the majority of critical single-case experiment design and measurement characteristics. Analysis, on the other hand, is an area of significant disagreement, yet it has also received extensive recent attention and advancement. Debate regarding the appropriateness and accuracy of various methods for analyzing SCED data, the interpretation of single-case effect sizes, and other concerns vital to the validity of SCED results has been ongoing for decades, and no clear consensus has been reached. Visual analysis, following systematic procedures such as those provided by Franklin, Gorman, Beasley, and Allison (1997) and Parsonson and Baer (1978), remains the standard by which SCED data are most commonly analyzed (Parker, Cryer, & Byrns, 2006). Visual analysis can arguably be applied to all SCEDs. However, a number of baseline data characteristics must be met for effects obtained through visual analysis to be valid and reliable. The baseline phase must be relatively stable; free of significant trend, particularly in the hypothesized direction of the effect; have minimal overlap of data with subsequent phases; and have a sufficient sampling of behavior to be considered representative (Franklin, Gorman, et al., 1997; Parsonson & Baer, 1978). The effect of baseline trend on visual analysis, and a technique to control baseline trend, are offered by Parker et al. (2006). Kazdin (2010) suggested using statistical analysis when a trend or significant variability appears in the baseline phase, two conditions that ought to preclude the use of visual analysis techniques. Visual analysis methods are especially adept at determining intervention effects and can be of particular relevance in real-world applications (e.g., Kratochwill, Levin, Horner, & Swoboda, 2011).

However, visual analysis has its detractors. It has been shown to be inconsistent, can be affected by autocorrelation, and results in overestimation of effect (e.g., Matyas & Greenwood, 1990). Visual analysis as a means of estimating an effect precludes the results of SCED research from being included in meta-analysis and also makes it very difficult to compare results to the effect sizes generated by other statistical methods. Yet visual analysis proliferates in large part because SCED researchers are familiar with these methods and are not only generally unfamiliar with statistical

approaches but lack agreement about their appropriateness. Still, top experts in single-case analysis champion the use of statistical methods alongside visual analysis whenever it is appropriate to do so (Kratochwill et al., 2011).

Statistical analysis. Statistical analysis of SCED data consists generally of an attempt to address one or more of three broad research questions: (a) Does introduction/manipulation of the IV result in statistically significant change in the level of the DV (level-change or phase-effect analysis)? (b) Does introduction/manipulation of the IV result in statistically significant change in the slope of the DV over time (slope-change analysis)? (c) Do meaningful relationships exist between the trajectory of the DV and other potential covariates? Level- and slope-change analyses are relevant to intervention effectiveness studies and other research questions in which the IV is expected to result in changes in the DV in a particular direction. Visual analysis methods are most adept at addressing research questions pertaining to changes in level and slope (Questions a and b), most often using some form of graphical representation and standardized computation of a mean level or trend line within and between each phase of interest (e.g., Horner & Spaulding, 2010; Kratochwill et al., 2011; Matyas & Greenwood, 1990). Research questions in other areas of psychological science might address the relationship between DVs or the slopes of DVs (Question c). A number of sophisticated modeling approaches (e.g., cross-lag, multilevel, panel, growth mixture, latent class analysis) may be used for this type of question, and some are discussed in greater detail later in this section. However, a discussion about the nuances of this type of analysis and all their possible methods is well beyond the scope of this article.

The statistical analysis of SCEDs is a contentious issue in the field. Not only is there no agreed-upon statistical method, but the practice of statistical analysis in the context of the SCED is viewed by some as unnecessary (see Shadish, Rindskopf, & Hedges, 2008). Traditional trends in the prevalence of statistical analysis usage by SCED researchers are revealing: Busk and Marascuilo (1992) found that only 10% of the published single-case studies they reviewed used statistical analysis; Brossart, Parker, Olson, and Mahadevan (2006) estimated that this figure had roughly doubled by 2006. A range of concerns regarding single-case effect size calculation and interpretation is discussed in significant detail elsewhere (e.g., Campbell, 2004; Cohen, 1994; Ferron & Sentovich, 2002; Ferron & Ware, 1995; Kirk, 1996; Manolov & Solanas, 2008; Olive & Smith, 2005; Parker & Brossart, 2003; Robey et al., 1999; Smith et al., 2012; Velicer & Fava, 2003). One concern is the lack of a clearly superior method across data sets. Although statistical methods for analyzing SCEDs abound, few studies have examined their comparative performance with the same data set. The most recent studies of this kind, performed by Brossart et al. (2006), Campbell (2004), Parker and Brossart (2003), and Parker and Vannest (2009), found that the more promising available statistical analysis methods yielded moderately different results on the same data series, which led them to conclude that each available method is equipped to adequately address only a relatively narrow spectrum of data. Given these findings, analysts need to select an appropriate model for the research questions and data structure, being mindful of how modeling results can be influenced by extraneous factors.

The current standards unfortunately provide little guidance in the way of statistical analysis options. This article presents an admittedly cursory introduction to available statistical methods; many others are not covered in this review. The following articles provide more in-depth discussion and description of other methods: Barlow et al. (2008); Franklin, Allison, and Gorman (1997); Kazdin (2010); and Kratochwill and Levin (1992, 2010). Shadish et al. (2008) summarized more recently developed methods. Similarly, a special issue of *Evidence-Based Communication Assessment and Intervention* (2008, Vol. 2) provides articles and discussion of the more promising statistical methods for SCED analysis. An introduction to autocorrelation and its implications for statistical analysis is necessary before specific analytic methods can be discussed. It is also pertinent at this time to discuss the implications of missing data.

Autocorrelation. Many repeated measurements within a single subject or unit create a situation with which most psychological researchers are unaccustomed to dealing: autocorrelated data, which is the nonindependence of sequential observations, also known as *serial dependence*. Basic and advanced discussions of autocorrelation in single-subject data can be found in Borckardt et al. (2008); Huitema (1985), and Marshall (1980), and discussions of autocorrelation in multilevel models can be found in Snijders and Bosker (1999) and Diggle and Liang (2001). Along with trend and seasonal variation, autocorrelation is one example of the internal structure of repeated measurements. In the social sciences, autocorrelated data occur most naturally in the fields of physiological psychology, econometrics, and finance, where each phase of interest has potentially hundreds or even thousands of observations that are tightly packed across time (e.g., electroencephalography actuarial data, financial market indices). Applied SCED research in most areas of psychology is more likely to have measurement intervals of day, week, or hour.

Autocorrelation is a direct result of the repeated-measurement requirements of the SCED, but its effect is most noticeable and problematic when one is attempting to analyze these data. Many commonly used data analytic approaches, such as analysis of variance, assume independence of observations and can produce spurious results when the data are nonindependent. Even statistically insignificant autocorrelation estimates are generally viewed as sufficient to cause inferential bias when conventional statistics are used (e.g., Busk & Marascuilo, 1988; R. R. Jones et al., 1977; Matyas & Greenwood, 1990). The effect of autocorrelation on statistical inference in single-case applications has also been known for quite some time (e.g., R. R. Jones et al., 1977; Kanfer, 1970; Kazdin, 1981; Marshall, 1980). The findings of recent simulation studies of single-subject data streams indicate that autocorrelation is a nontrivial matter. For example, Manolov and Solanas (2008) determined that calculated effect sizes were linearly related to the autocorrelation of the data stream, and Smith et al. (2012) demonstrated that autocorrelation estimates in the vicinity of 0.80 negatively affect the ability to correctly infer a significant level-change effect using a standardized mean differences method. Huitema and colleagues (e.g., Huitema, 1985; Huitema & McKean, 1994) argued that autocorrelation is rarely a concern in applied research. Huitema's methods and conclusions have been questioned and opposing data have been published (e.g., Allison & Gorman, 1993; Matyas & Greenwood, 1990; Robey et al., 1999), resulting in abandonment of the position that autocor-

relation can be conscientiously ignored without compromising the validity of the statistical procedures. Procedures for removing autocorrelation in the data stream prior to calculating effect sizes are offered as one option: One of the more promising analysis methods, ARMA/ARIMA (discussed later in this article), was specifically designed to remove the internal structure of time-series data, such as autocorrelation, trend, and seasonality (Box & Jenkins, 1970; Tiao & Box, 1981).

Missing observations. Another concern inherent in repeated-measures designs is missing data. Daily diary and EMA methods are intended to reduce the risk of retrospection error by eliciting accurate, real-time information (Bolger et al., 2003). However, these methods are subject to missing data as a result of honest forgetfulness, not possessing the diary collection tool at the specified time of collection, and intentional or systematic noncompliance. With paper-and-pencil diaries and some electronic methods, subjects might be able to complete missed entries retrospectively, defeating the temporal benefits of these assessment strategies (Bolger et al., 2003). Methods of managing noncompliance through the study design and measurement methods include training the subject to use the data-collection device appropriately, using technology to prompt responding and track the time of response, and providing incentives to participants for timely compliance (for additional discussion of this topic, see Bolger et al., 2003; Shiffman & Stone, 1998).

Even when efforts are made to maximize compliance during the conduct of the research, the problem of missing data is often unavoidable. Numerous approaches exist for handling missing observations in group multivariate designs (e.g., Horton & Kleinman, 2007; Ibrahim, Chen, Lipsitz, & Herring, 2005). Raghunathan (2004) and others concluded that full information and raw data maximum likelihood methods are preferable. Velicer and Colby (2005a, 2005b) established the superiority of maximum likelihood methods over listwise deletion, mean of adjacent observations, and series mean substitution in the estimation of various critical time-series data parameters. Smith et al. (2012) extended these findings regarding the effect of missing data on inferential precision. They found that managing missing data with the EM procedure (Dempster, Laird, & Rubin, 1977), a maximum likelihood algorithm, did not affect one's ability to correctly infer a significant effect. However, lag-1 autocorrelation estimates in the vicinity of 0.80 resulted in insufficient power sensitivity (<0.80), regardless of the proportion of missing data (10%, 20%, 30%, or 40%).¹ Although maximum likelihood methods have garnered some empirical support, methodological strategies that minimize missing data, particularly systematically missing data, are paramount to post hoc statistical remedies.

Nonnormal distribution of data. In addition to the autocorrelated nature of SCED data, typical measurement methods also present analytic challenges. Many statistical methods, particularly those involving model finding, assume that the data are normally distributed. This is often not satisfied in SCED research when

¹ Autocorrelation estimates in this range can be caused by trends in the data streams, which creates complications in terms of detecting level-change effects. The Smith et al. (2012) study used a Monte Carlo simulation to control for trends in the data streams, but trends are likely to exist in real-world data with high lag-1 autocorrelation estimates.

measurements involve count data, observer-rated behaviors, and other, similar metrics that result in skewed distributions. Techniques are available to manage nonnormal distributions in regression-based analysis, such as zero-inflated Poisson regression (D. Lambert, 1992) and negative binomial regression (Gardner, Mulvey, & Shaw, 1995), but many other statistical analysis methods do not include these sophisticated techniques. A skewed data distribution is perhaps one of the reasons Kazdin (2010) suggested not using count, categorical, or ordinal measurement methods.

Available statistical analysis methods. Following is a basic introduction to the more promising and prevalent analytic methods for SCED research. Because there is little consensus regarding the superiority of any single method, the burden unfortunately falls on the researcher to select a method capable of addressing the research question and handling the data involved in the study. Some indications and contraindications are provided for each method presented here.

Multilevel and structural equation modeling. Multilevel modeling (MLM; e.g., Schmidt, Perels, & Schmitz, 2010) techniques represent the state of the art among parametric approaches to SCED analysis, particularly when synthesizing SCED results (Shadish et al., 2008). MLM and related latent growth curve and factor mixture methods in structural equation modeling (SEM; e.g., Lubke & Muthén, 2005; B. O. Muthén & Curran, 1997) are particularly effective for evaluating trajectories and slopes in longitudinal data and relating changes to potential covariates. MLM and related hierarchical linear models (HLM) can also illuminate the relationship between the trajectories of different variables under investigation and clarify whether these relationships differ amongst the subjects in the study. Time-series and cross-lag analyses can also be used in MLM and SEM (Chow, Ho, Hamaker, & Dolan, 2010; du Toit & Browne, 2007). However, they generally require sophisticated model-fitting techniques, making them difficult for many social scientists to implement. The structure (autocorrelation) and trend of the data can also complicate many MLM methods. The common, short data streams in SCED research and the small number of subjects also present problems to MLM and SEM approaches, which were developed for data with significantly greater numbers of observations when the number of subjects is fewer, and for a greater number of participants for model-fitting purposes, particularly when there are fewer data points. Still, MLM and related techniques arguably represent the most promising analytic methods.

A number of software options² exist for SEM. Popular statistical packages in the social sciences provide SEM options, such as PROC CALIS in SAS, the AMOS module (Arbuckle, 2006) of SPSS, and the SEM package for R (R Development Core Team, 2005), the use of which is described by Fox (2006). A number of stand-alone software options are also available for SEM applications, including Mplus (L. K. Muthén & Muthén, 2010) and Stata (StataCorp., 2011). Each of these programs also provides options for estimating multilevel/hierarchical models (for a review of using these programs for MLM analysis, see Albright & Marinova, 2010). Hierarchical linear and nonlinear modeling can also be accomplished using the HLM 7 program (Raudenbush, Bryk, & Congdon, 2011).

Autoregressive moving averages (ARMA; e.g., Browne & Neselroade, 2005; Liu & Hudack, 1995; Tiao & Box, 1981). Two primary points have been raised regarding ARMA modeling:

length of the data stream and feasibility of the modeling technique. ARMA models generally require 30–50 observations in each phase when analyzing a single-subject experiment (e.g., Borckardt et al., 2008; Box & Jenkins, 1970), which is often difficult to satisfy in applied psychological research applications. However, ARMA models in an SEM framework, such as those described by du Toit and Browne (2001), are well suited for longitudinal panel data with few observations and many subjects. Autoregressive SEM models are also applicable under similar conditions. Model-fitting options are available in SPSS, R, and SAS via PROC ARMA.

ARMA modeling also requires considerable training in the method and rather advanced knowledge about statistical methods (e.g., Kratochwill & Levin, 1992). However, Brossart et al. (2006) pointed out that ARMA-based approaches can produce excellent results when there is no “model finding” and a simple lag-1 model, when no differencing and no moving average, is used. This approach can be taken for many SCED applications when phase- or slope-change analyses are of interest with a single, or very few, subjects. As already mentioned, this method is particularly useful when one is seeking to account for autocorrelation or other over-time variations that are not directly related to the experimental or intervention effect of interest (i.e., detrending). ARMA and other time-series analysis methods require missing data to be managed prior to analysis by means of options such as full information maximum-likelihood estimation, multiple imputation, or the Kalman filter (see Box & Jenkins, 1970; Hamilton, 1994; Shumway & Stoffer, 1982) because listwise deletion has been shown to result in inaccurate time-series parameter estimates (Velicer & Colby, 2005a).

Standardized mean differences. Standardized mean differences approaches include the common Cohen’s *d*, Glass’s *delta*, and Hedge’s *g* that are used in the analysis of group designs. The computational properties of mean differences approaches to SCEDs are identical to those used for group comparisons, except that the results represent within-case variation instead of the variation between groups, which suggests that the obtained effect sizes are not interpretively equivalent. The advantage of the mean differences approach is its simplicity of calculation and also its familiarity to social scientists. The primary drawback of these approaches is that they were not developed to contend with autocorrelated data. However, Manolov and Solanas (2008) reported that autocorrelation least affected effect sizes calculated using standardized mean differences approaches. To the applied-research scientist this likely represents the most accessible analytic approach, because statistical software is not required to calculate these effect sizes. The resultant effect sizes of single subject standardized mean differences analysis must be interpreted cautiously because their relation to standard effect size benchmarks, such as those provided by Cohen (1988), is unknown. Standardized mean differences approaches are appropriate only when examining significant differences between phases of the study and cannot illuminate trajectories or relationships between variables.

² The author makes no endorsement regarding the superiority of any statistical program or package over another by their mention or exclusion in this article. The author also has no conflicts of interest in this regard.

Other analytic approaches. Researchers have offered other analytic methods to deal with the characteristics of SCED data. A number of methods for analyzing *N*-of-1 experiments have been developed. Borckardt's (2006) Simulation Modeling Analysis (SMA) program provides a method for analyzing level- and slope-change in short (<30 observations per phase; see Borckardt et al., 2008), autocorrelated data streams that is statistically sophisticated yet accessible and freely available to typical psychological scientists and clinicians. A replicated single-case time-series design conducted by Smith, Handler, and Nash (2010) provided an example of SMA application. The Singwin Package, described in Bloom et al. (2003), is another easy-to-use parametric approach for analyzing single-case experiments. A number of nonparametric approaches have also been developed that emerged from the visual analysis tradition: Some examples include percent nonoverlapping data (Scruggs, Mastropieri, & Casto, 1987) and nonoverlap of all pairs (Parker & Vannest, 2009); however, these methods have come under scrutiny, and Wolery, Busick, Reichow, and Barton (2010) have suggested abandoning them altogether. Each of these methods appears to be well suited for managing specific data characteristics, but they should not be used to analyze data streams beyond their intended purpose until additional empirical research is conducted.

Combining SCED Results

Beyond the issue of single-case analysis is the matter of integrating and meta-analyzing the results of single-case experiments. SCEDs have been given short shrift in the majority of meta-analytic literature (Littell, Corcoran, & Pillai, 2008; Shadish et al., 2008), with only a few exceptions (Carr et al., 1999; Horner & Spaulding, 2010). Currently, few proven methods exist for integrating the results of multiple single-case experiments. Allison and Gorman (1993) and Shadish et al. (2008) presented the problems associated with meta-analyzing single-case effect sizes, and W. P. Jones (2003); Manolov and Solanas (2008); Scruggs and Mastropieri (1998), and Shadish et al. (2008) offered four different potential statistical solutions for this problem, none of which appear to have received consensus amongst researchers. The ability to synthesize and compare single-case effect sizes, particularly effect sizes garnered through group design research, is undoubtedly necessary to increase SCED proliferation.

Discussion of Review Results and Coding of Analytic Methods

The coding criteria for this review were quite stringent in terms of what was considered to be either visual or statistical analysis. For visual analysis to be coded as present, it was necessary for the authors to self-identify as having used a visual analysis method. In many cases, it could likely be inferred that visual analysis had been used, but it was often not specified. Similarly, statistical analysis was reserved for analytic methods that produced an effect.³ Analyses that involved comparing magnitude of change using raw count data or percentages were not considered rigorous enough. These two narrow definitions of visual and statistical analysis contributed to the high rate of unreported analytic method, shown in Table 1 (52.3%). A better representation of the use of visual and statistical analysis would likely be the percentage of studies within

those that reported a method of analysis. Under these parameters, 41.5% used visual analysis and 31.3% used statistical analysis. Included in these figures are studies that included both visual and statistical methods (11%). These findings are slightly higher than those estimated by Brossart et al. (2006), who estimated statistical analysis is used in about 20% of SCED studies. Visual analysis continues to be undoubtedly the most prevalent method, but there appears to be a trend for increased use of statistical approaches, which is likely to only gain momentum as innovations continue.

Analysis Standards

The standards selected for inclusion in this review offer minimal direction in the way of analyzing the results of SCED research. Table 5 summarizes analysis-related information provided by the six reviewed sources for SCED standards. Visual analysis is acceptable to DIV12 and DIV16, along with unspecified statistical approaches. In the WWC standards, visual analysis is the acceptable method of determining an intervention effect, with statistical analyses and randomization tests permissible as a complementary or supporting method to the results of visual analysis methods. However, the authors of the WWC standards state, "As the field reaches greater consensus about appropriate statistical analyses and quantitative effect-size measures, new standards for effect demonstration will need to be developed" (Kratochwill et al., 2010, p. 16). The NRP and DIV12 seem to prefer statistical methods when they are warranted. The Tate et al. (2008) scale accepts only statistical analysis with the reporting of an effect size. Only the WWC and DIV16 provide guidance in the use of statistical analysis procedures: The WWC "recommends" nonparametric and parametric approaches, multilevel modeling, and regression when statistical analysis is used. DIV16 refers the reader to Wilkinson and the Task Force on Statistical Inference (1999) for direction in this matter. Statistical analysis of daily diary and EMA methods is similarly unsettled. Stone and Shiffman (2002) asked for a detailed description of the statistical procedures used, in order for the approach to be replicated and evaluated. They provided direction for analyzing aggregated and disaggregated data. They also aptly noted that because many different modes of analysis exist, researchers must carefully match the analytic approach to the hypotheses being pursued.

Limitations and Future Directions

This review has a number of limitations that leave the door open for future study of SCED methodology. Publication bias is a concern in any systematic review. This is particularly true for this review because the search was limited to articles published in peer-reviewed journals. This strategy was chosen in order to inform changes in the practice of reporting and of reviewing, but it also is likely to have inflated the findings regarding the methodological rigor of the reviewed works. Inclusion of book chapters, unpublished studies, and dissertations would likely have yielded somewhat different results.

³ However, it should be noted that it was often very difficult to locate an actual effect size reported in studies that used statistical analysis. Although this issue would likely have added little to this review, it does inhibit the inclusion of the results in meta-analysis.

Table 5
Analysis Standards and Guidelines

Variable	What Works Clearinghouse	APA Division 12 Task Force on Psychological Interventions	APA Division 16 Task Force on Evidence-Based Interventions in School Psychology	National Reading Panel	The Single-Case Experimental Design Scale (Tate et al., 2008)	Ecological momentary assessment (Stone & Shiffman, 2002)
1. Visual analysis	4-step, 6-variable procedure (based on Parsonson & Baer, 1978)	Acceptable (no specific guidelines or procedures offered)	<ol style="list-style-type: none"> Change in level Minimal score overlap Change in trend Adequate length (≥ 3) Stable data (Franklin, Gorman, Beasley, & Allison, 1997; Parsonson & Baer, 1992) 	Not acceptable ("use statistical analyses or describe effect sizes"; p. 389)		
2. Statistical analysis procedures	Estimating effect sizes: nonparametric and parametric approaches, multilevel modeling, and regression (recommended)	Preferred when the number of data points warrants statistical procedures (no specific guidelines or procedures offered)	Rely on the guidelines presented by Wilkinson and the Task Force on Statistical Inference (1999)	Type not specified—report value of the effect size, type of summary statistic, and number of people providing the effect size information	Specific statistical methods are not specified, only their presence or absence is of interest in completing the scale	<ol style="list-style-type: none"> Aggregated or disaggregated approach Model used in analyses Details of procedures (e.g., autocorrelation approach, random effect levels)
3. Demonstrating an effect	<ol style="list-style-type: none"> Documented consistency of level, trend, and variability within each phase Documented immediacy of the effect, the proportion of overlap, the consistency of the data across phases Identify for whom the intervention is and is not effective, if available Examine external factors and anomalies Follow-up of original study participants and multiple intervals with same outcome measures 	ABAB—stable baseline established during first A period, data must show improvement during the first B period, reversal or leveling of improvement during the second A period, and resumed improvement in the second B period (no other guidelines offered)	<ol style="list-style-type: none"> 0.05 alpha levels Nonsignificant or negative outcomes noted Type of effect size, type of data on which effect size is based, effect size statistic Clinical/educational significance (e.g., social comparison) 			

(table continues)

Table 5 (continued)

Variable	What Works Clearinghouse	APA Division 12 Task Force on Psychological Interventions	APA Division 16 Task Force on Evidence-Based Interventions in School Psychology	National Reading Panel	The Single-Case Experimental Design Scale (Tate et al., 2008)	Ecological momentary assessment (Stone & Shiffman, 2002)
4. Replication	<ol style="list-style-type: none"> 1. Minimum of 5 studies 2. The studies must be conducted by at least 3 different research teams at 3 different geographical locations 3. The combined number of experiments (i.e., single-case design examples) across the studies totals at least 20 	<ol style="list-style-type: none"> 1. 3 replications of ≥ 3 subjects each 2. Replications conducted by ≥ 2 independent research groups 	<ol style="list-style-type: none"> 1. Same intervention (treatment protocol and duration) 2. Same target problem and sample 3. Independent evaluation 	National Reading Panel	Replication occurs across subjects, therapists, or settings	Ecological momentary assessment (Stone & Shiffman, 2002)

Note. APA = American Psychological Association.

A second concern is the stringent coding criteria in regard to the analytic methods and the broad categorization into visual and statistical analytic approaches. The selection of an appropriate method for analyzing SCED data is perhaps the murkiest area of this type of research. Future reviews that evaluate the appropriateness of selected analytic strategies and provide specific decision-making guidelines for researchers would be a very useful contribution to the literature. Although six sources of standards apply to SCED research reviewed in this article, five of them were developed almost exclusively to inform psychological and behavioral intervention research. The principles of SCED research remain the same in different contexts, but there is a need for nonintervention scientists to weigh in on these standards.

Finally, this article provides a first step in the synthesis of the available SCED reporting guidelines. However, it does not resolve disagreements, nor does it purport to be a definitive source. In the future, an entity with the authority to construct such a document ought to convene and establish a foundational, adaptable, and agreed-upon set of guidelines that cuts across subspecialties but is applicable to many, if not all, areas of psychological research, which is perhaps an idealistic goal. Certain preferences will undoubtedly continue to dictate what constitutes acceptable practice in each subspecialty of psychology, but uniformity along critical dimensions will help advance SCED research.

Conclusions

The first decade of the 21st century has seen an upwelling of SCED research across nearly all areas of psychology. This article contributes updated benchmarks in terms of the frequency with which SCED design and methodology characteristics are used, including the number of baseline observations, assessment and measurement practices, and data analytic approaches, most of which are largely consistent with previously reported benchmarks. However, this review is much broader than those of previous research teams and also breaks down the characteristics of single-case research by the predominant design. With the recent SCED proliferation came a number of standards for the conduct and reporting of such research. This article also provides a much-needed synthesis of recent SCED standards that can inform the work of researchers, reviewers, and funding agencies conducting and evaluating single-case research, which reveals many areas of consensus as well as areas of significant disagreement. It appears that the question of where to go next is very relevant at this point in time. The majority of the research design and measurement characteristics of the SCED are reasonably well established, and the results of this review suggest general practice that is in accord with existing standards and guidelines, at least in regard to published peer-reviewed works. In general, the published literature appears to be meeting the basic design and measurement requirements to ensure adequate internal validity of SCED studies.

Consensus regarding the superiority of any one analytic method stands out as an area of divergence. Judging by the current literature and lack of consensus, researchers will need to carefully select a method that matches the research design, hypotheses, and intended conclusions of the study, while also considering the most up-to-date empirical support for the chosen analytic method, whether it be visual or statistical. In some cases the number of observations and subjects in the study will dictate which analytic

methods can and cannot be used. In the case of the true *N*-of-1 experiment, there are relatively few sound analytic methods, and even fewer that are robust with shorter data streams (see Borckardt et al., 2008). As the number of observations and subjects increases, sophisticated modeling techniques, such as MLM, SEM, and ARMA, become applicable. Trends in the data and autocorrelation further obfuscate the development of a clear statistical analysis selection algorithm, which currently does not exist. Autocorrelation was rarely addressed or discussed in the articles reviewed, except when the selected statistical analysis dictated consideration. Given the empirical evidence regarding the effect of autocorrelation on visual and statistical analysis, researchers need to address this more explicitly. Missing-data considerations are similarly left out when they are unnecessary for analytic purposes. As newly devised statistical analysis approaches mature and are compared with one another for appropriateness in specific SCED applications, guidelines for statistical analysis will necessarily be revised. Similarly, empirically derived guidance, in the form of a decision tree, must be developed to ensure application of appropriate methods based on characteristics of the data and the research questions being addressed. Researchers could also benefit from tutorials and comparative reviews of different software packages: This is a needed area of future research. Powerful and reliable statistical analyses help move the SCED up the ladder of experimental designs and attenuate the view that the method applies primarily to pilot studies and idiosyncratic research questions and situations.

Another potential future advancement of SCED research comes in the area of measurement. Currently, SCED research gives significant weight to observer ratings and seems to discourage other forms of data-collection methods. This is likely due to the origins of the SCED in behavioral assessment and applied behavior analysis, which remains a present-day stronghold. The dearth of EMA and diary-like sampling procedures within the SCED research reviewed, yet their ever-growing prevalence in the larger psychological research arena, highlights an area for potential expansion. Observational measurement, although reliable and valid in many contexts, is time and resource intensive and not feasible in all areas in which psychologists conduct research. It seems that numerous untapped research questions are stifled because of this measurement constraint. SCED researchers developing updated standards in the future should include guidelines for the appropriate measurement requirement of non-observer-reported data. For example, the results of this review indicate that reporting of repeated measurements, particularly the high-density type found in diary and EMA sampling strategies, ought to be more clearly spelled out, with specific attention paid to autocorrelation and trend in the data streams. In the event that SCED researchers adopt self-reported assessment strategies as viable alternatives to observation, a set of standards explicitly identifying the necessary psychometric properties of the measures and specific items used would be in order.

Along similar lines, SCED researchers could take a page from other areas of psychology that champion multimethod and multi-source evaluation of primary outcomes. In this way, the long-standing tradition of observational assessment and the cutting-edge technological methods of EMA and daily diary could be married with the goal of strengthening conclusions drawn from SCED research and enhancing the validity of self-reported outcome assessment. The results of this review indicate that they rarely

intersect today, and I urge SCED researchers to adopt other methods of assessment informed by time-series, daily diary, and EMA methods. The EMA standards could serve as a jumping-off point for refined measurement and assessment reporting standards in the context of multimethod SCED research.

One limitation of the current SCED standards is their relatively limited scope. To clarify, with the exception of the Stone and Shiffman (2002) EMA reporting guidelines, the other five sources of standards were developed in the context of designing and evaluating intervention research. Although this is likely to remain its patent emphasis, SCEDs are capable of addressing other pertinent research questions in the psychological sciences, and the current standards truly only roughly approximate salient crosscutting SCED characteristics. I propose developing broad SCED guidelines that address the specific design, measurement, and analysis issues in a manner that allows it to be useful across applications, as opposed to focusing solely on intervention effects. To accomplish this task, methodology experts across subspecialties in psychology would need to convene. Admittedly this is no small task.

Perhaps funding agencies will also recognize the fiscal and practical advantages of SCED research in certain areas of psychology. One example is in the field of intervention effectiveness, efficacy, and implementation research. A few exemplary studies using robust forms of SCED methodology are needed in the literature. Case-based methodologies will never supplant the group design as the gold standard in experimental applications, nor should that be the goal. Instead, SCEDs provide a viable and valid alternative experimental methodology that could stimulate new areas of research and answer questions that group designs cannot. With the astonishing number of studies emerging every year that use single-case designs and explore the methodological aspects of the design, we are poised to witness and be a part of an upsurge in the sophisticated application of the SCED. When federal grant-awarding agencies and journal editors begin to use formal standards while making funding and publication decisions, the field will benefit.

Last, for the practice of SCED research to continue and mature, graduate training programs must provide students with instruction in all areas of the SCED. This is particularly true of statistical analysis techniques that are not often taught in departments of psychology and education, where the vast majority of SCED studies seem to be conducted. It is quite the conundrum that the best available statistical analytic methods are often cited as being inaccessible to social science researchers who conduct this type of research. This need not be the case. To move the field forward, emerging scientists must be able to apply the most state-of-the-art research designs, measurement techniques, and analytic methods.

References

- Albright, J. J., & Marinova, D. M. (2010). *Estimating multilevel models using SPSS, Stata, and SAS*. Indiana University, Bloomington, IN. Retrieved from <http://www.iub.edu/%7Estatmath/stat/all/hlm/hlm.pdf>
- Allison, D. B., & Gorman, B. S. (1993). Calculating effect sizes for meta-analysis: The case of the single case. *Behaviour Research and Therapy*, *31*, 621–631. doi:10.1016/0005-7967(93)90115-B
- Alloy, L. B., Just, N., & Panzarella, C. (1997). Attributional style, daily life events, and hopelessness depression: Subtype validation by prospective

- variability and specificity of symptoms. *Cognitive Therapy and Research*, 21, 321–344. doi:10.1023/A:1021878516875
- Arbuckle, J. L. (2006). *Amos* (Version 7.0). Chicago, IL: SPSS.
- Barlow, D. H., Nock, M. K., & Hersen, M. (2008). *Single case research designs: Strategies for studying behavior change* (3rd ed.). New York, NY: Allyn & Bacon.
- Barrett, L. F., & Barrett, D. J. (2001). An introduction to computerized experience sampling in psychology. *Social Science Computer Review*, 19, 175–185. doi:10.1177/089443930101900204
- Bloom, M., Fisher, J., & Orme, J. G. (2003). *Evaluating practice: Guidelines for the accountable professional* (4th ed.). Boston, MA: Allyn & Bacon.
- Bolger, N., Davis, A., & Rafaeli, E. (2003). Diary methods: Capturing life as it is lived. *Annual Review of Psychology*, 54, 579–616. doi:10.1146/annurev.psych.54.101601.145030
- Borckardt, J. J. (2006). *Simulation modeling analysis: Time series analysis program for short time series data streams* (Version 8.3.3). Charleston, SC: Medical University of South Carolina.
- Borckardt, J. J., Nash, M. R., Murphy, M. D., Moore, M., Shaw, D., & O'Neil, P. (2008). Clinical practice as natural laboratory for psychotherapy research. *American Psychologist*, 63, 77–95. doi:10.1037/0003-066X.63.2.77
- Borsboom, D., Mellenbergh, G. J., & van Heerden, J. (2003). The theoretical status of latent variables. *Psychological Review*, 110, 203–219. doi:10.1037/0033-295X.110.2.203
- Bower, G. H. (1981). Mood and memory. *American Psychologist*, 36, 129–148. doi:10.1037/0003-066X.36.2.129
- Box, G. E. P., & Jenkins, G. M. (1970). *Time-series analysis: Forecasting and control*. San Francisco, CA: Holden-Day.
- Brossart, D. F., Parker, R. I., Olson, E. A., & Mahadevan, L. (2006). The relationship between visual analysis and five statistical analyses in a simple AB single-case research design. *Behavior Modification*, 30, 531–563. doi:10.1177/0145445503261167
- Browne, M. W., & Nesselroade, J. R. (2005). Representing psychological processes with dynamic factor models: Some promising uses and extensions of autoregressive moving average time series models. In A. Maydeu-Olivares & J. J. McArdle (Eds.), *Contemporary psychometrics: A festschrift for Roderick P. McDonald* (pp. 415–452). Mahwah, NJ: Erlbaum.
- Busk, P. L., & Marascuilo, L. A. (1992). Statistical analysis in single-case research: Issues, procedures, and recommendations, with applications to multiple behaviors. In T. R. Kratochwill & J. R. Levin (Eds.), *Single-case research design and analysis: New directions for psychology and education* (pp. 159–185). Hillsdale, NJ: Erlbaum.
- Busk, P. L., & Marascuilo, R. C. (1988). Autocorrelation in single-subject research: A counter-argument to the myth of no autocorrelation. *Behavioral Assessment*, 10, 229–242.
- Campbell, J. M. (2004). Statistical comparison of four effect sizes for single-subject designs. *Behavior Modification*, 28, 234–246. doi:10.1177/0145445503259264
- Carr, E. G., Horner, R. H., Turnbull, A. P., Marquis, J. G., Magito McLaughlin, D., McAtee, M. L., . . . Doolabh, A. (1999). *Positive behavior support for people with developmental disabilities: A research synthesis*. Washington, DC: American Association on Mental Retardation.
- Center, B. A., Skiba, R. J., & Casey, A. (1986). A methodology for the quantitative synthesis of intra-subject design research. *Journal of Educational Science*, 19, 387–400. doi:10.1177/002246698501900404
- Chambless, D. L., & Hollon, S. D. (1998). Defining empirically supported therapies. *Journal of Consulting and Clinical Psychology*, 66, 7–18. doi:10.1037/0022-006X.66.1.7
- Chambless, D. L., & Ollendick, T. H. (2001). Empirically supported psychological interventions: Controversies and evidence. *Annual Review of Psychology*, 52, 685–716. doi:10.1146/annurev.psych.52.1.685
- Chow, S.-M., Ho, M.-H. R., Hamaker, E. L., & Dolan, C. V. (2010). Equivalence and differences between structural equation modeling and state-space modeling techniques. *Structural Equation Modeling*, 17, 303–332. doi:10.1080/10705511003661553
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). Hillsdale, NJ: Erlbaum.
- Cohen, J. (1994). The earth is round ($p < .05$). *American Psychologist*, 49, 997–1003. doi:10.1037/0003-066X.49.12.997
- Crosbie, J. (1993). Interrupted time-series analysis with brief single-subject data. *Journal of Consulting and Clinical Psychology*, 61, 966–974. doi:10.1037/0022-006X.61.6.966
- Dattilio, F. M., Edwards, J. A., & Fishman, D. B. (2010). Case studies within a mixed methods paradigm: Toward a resolution of the alienation between researcher and practitioner in psychotherapy research. *Psychotherapy: Theory, Research, Practice, Training*, 47, 427–441. doi:10.1037/a0021181
- Dempster, A., Laird, N., & Rubin, D. B. (1977). Maximum likelihood from incomplete data via the EM algorithm. *Journal of the Royal Statistical Society, Series B*, 39, 1–38.
- Des Jarlais, D. C., Lyles, C., & Crepaz, N. (2004). Improving the reporting quality of nonrandomized evaluations of behavioral and public health interventions: The TREND statement. *American Journal of Public Health*, 94, 361–366. doi:10.2105/AJPH.94.3.361
- Diggle, P., & Liang, K. Y. (2001). *Analyses of longitudinal data*. New York, NY: Oxford University Press.
- Doss, B. D., & Atkins, D. C. (2006). Investigating treatment mediators when simple random assignment to a control group is not possible. *Clinical Psychology: Science and Practice*, 13, 321–336. doi:10.1111/j.1468-2850.2006.00045.x
- du Toit, S. H. C., & Browne, M. W. (2001). The covariance structure of a vector ARMA time series. In R. Cudeck, S. H. C. du Toit, & D. Sörbom (Eds.), *Structural equation modeling: Present and future* (pp. 279–314). Lincolnwood, IL: Scientific Software International.
- du Toit, S. H. C., & Browne, M. W. (2007). Structural equation modeling of multivariate time series. *Multivariate Behavioral Research*, 42, 67–101. doi:10.1080/00273170701340953
- Fechner, G. T. (1889). *Elemente der psychophysik* [Elements of psychophysics]. Leipzig, Germany: Breitkopf & Hartel.
- Ferron, J., & Sentovich, C. (2002). Statistical power of randomization tests used with multiple-baseline designs. *Journal of Experimental Education*, 70, 165–178. doi:10.1080/00220970209599504
- Ferron, J., & Ware, W. (1995). Analyzing single-case data: The power of randomization tests. *Journal of Experimental Education*, 63, 167–178. doi:10.1080/00220973.1995.9943820
- Fox, J. (2006). TEACHER'S CORNER: Structural equation modeling with the SEM package in R. *Structural Equation Modeling*, 13, 465–486. doi:10.1207/s15328007sem1303_7
- Franklin, R. D., Allison, D. B., & Gorman, B. S. (Eds.). (1997). *Design and analysis of single-case research*. Mahwah, NJ: Erlbaum.
- Franklin, R. D., Gorman, B. S., Beasley, T. M., & Allison, D. B. (1997). Graphical display and visual analysis. In R. D. Franklin, D. B. Allison, & B. S. Gorman (Eds.), *Design and analysis of single-case research* (pp. 119–158). Mahwah, NJ: Erlbaum.
- Gardner, W., Mulvey, E. P., & Shaw, E. C. (1995). Regression analyses of counts and rates: Poisson, overdispersed Poisson, and negative binomial models. *Psychological Bulletin*, 118, 392–404. doi:10.1037/0033-2909.118.3.392
- Green, A. S., Rafaeli, E., Bolger, N., Shrout, P. E., & Reis, H. T. (2006). Paper or plastic? Data equivalence in paper and electronic diaries. *Psychological Methods*, 11, 87–105. doi:10.1037/1082-989X.11.1.87
- Hamilton, J. D. (1994). *Time series analysis*. Princeton, NJ: Princeton University Press.
- Hammond, D., & Gast, D. L. (2010). Descriptive analysis of single-subject

- research designs: 1983–2007. *Education and Training in Autism and Developmental Disabilities*, 45, 187–202.
- Hanson, M. D., & Chen, E. (2010). Daily stress, cortisol, and sleep: The moderating role of childhood psychosocial environments. *Health Psychology*, 29, 394–402. doi:10.1037/a0019879
- Harvey, A. C. (2001). *Forecasting, structural time series models and the Kalman filter*. Cambridge, MA: Cambridge University Press.
- Horner, R. H., Carr, E. G., Halle, J., McGee, G., Odom, S., & Wolery, M. (2005). The use of single-subject research to identify evidence-based practice in special education. *Exceptional Children*, 71, 165–179.
- Horner, R. H., & Spaulding, S. (2010). Single-case research designs. In N. J. Salkind (Ed.), *Encyclopedia of research design* (pp. 1386–1394). Thousand Oaks, CA: Sage.
- Horton, N. J., & Kleinman, K. P. (2007). Much ado about nothing: A comparison of missing data methods and software to fit incomplete data regression models. *The American Statistician*, 61, 79–90. doi:10.1198/000313007X172556
- Hser, Y., Shen, H., Chou, C., Messer, S. C., & Anglin, M. D. (2001). Analytic approaches for assessing long-term treatment effects. *Evaluation Review*, 25, 233–262. doi:10.1177/0193841X0102500206
- Huitema, B. E. (1985). Autocorrelation in applied behavior analysis: A myth. *Behavioral Assessment*, 7, 107–118.
- Huitema, B. E., & McKean, J. W. (1994). Reduced bias autocorrelation estimation: Three jackknife methods. *Educational and Psychological Measurement*, 54, 654–665. doi:10.1177/0013164494054003008
- Ibrahim, J. G., Chen, M.-H., Lipsitz, S. R., & Herring, A. H. (2005). Missing-data methods for generalized linear models: A comparative review. *Journal of the American Statistical Association*, 100, 332–346. doi:10.1198/016214504000001844
- Institute of Medicine. (1994). *Reducing risks for mental disorders: Frontiers for preventive intervention research*. Washington, DC: National Academy Press.
- Jacobson, N. S., & Christensen, A. (1996). Studying the effectiveness of psychotherapy: How well can clinical trials do the job? *American Psychologist*, 51, 1031–1039. doi:10.1037/0003-066X.51.10.1031
- Jones, R. R., Vaught, R. S., & Weinrott, M. R. (1977). Time-series analysis in operant research. *Journal of Applied Behavior Analysis*, 10, 151–166. doi:10.1901/jaba.1977.10-151
- Jones, W. P. (2003). Single-case time series with Bayesian analysis: A practitioner's guide. *Measurement and Evaluation in Counseling and Development*, 36, 28–39.
- Kanfer, H. (1970). Self-monitoring: Methodological limitations and clinical applications. *Journal of Consulting and Clinical Psychology*, 35, 148–152. doi:10.1037/h0029874
- Kazdin, A. E. (1981). Drawing valid inferences from case studies. *Journal of Consulting and Clinical Psychology*, 49, 183–192. doi:10.1037/0022-006X.49.2.183
- Kazdin, A. E. (2007). Mediators and mechanisms of change in psychotherapy research. *Annual Review of Clinical Psychology*, 3, 1–27. doi:10.1146/annurev.clinpsy.3.022806.091432
- Kazdin, A. E. (2008). Evidence-based treatment and practice: New opportunities to bridge clinical research and practice, enhance the knowledge base, and improve patient care. *American Psychologist*, 63, 146–159. doi:10.1037/0003-066X.63.3.146
- Kazdin, A. E. (2009). Understanding how and why psychotherapy leads to change. *Psychotherapy Research*, 19, 418–428. doi:10.1080/10503300802448899
- Kazdin, A. E. (2010). *Single-case research designs: Methods for clinical and applied settings* (2nd ed.). New York, NY: Oxford University Press.
- Kirk, R. E. (1996). Practical significance: A concept whose time has come. *Educational and Psychological Measurement*, 56, 746–759. doi:10.1177/0013164496056005002
- Kratochwill, T. R. (2007). Preparing psychologists for evidence-based school practice: Lessons learned and challenges ahead. *American Psychologist*, 62, 829–843. doi:10.1037/0003-066X.62.8.829
- Kratochwill, T. R., Hitchcock, J., Horner, R. H., Levin, J. R., Odom, S. L., Rindskopf, D. M., & Shadish, W. R. (2010). *Single-case designs technical documentation*. Retrieved from http://ies.ed.gov/ncee/wwc/pdf/wwc_scd.pdf
- Kratochwill, T. R., & Levin, J. R. (1992). *Single-case research design and analysis: New directions for psychology and education*. Hillsdale, NJ: Erlbaum.
- Kratochwill, T. R., & Levin, J. R. (2010). Enhancing the scientific credibility of single-case intervention research: Randomization to the rescue. *Psychological Methods*, 15, 124–144. doi:10.1037/a0017736
- Kratochwill, T. R., Levin, J. R., Horner, R. H., & Swoboda, C. (2011). *Visual analysis of single-case intervention research: Conceptual and methodological considerations* (WCER Working Paper No. 2011–6). University of Wisconsin—Madison, Wisconsin Center for Education Research. Retrieved from <http://www.wcer.wisc.edu/publications/workingPapers/papers.php>
- Lambert, D. (1992). Zero-inflated Poisson regression, with an application to defects in manufacturing. *Technometrics*, 34, 1–14. doi:10.2307/1269547
- Lambert, M. J., Hansen, N. B., & Harmon, S. C. (2010). Outcome Questionnaire System (The OQ System): Development and practical applications in healthcare settings. In M. Barkham, G. Hardy, & J. Mellor-Clark (Eds.), *Developing and delivering practice-based evidence: A guide for the psychological therapies* (pp. 139–154). Chichester, England: Wiley.
- Littell, J. H., Corcoran, J., & Pillai, V. K. (2008). *Systematic reviews and meta-analysis*. New York, NY: Oxford University Press. doi:10.1093/acprof:oso/9780195326543.001.0001
- Liu, L. M., & Hudack, G. B. (1995). *The SCA statistical system: Vector ARMA modeling of multiple time series*. Oak Brook, IL: Scientific Computing Associates Corporation.
- Lubke, G. H., & Muthén, B. O. (2005). Investigating population heterogeneity with factor mixture models. *Psychological Methods*, 10, 21–39. doi:10.1037/1082-989X.10.1.21
- Manolov, R., & Solanas, A. (2008). Comparing $N = 1$ effect sizes in presence of autocorrelation. *Behavior Modification*, 32, 860–875. doi:10.1177/0145445508318866
- Marshall, R. J. (1980). Autocorrelation estimation of time series with randomly missing observations. *Biometrika*, 67, 567–570. doi:10.1093/biomet/67.3.567
- Matyas, T. A., & Greenwood, K. M. (1990). Visual analysis of single-case time series: Effects of variability, serial dependence, and magnitude of intervention effects. *Journal of Applied Behavior Analysis*, 23, 341–351. doi:10.1901/jaba.1990.23-341
- Members of the Task Force on Evidence-Based Interventions in School Psychology. (2003). *Procedural and coding manual for review of evidence-based interventions*. Retrieved from http://www.sp-ebi.org/documents/_workingfiles/EBManual1.pdf
- Moher, D., Schulz, K. F., Altman, D. F., & the CONSORT Group. (2001). The CONSORT statement: Revised recommendations for improving the quality of reports of parallel-group randomized trials. *Journal of the American Medical Association*, 285, 1987–1991. doi:10.1001/jama.285.15.1987
- Morgan, D. L., & Morgan, R. K. (2001). Single-participant research design: Bringing science to managed care. *American Psychologist*, 56, 119–127. doi:10.1037/0003-066X.56.2.119
- Muthén, B. O., & Curran, P. J. (1997). General longitudinal modeling of individual differences in experimental designs: A latent variable framework for analysis and power estimation. *Psychological Methods*, 2, 371–402. doi:10.1037/1082-989X.2.4.371
- Muthén, L. K., & Muthén, B. O. (2010). *Mplus* (Version 6.11). Los Angeles, CA: Muthén & Muthén.

- Nagin, D. S. (1999). Analyzing developmental trajectories: A semiparametric, group-based approach. *Psychological Methods, 4*, 139–157. doi:10.1037/1082-989X.4.2.139
- National Institute of Child Health and Human Development. (2000). *Report of the National Reading Panel. Teaching children to read: An evidence-based assessment of the scientific research literature on reading and its implications for reading instruction* (NIH Publication No. 00–4769). Washington, DC: U.S. Government Printing Office.
- Olive, M. L., & Smith, B. W. (2005). Effect size calculations and single subject designs. *Educational Psychology, 25*, 313–324. doi:10.1080/0144341042000301238
- Oslin, D. W., Cary, M., Slaymaker, V., Collieran, C., & Blow, F. C. (2009). Daily ratings measures of alcohol craving during an inpatient stay define subtypes of alcohol addiction that predict subsequent risk for resumption of drinking. *Drug and Alcohol Dependence, 103*, 131–136. doi:10.1016/J.Drugalcdep.2009.03.009
- Palermo, T. M., Valenzuela, D., & Stork, P. P. (2004). A randomized trial of electronic versus paper pain diaries in children: Impact on compliance, accuracy, and acceptability. *Pain, 107*, 213–219. doi:10.1016/j.pain.2003.10.005
- Parker, R. I., & Brossart, D. F. (2003). Evaluating single-case research data: A comparison of seven statistical methods. *Behavior Therapy, 34*, 189–211. doi:10.1016/S0005-7894(03)80013-8
- Parker, R. I., Cryer, J., & Byrns, G. (2006). Controlling baseline trend in single case research. *School Psychology Quarterly, 21*, 418–444. doi:10.1037/h0084131
- Parker, R. I., & Vannest, K. (2009). An improved effect size for single-case research: Nonoverlap of all pairs. *Behavior Therapy, 40*, 357–367. doi:10.1016/j.beth.2008.10.006
- Parsonson, B. S., & Baer, D. M. (1978). The analysis and presentation of graphic data. In T. R. Kratochwill (Ed.), *Single subject research* (pp. 101–166). New York, NY: Academic Press.
- Parsonson, B. S., & Baer, D. M. (1992). The visual analysis of data, and current research into the stimuli controlling it. In T. R. Kratochwill & J. R. Levin (Eds.), *Single-case research design and analysis: New directions for psychology and education* (pp. 15–40). Hillsdale, NJ: Erlbaum.
- Piasecki, T. M., Hufford, M. R., Solham, M., & Trull, T. J. (2007). Assessing clients in their natural environments with electronic diaries: Rationale, benefits, limitations, and barriers. *Psychological Assessment, 19*, 25–43. doi:10.1037/1040-3590.19.1.25
- Ragunathan, T. E. (2004). What do we do with missing data? Some options for analysis of incomplete data. *Annual Review of Public Health, 25*, 99–117. doi:10.1146/annurev.publhealth.25.102802.124410
- Raudenbush, S. W., Bryk, A. S., & Congdon, R. (2011). *HLM 7: Hierarchical linear and nonlinear modeling*. Lincolnwood, IL: Scientific Software International.
- R Development Core Team. (2005). *R: A language and environment for statistical computing*. Vienna, Austria: R Foundation for Statistical Computing.
- Redelmeier, D. A., & Kahneman, D. (1996). Patients' memories of painful medical treatments: Real-time and retrospective evaluations of two minimally invasive procedures. *Pain, 66*, 3–8. doi:10.1016/0304-3959(96)02994-6
- Reis, H. T. (1994). Domains of experience: Investigating relationship processes from three perspectives. In R. Erber & R. Gilmore (Eds.), *Theoretical frameworks in personal relationships* (pp. 87–110). Mahwah, NJ: Erlbaum.
- Reis, H. T., & Gable, S. L. (2000). Event sampling and other methods for studying everyday experience. In H. T. Reis & C. M. Judd (Eds.), *Handbook of research methods in social and personality psychology* (pp. 190–222). New York, NY: Cambridge University Press.
- Robey, R. R., Schultz, M. C., Crawford, A. B., & Sinner, C. A. (1999). Single-subject clinical-outcome research: Designs, data, effect sizes, and analyses. *Aphasiology, 13*, 445–473. doi:10.1080/026870399402028
- Rossi, P. H., & Freeman, H. E. (1993). *Evaluation: A systematic approach* (5th ed.). Thousand Oaks, CA: Sage.
- Schmidt, M., Perels, F., & Schmitz, B. (2010). How to perform idiographic and a combination of idiographic and nomothetic approaches: A comparison of time series analyses and hierarchical linear modeling. *Journal of Psychology, 218*, 166–174. doi:10.1027/0044-3409/a000026
- Scollon, C. N., Kim-Pietro, C., & Diener, E. (2003). Experience sampling: Promises and pitfalls, strengths and weaknesses. *Journal of Happiness Studies, 4*, 5–34. doi:10.1007/978-90-481-2354-4_8
- Scruggs, T. E., & Mastropieri, M. A. (1998). Summarizing single-subject research: Issues and applications. *Behavior Modification, 22*, 221–242. doi:10.1177/01454455980223001
- Scruggs, T. E., Mastropieri, M. A., & Casto, G. (1987). The quantitative synthesis of single-subject research. *Remedial & Special Education, 8*, 24–33. doi:10.1177/074193258700800206
- Shadish, W. R., Cook, T. D., & Campbell, D. T. (2002). *Experimental and quasi-experimental designs for generalized causal inference*. Boston, MA: Houghton Mifflin.
- Shadish, W. R., Rindskopf, D. M., & Hedges, L. V. (2008). The state of the science in the meta-analysis of single-case experimental designs. *Evidence-Based Communication Assessment and Intervention, 2*, 188–196. doi:10.1080/17489530802581603
- Shadish, W. R., & Sullivan, K. J. (2011). Characteristics of single-case designs used to assess treatment effects in 2008. *Behavior Research Methods, 43*, 971–980. doi:10.3758/s13428-011-0111-y
- Sharpley, C. F. (1987). Time-series analysis of behavioural data: An update. *Behaviour Change, 4*, 40–45.
- Shiffman, S., Hufford, M., Hickcox, M., Paty, J. A., Gnys, M., & Kassel, J. D. (1997). Remember that? A comparison of real-time versus retrospective recall of smoking lapses. *Journal of Consulting and Clinical Psychology, 65*, 292–300. doi:10.1037/0022-006X.65.2.292.a
- Shiffman, S., & Stone, A. A. (1998). Ecological momentary assessment: A new tool for behavioral medicine research. In D. S. Krantz & A. Baum (Eds.), *Technology and methods in behavioral medicine* (pp. 117–131). Mahwah, NJ: Erlbaum.
- Shiffman, S., Stone, A. A., & Hufford, M. R. (2008). Ecological momentary assessment. *Annual Review of Clinical Psychology, 4*, 1–32. doi:10.1146/annurev.clinpsy.3.022806.091415
- Shumway, R. H., & Stoffer, D. S. (1982). An approach to time series smoothing and forecasting using the EM Algorithm. *Journal of Time Series Analysis, 3*, 253–264. doi:10.1111/j.1467-9892.1982.tb00349.x
- Skinner, B. F. (1938). *The behavior of organisms*. New York, NY: Appleton-Century-Crofts.
- Smith, J. D., Borckardt, J. J., & Nash, M. R. (2012). Inferential precision in single-case time-series datastreams: How well does the EM procedure perform when missing observations occur in autocorrelated data? *Behavior Therapy, 43*, 679–685. doi:10.1016/j.beth.2011.10.001
- Smith, J. D., Handler, L., & Nash, M. R. (2010). Therapeutic assessment for preadolescent boys with oppositional-defiant disorder: A replicated single-case time-series design. *Psychological Assessment, 22*, 593–602. doi:10.1037/a0019697
- Snijders, T. A. B., & Bosker, R. J. (1999). *Multilevel analysis: An introduction to basic and advanced multilevel modeling*. Thousand Oaks, CA: Sage.
- Soliday, E., Moore, K. J., & Lande, M. B. (2002). Daily reports and pooled time series analysis: Pediatric psychology applications. *Journal of Pediatric Psychology, 27*, 67–76. doi:10.1093/jpepsy/27.1.67
- StataCorp. (2011). *Stata statistical software* (Release 12). College Station, TX: Author.
- Stone, A. A., Broderick, J. E., Kaell, A. T., Deles-Paul, P. A. E. G., & Porter, L. E. (2000). Does the peak-end phenomenon observed in labo-

- ratory pain studies apply to real-world pain in rheumatoid arthritis? *The Journal of Pain*, 1, 212–217. doi:10.1054/jpai.2000.7568
- Stone, A. A., & Shiffman, S. (2002). Capturing momentary, self-report data: A proposal for reporting guidelines. *Annals of Behavioral Medicine*, 24, 236–243. doi:10.1207/S15324796ABM2403_09
- Stout, R. L. (2007). Advancing the analysis of treatment process. *Addiction*, 102, 1539–1545. doi:10.1111/j.1360-0443.2007.01880.x
- Tate, R. L., McDonald, S., Perdices, M., Togher, L., Schultz, R., & Savage, S. (2008). Rating the methodological quality of single-subject designs and N-of-1 trials: Introducing the Single-Case Experimental Design (SCED) Scale. *Neuropsychological Rehabilitation*, 18, 385–401. doi:10.1080/09602010802009201
- Thiele, C., Laireiter, A.-R., & Baumann, U. (2002). Diaries in clinical psychology and psychotherapy: A selective review. *Clinical Psychology & Psychotherapy*, 9, 1–37. doi:10.1002/cpp.302
- Tiao, G. C., & Box, G. E. P. (1981). Modeling multiple time series with applications. *Journal of the American Statistical Association*, 76, 802–816.
- Tschacher, W., & Ramseyer, F. (2009). Modeling psychotherapy process by time-series panel analysis (TSPA). *Psychotherapy Research*, 19, 469–481. doi:10.1080/10503300802654496
- Velicer, W. F., & Colby, S. M. (2005a). A comparison of missing-data procedures for ARIMA time-series analysis. *Educational and Psychological Measurement*, 65, 596–615. doi:10.1177/0013164404272502
- Velicer, W. F., & Colby, S. M. (2005b). Missing data and the general transformation approach to time series analysis. In A. Maydeu-Olivares & J. J. McArdle (Eds.), *Contemporary psychometrics: A festschrift to Roderick P. McDonald* (pp. 509–535). Hillsdale, NJ: Erlbaum.
- Velicer, W. F., & Fava, J. L. (2003). Time series analysis. In J. Schinka & W. F. Velicer (Eds.), *Research methods in psychology* (Vol. 2). New York, NY: Wiley.
- Wachtel, P. L. (2010). Beyond “ESTs”: Problematic assumptions in the pursuit of evidence-based practice. *Psychoanalytic Psychology*, 27, 251–272. doi:10.1037/a0020532
- Watson, J. B. (1925). *Behaviorism*. New York, NY: Norton.
- Weisz, J. R., & Hawley, K. M. (1998). Finding, evaluating, refining, and applying empirically supported treatments for children and adolescents. *Journal of Clinical Child Psychology*, 27, 206–216. doi:10.1207/s15374424jccp2702_7
- Weisz, J. R., & Hawley, K. M. (1999). *Procedural and coding manual for identification of beneficial treatments*. Washington, DC: American Psychological Association, Society for Clinical Psychology, Division 12, Committee on Science and Practice.
- Westen, D., & Bradley, R. (2005). Empirically supported complexity. *Current Directions in Psychological Science*, 14, 266–271. doi:10.1111/j.0963-7214.2005.00378.x
- Westen, D., Novotny, C. M., & Thompson-Brenner, H. K. (2004). The empirical status of empirically supported psychotherapies: Assumptions, findings, and reporting controlled clinical trials. *Psychological Bulletin*, 130, 631–663. doi:10.1037/0033-2909.130.4.631
- Wilkinson, L., & The Task Force on Statistical Inference. (1999). Statistical methods in psychology journals: Guidelines and explanations. *American Psychologist*, 54, 594–604. doi:10.1037/0003-066X.54.8.594
- Wolery, M., Busick, M., Reichow, B., & Barton, E. E. (2010). Comparison of overlap methods for quantitatively synthesizing single-subject data. *The Journal of Special Education*, 44, 18–28. doi:10.1177/0022466908328009
- Wu, Z., Huang, N. E., Long, S. R., & Peng, C.-K. (2007). On the trend, detrending, and variability of nonlinear and nonstationary time series. *Proceedings of the National Academy of Sciences, USA*, 104, 14889–14894. doi:10.1073/pnas.0701020104

Appendix

Results of Systematic Review Search and Studies Included in the Review

- * Indicates inclusion in study ($N = 409$).
- *Aburrous, M., Hossain, M. A., Dahal, K., & Thabtah, F. (2010). Experimental case studies for investigating e-banking phishing techniques and attack strategies. *Cognitive Computation*, 2, 242–253. doi:10.1007/s12559-010-9042-7
- Aguilar, R., Caramés, J. M., & Espinet, A. (2009). Effects of neonatal handling on playfulness by means of reversal of the desire to play in rats (*Rattus norvegicus*). *Journal of Comparative Psychology*, 123, 347–356. doi:10.1037/a0016437
- *Ahearn, W. H. (2003). Using simultaneous presentation to increase vegetables consumption in a mildly selective child with autism. *Journal of Applied Behavior Analysis*, 36, 361–365. doi:10.1901/jaba.2003.36-361
- *Allday, R. A., & Pakurar, K. (2007). Effects of teacher greetings on student on-task behavior. *Journal of Applied Behavior Analysis*, 40, 317–320. doi:10.1901/jaba.2007.86-06
- *Allen-DeBoer, R. A., Malmgren, K. W., & Glass, M.-E. (2006). Reading instruction for youth with emotional and behavioral disorders in a juvenile correctional facility. *Behavioral Disorders*, 32, 18–28.
- Almeida, F. A., Smith-Ray, R. L., Van Den Berg, R., Schriener, P., Gonzales, M., Onda, P., & Estabrooks, P. A. (2005). Utilizing a simple stimulus control strategy to increase physician referrals for physical activity promotion. *Journal of Sport & Exercise Psychology*, 27, 505–514.
- Almer, E. D., Gramling, A. A., & Kaplan, S. E. (2008). Impact of post-restatement actions taken by a firm on non-professional investors' credibility perceptions. *Journal of Business Ethics*, 80, 61–76. doi:10.1007/s10551-007-9442-0
- *Alvero, A. M., Rost, K., & Austin, J. (2008). The safety observer effect: The effects of conducting safety observations. *Journal of Safety Research*, 39, 365–373. doi:10.1016/j.jsr.2008.05.004.
- Amato Zech, N. A., Hoff, K. E., & Doepke, K. J. (2006). Increasing on-task behavior in the classroom: Extension of self-monitoring strategies. *Psychology in the Schools*, 43, 211–221. doi:10.1002/pits.20137
- *Andrews-Salvia, M., Roy, N., & Cameron, R. M. (2003). Evaluating the effects of memory books for individuals with severe dementia. *Journal of Medical Speech-Language Pathology*, 11, 51–59.
- *Angermeier, K., Schlosser, R. W., Luiselli, J. K., Harrington, C., & Carter, B. (2008). Effects of iconicity on requesting with the Picture Exchange Communication System in children with autism spectrum disorder. *Research in Autism Spectrum Disorders*, 2, 430–446. doi:10.1016/j.rasd.2007.09.004

(Appendix continues)

- *Anglesea, M. M., Hoch, H., & Taylor, B. A. (2008). Reducing rapid eating in teenagers with autism: Use of a pager prompt. *Journal of Applied Behavior Analysis, 41*, 107–111. doi:10.1901/jaba.2008.41-107
- Antonelli, G., Arrichiello, F., & Chiaverini, S. (2008). The null-space-based behavioral control for autonomous robotic systems. *Intelligent Service Robotics, 1*, 27–39. doi:10.1007/s11370-007-0002-3
- Apple, A. L., Billingsley, F., & Schwartz, I. S. (2005). Effects of video modeling alone and with self-management on compliment-giving behaviors of children with high-functioning ASD. *Journal of Positive Behavior Interventions, 7*, 33–46. doi:10.1177/10983007050070010401
- *Arbona, C. B., Osma, J., Garcia-Palacios, A., Quero, S., & Baños, R. M. (2004). Treatment of flying phobia using virtual reality: Data from a 1-year follow-up using a multiple baseline design. *Clinical Psychology & Psychotherapy, 11*, 311–323. doi:10.1002/cpp.404
- *Arco, L., & du Toit, E. (2006). Effects of adding on-the-job feedback to conventional analog staff training in a nursing home. *Behavior Modification, 30*, 713–735. doi:10.1177/0145445505281058
- *Ardoin, S. P., McCall, M., & Klubnik, C. (2007). Promoting generalization of oral reading fluency: Providing drill versus practice opportunities. *Journal of Behavioral Education, 16*, 55–70.
- *Arndorfer, R. E., & Allen, K. D. (2001). Extending the efficacy of a thermal biofeedback treatment package to the management of tension-type headaches in children. *Headache: The Journal of Head and Face Pain, 41*, 183–192. doi:10.1046/j.1526-4610.2001.111006183.x
- *Auslander, G. K., & Buchs, A. (2002). Evaluating an activity intervention with hemodialysis patients in Israel. *Social Work in Health Care, 35*, 407–423. doi:10.1300/J010v35n01_05
- Austin, J., Weatherly, N. L., & Gravina, N. E. (2005). Using task clarification, graphic feedback, and verbal feedback to increase closing-task completion in a privately owned restaurant. *Journal of Applied Behavior Analysis, 38*, 117–120. doi:10.1901/jaba.2005.159-03
- *Azrin, N. H., Brooks, J., Kellen, M. J., Ehle, C., & Vinas, V. (2008). Speed of eating as a determinant of the bulimic desire to vomit. *Child & Family Behavior Therapy, 30*, 263–270. doi:10.1080/07317100802275728
- *Azrin, N. H., Kellen, M. J., Brooks, J., Ehle, C., & Vinas, V. (2008). Relationship between rate of eating and degree of satiation. *Child & Family Behavior Therapy, 30*, 355–364. doi:10.1080/07317100802483223
- *Bach, A. K., Barlow, D. H., & Wincze, J. P. (2004). The enhancing effects of manualized treatment for erectile dysfunction among men using sildenafil: A preliminary investigation. *Behavior Therapy, 35*, 55–73. doi:10.1016/S0005-7894(04)80004-2
- Banda, D. R., & Hart, S. L. (2010). Increasing peer-to-peer social skills through direct instruction of two elementary school girls with autism. *Journal of Research in Special Educational Needs, 10*, 124–132. doi:10.1111/j.1471-3802.2010.01149.x
- *Banda, D. R., Hart, S. L., & Liu-Gitz, L. (2010). Impact of training peers and children with autism on social skills during center time activities in inclusive classrooms. *Research in Autism Spectrum Disorders, 4*, 619–625. doi:10.1016/j.rasd.2009.12.005
- *Barbera, M. L., & Kubina, R. M., Jr. (2005). Using transfer procedures to teach tacts to a child with autism. *Analysis of Verbal Behavior, 21*, 155–161.
- *Barry, L. M., & Messer, J. J. (2003). A practical application of self-management for students diagnosed with attention-deficit/hyperactivity disorder. *Journal of Positive Behavior Interventions, 5*, 238–248. doi:10.1177/10983007030050040701
- Bartels, J., Douwes, R., de Jong, M., & Pruyn, A. (2006). Organizational identification during a merger: Determinants of employees' expected identification with the new organization. *British Journal of Management, 17*(Suppl. 1), S49–S67. doi:10.1111/j.1467-8551.2006.00478.x
- *Barton, E. E., & Wolery, M. (2007). Evaluation of e-mail feedback on the verbal behaviors of pre-service teachers. *Journal of Early Intervention, 30*, 55–72. doi:10.1177/105381510703000105
- *Bass-Ringdahl, S. M. (2010). The relationship of audibility and the development of canonical babbling in young children with hearing impairment. *Journal of Deaf Studies and Deaf Education, 15*, 287–310. doi:10.1093/deafed/enq013
- *Batchelder, A., McLaughlin, T. F., Weber, K. P., Derby, K. M., & Gow, T. (2009). The effects of hand-over-hand and a dot-to-dot tracing procedure on teaching an autistic student to write his name. *Journal of Developmental and Physical Disabilities, 21*, 131–138. doi:10.1007/s10882-009-9131-2
- Beautrais, A. L., Gibb, S. J., Fergusson, D. M., Horwood, L. J., & Larkin, G. L. (2009). Removing bridge barriers stimulates suicides: An unfortunate natural experiment. *Australian and New Zealand Journal of Psychiatry, 43*, 495–497. doi:10.1080/00048670902873714
- *Beck, K. V., & Miltenberger, R. G. (2009). Evaluation of a commercially available program and in situ training by parents to teach abduction-prevention skills to children. *Journal of Applied Behavior Analysis, 42*, 761–772.
- *Beeson, P. M., & Egnor, H. (2006). Combining treatment for written and spoken naming. *Journal of the International Neuropsychological Society, 12*, 816–827. doi:10.1017/S1355617706061005
- *Begeny, J. C., & Martens, B. K. (2006). Assisting low-performing readers with a group-based reading fluency intervention. *School Psychology Review, 35*, 91–107.
- *Belfiore, P. J., Fritts, K. M., & Herman, B. C. (2008). The role of procedural integrity: Using self-monitoring to enhance discrete trial instruction (DTI). *Focus on Autism and Other Developmental Disabilities, 23*, 95–102. doi:10.1177/1088357607311445
- *Bell, R. J., Skinner, C. H., & Fisher, L. A. (2009). Decreasing putting yips in accomplished golfers via solution-focused guided imagery: A single-subject research design. *Journal of Applied Sport Psychology, 21*, 1–14. doi:10.1080/10413200802443776
- *Benavides, C. A., & Poulson, C. L. (2009). Task interspersal and performance of matching tasks by preschoolers with autism. *Research in Autism Spectrum Disorders, 3*, 619–629. doi:10.1016/j.rasd.2008.12.001
- *Benedict, E. A., Horner, R. H., & Squires, J. K. (2007). Assessment and implementation of positive behavior support in preschools. *Topics in Early Childhood Special Education, 27*, 174–192. doi:10.1177/02711214070270030801
- *Bennett, K., Brady, M. P., Scott, J., Dukes, C., & Frain, M. (2010). The effects of covert audio coaching on the job performance of supported employees. *Focus on Autism and Other Developmental Disabilities, 25*, 173–185. doi:10.1177/1088357610371636
- Berk, R. A., Sorenson, S. B., Wiebe, D. J., & Upchurch, D. M. (2003). The legalization of abortion and subsequent youth homicide: A time series analysis. *Analyses of Social Issues and Public Policy, 3*, 45–64. doi:10.1111/j.1530-2415.2003.00014.x
- Bermúdez-Ornelas, G., & Hernández-Guzmán, L. (2008). Tratamiento de una sesión de la fobia específica a las arañas en niños [Treatment of a session of phobia to spiders in children]. *International Journal of Clinical and Health Psychology, 8*, 779–791.
- Birkan, B., McClannahan, L. E., & Krantz, P. J. (2007). Effects of superimposition and background fading on the sight-word reading of a boy with autism. *Research in Autism Spectrum Disorders, 1*, 117–125. doi:10.1016/j.rasd.2006.08.003

- Björkman, T., & Hansson, L. (2007). Case management for individuals with a severe mental illness: A 6-year follow-up study. *International Journal of Social Psychiatry*, *53*, 12–22. doi:10.1177/0020764006066849
- *Blischak, D. M., Shah, S. D., Lombardino, L. J., & Chiarella, K. (2004). Effects of phonemic awareness instruction on the encoding skills of children with severe speech impairment. *Disability and Rehabilitation: An International Multidisciplinary Journal*, *26*, 1295–1304. doi:10.1080/09638280412331280325
- *Bliss, S. L., Skinner, C. H., & Adams, R. (2006). Enhancing an English language learning fifth-grade student's sight-word reading with a time-delay taped-words intervention. *School Psychology Review*, *35*, 663–670.
- *Bloh, C. (2008). Assessing transfer of stimulus control procedures across learners with autism. *Analysis of Verbal Behavior*, *24*, 87–101.
- *Boersma, K., Linton, S., Overmeer, T., Jansson, M., Vlaeyen, J., & de Jong, J. (2004). Lowering fear-avoidance and enhancing function through exposure in vivo. A multiple baseline study across six patients with back pain. *Pain*, *108*, 8–16. doi:10.1016/j.pain.2003.03.001
- Borrero, C. S. W., & Vollmer, T. R. (2006). Experimental analysis and treatment of multiply controlled problem behavior: A systematic replication and extension. *Journal of Applied Behavior Analysis*, *39*, 375–379. doi:10.1901/jaba.2006.170-04
- *Bosseler, A., & Massaro, D. W. (2003). Development and evaluation of a computer-animated tutor for vocabulary and language learning in children with autism. *Journal of Autism and Developmental Disorders*, *33*, 653–672. doi:10.1023/B:JADD.0000006002.82367.4f
- *Botella, C., Bretón-López, J., Quero, S., Baños, R., & García-Palacios, A. (2010). Treating cockroach phobia with augmented reality. *Behavior Therapy*, *41*, 401–413. doi:10.1016/j.beth.2009.07.002
- Bowie, S. L., Barthelemy, J. J., & White, G., Jr. (2007). Federal welfare and housing policy at the crossroads: Outcomes from a rent incentive-based welfare-to-work initiative in a low-income, predominantly African American, urban public housing community. *Journal of Human Behavior in the Social Environment*, *15*, 391–414. doi:10.1300/J137v15n02_22
- *Bowman-Perrott, L. J., Greenwood, C. R., & Tapia, Y. (2007). The efficacy of CWPT used in secondary alternative school classrooms with small teacher/pupil ratios and students with emotional and behavioral disorders. *Education & Treatment of Children*, *30*, 65–87.
- Boyer, E., Miltenberger, R. G., Batsche, C., & Fogel, V. (2009). Video modeling by experts with video feedback to enhance gymnastics skills. *Journal of Applied Behavior Analysis*, *42*, 855–860.
- Bradshaw, W. (2003). Use of single-system research to evaluate the effectiveness of cognitive behavioural treatment of schizophrenia. *British Journal of Social Work*, *33*, 885–899. doi:10.1093/bjsw/33.7.885
- Brannick, M. T., Fabri, P. J., Zayas-Castro, J., & Bryant, R. H. (2009). Evaluation of an error-reduction training program for surgical residents. *Academic Medicine*, *84*, 1809–1814. doi:10.1097/ACM.0b013e3181bf36b0
- *Bray, M. A., Kehle, T. J., Peck, H. L., Margiano, S. G., Dobson, R., Peczynski, K., . . . Alric, J. M. (2005). Written emotional expression as an intervention for asthma: A replication. *Journal of Applied School Psychology*, *22*, 141–165. doi:10.1300/J370v22n01_08
- *Brenske, S., Rudrud, E. H., Schulze, K. A., & Rapp, J. T. (2008). Increasing activity attendance and engagement in individuals with dementia using descriptive prompts. *Journal of Applied Behavior Analysis*, *41*, 273–277. doi:10.1901/jaba.2008.41-273
- Bressi, C., Lo Baido, R., Manenti, S., Frongia, P., Guidotti, B., Maggi, L., . . . Invernizzi, G. (2004). Efficacia clinica della terapia familiare sistemica nella schizofrenia: Uno studio prospettico longitudinale [Schizophrenia and the clinical efficacy of systemic family therapy: A prospective longitudinal study]. *Rivista di Psichiatria*, *39*, 189–197.
- Bressi, C., Manenti, S., Frongia, P., Porcellana, M., & Invernizzi, G. (2008). Systemic family therapy in schizophrenia: A randomized clinical trial of effectiveness. *Psychotherapy and Psychosomatics*, *77*, 43–49. doi:10.1159/000110059
- *Buckley, S. D., & Newchok, D. K. (2005). Differential impact of response effort within a response chain on use of mands in a student with autism. *Research in Developmental Disabilities*, *26*, 77–85. doi:10.1016/j.ridd.2004.07.004
- Burke, R. V., Andersen, M. N., Bowen, S. L., Howard, M. R., & Allen, K. D. (2010). Evaluation of two instruction methods to increase employment options for young adults with autism spectrum disorders. *Research in Developmental Disabilities*, *31*, 1223–1233. doi:10.1016/j.ridd.2010.07.023
- *Burns, M. K., Peters, R., & Noell, G. H. (2008). Using performance feedback to enhance implementation fidelity of the problem-solving team process. *Journal of School Psychology*, *46*, 537–550. doi:10.1016/j.jsp.2008.04.001
- *Byrnes, V. (2009). Getting a feel for the market: The use of privatized school management in Philadelphia. *American Journal of Education*, *115*, 437–455. doi:10.1086/597486
- *Calmels, C., Berthoumieux, C., & d'Arripe-Longueville, F. (2004). Effects of an imagery training program on selective attention of national softball players. *The Sport Psychologist*, *18*, 272–296.
- *Calmels, C., Holmes, P., Berthoumieux, C., & Singer, R. N. (2004). The development of movement imagery vividness through a structured intervention in softball. *Journal of Sport Behavior*, *27*, 307–322.
- *Camarata, S., Yoder, P., & Camarata, M. (2006). Simultaneous treatment of grammatical and speech-comprehensibility deficits in children with Down syndrome. *Down Syndrome: Research & Practice*, *11*, 9–17. doi:10.3104/reports.314
- *Cancio, E. J., West, R. P., & Young, K. R. (2004). Improving mathematics homework completion and accuracy of students with EBD through self-management and parent participation. *Journal of Emotional and Behavioral Disorders*, *12*, 9–22. doi:10.1177/10634266040120010201
- *Cannon, J. E., Fredrick, L. D., & Easterbrooks, S. R. (2010). Vocabulary instruction through books read in American Sign Language for English-language learners with hearing loss. *Communication Disorders Quarterly*, *31*, 98–112. doi:10.1177/1525740109332832
- Cardman, S., & Ryan, B. P. (2007). Experimental analysis of the relationship between speaking rate and stuttering during mother-child conversation II. *Journal of Developmental and Physical Disabilities*, *19*, 457–469. doi:10.1007/s10882-007-9063-7
- *Carlson, B., McLaughlin, T. F., Derby, K. M., & Blecher, J. (2009). Teaching preschool children with autism and developmental delays to write. *Electronic Journal of Research in Educational Psychology*, *7*, 225–238.
- Carlson, J. I., Luiselli, J. K., Slyman, A., & Markowski, A. (2008). Choice-making as intervention for public disrobing in children with developmental disabilities. *Journal of Positive Behavior Interventions*, *10*, 86–90. doi:10.1177/1098300707312544
- *Carnahan, C., Musti-Rao, S., & Bailey, J. (2009). Promoting active engagement in small group learning experiences for students with autism and significant learning needs. *Education & Treatment of Children*, *32*, 37–61. doi:10.1353/etc.0.0047
- *Carrier, M. H., & Côté, G. (2010). Évaluation de l'efficacité d'un traitement cognitif-comportemental pour le trouble d'anxiété généralisée combiné à des stratégies de régulation des émotions et d'acceptation et d'engagement expérientiel [Evaluation of a cognitive behavioral treatment for GAD combined with emotion regulation and acceptance-based strategies]. *European Review of Applied Psychology/Revue Européenne de Psychologie Appliquée*, *60*, 11–25. doi:10.1016/j.erap.2009.06.002

- *Carter, D. R., & Horner, R. H. (2009). Adding function-based behavioral support to First Step to Success: Integrating individualized and manualized practices. *Journal of Positive Behavior Interventions, 11*, 22–34. doi:10.1177/1098300708319125
- *Carter, D. R., & Norman, R. K. (2010). Class-wide positive behavior support in preschool: Improving teacher implementation through consultation. *Early Childhood Education Journal, 38*, 279–288. doi:10.1007/s10643-010-0409-x
- *Casey, A. M., & McWilliam, R. A. (2008). Graphical feedback to increase teachers' use of incidental teaching. *Journal of Early Intervention, 30*, 251–268. doi:10.1177/1053815108319038
- *Casey, S. D., & Mercial, C. L. (2006). The use of functional communication training without additional treatment procedures in an inclusive school setting. *Behavioral Disorders, 32*, 46–54.
- *Cass, M., Cates, D., Smith, M., & Jackson, C. (2003). Effects of manipulative instruction on solving area and perimeter problems by students with learning disabilities. *Learning Disabilities Research & Practice, 18*, 112–120. doi:10.1111/1540-5826.00067
- *Catania, C. N., Almeida, D., Liu-Constant, B., & DiGennaro Reed, F. D. (2009). Video modeling to train staff to implement discrete-trial instruction. *Journal of Applied Behavior Analysis, 42*, 387–392. doi:10.1901/jaba.2009.42-387
- Cautilli, J. D., & Dzielowska, H. (2006). Brief report: The use of opportunity to respond and practice to increase efficiency of the stepping reflex in a five-month-old infant. *The Behavior Analyst Today, 7*, 538–547.
- Ceroni, G. B., Rucci, P., Berardi, D., Berti Ceroni, F., & Katon, W. (2002). Case review vs. usual care in primary care patients with depression: A pilot study. *General Hospital Psychiatry, 24*, 71–80. doi:10.1016/S0163-8343(01)00182-7
- Chaabane, D. B. B., Alber-Morgan, S. R., & DeBar, R. M. (2009). The effects of parent-implemented PECS training on improvisation of mands by children with autism. *Journal of Applied Behavior Analysis, 42*, 671–677.
- *Charlop, M. H., Malmberg, D. B., & Berquist, K. L. (2008). An application of the Picture Exchange Communication System (PECS) with children with autism and a visually impaired therapist. *Journal of Developmental and Physical Disabilities, 20*, 509–525. doi:10.1007/s10882-008-9112-x
- Cho, H., & Wilke, D. J. (2005). How has the Violence Against Women Act affected the response of the criminal justice system to domestic violence? *Journal of Sociology & Social Welfare, 32*, 125–139.
- *Choate, M. L., Pincus, D. B., Eyberg, S. M., & Barlow, D. H. (2005). Parent-child interaction therapy for treatment of separation anxiety disorder in young children: A pilot study. *Cognitive and Behavioral Practice, 12*, 126–135. doi:10.1016/S1077-7229(05)80047-1
- *Christian, A. H., Mills, T., Simpson, S. L., & Mosca, L. (2006). Quality of cardiovascular disease preventive care and physician/practice characteristics. *Journal of General Internal Medicine, 21*, 231–237. doi:10.1111/j.1525-1497.2006.00331.x
- Chu, Y. H., Frongillo, E. A., Jones, S. J., & Kaye, G. L. (2009). Improving patrons' meal selections through the use of point-of-selection nutrition labels. *American Journal of Public Health, 99*, 2001–2005. doi:10.2105/AJPH.2008.153205
- Ciemins, E. L. (2004). The effect of parity-induced copayment reductions on adolescent utilization of substance use services. *Journal of Studies on Alcohol, 65*, 731–735.
- Ciemins, E. L., Blum, L., Nunley, M., Lasher, A., & Newman, J. M. (2007). The economic and clinical impact of an inpatient palliative care consultation service: A multifaceted approach. *Journal of Palliative Medicine, 10*, 1347–1355. doi:10.1089/jpm.2007.0065
- *Clarfield, J., & Stoner, G. (2005). Research brief: The effects of computerized reading instruction on the academic performance of students identified with ADHD. *School Psychology Review, 34*, 246–254.
- *Clayton, M., Helms, B., & Simpson, C. (2006). Active prompting to decrease cell phone use and increase seat belt use while driving. *Journal of Applied Behavior Analysis, 39*, 341–349. doi:10.1901/jaba.2006.153-04
- Clayton, M. C., & Woodard, C. (2007). The effect of response cards on participation and weekly quiz scores of university students enrolled introductory psychology courses. *Journal of Behavioral Education, 16*, 250–258. doi:10.1007/s10864-007-9038-x
- *Clyne, C., & Blampied, N. M. (2004). Training in emotion regulation as a treatment for binge eating: A preliminary study. *Behaviour Change, 21*, 269–281. doi:10.1375/bech.21.4.269.66105
- *Coddling, R. S., Livanis, A., Pace, G. M., & Vaca, L. (2008). Using performance feedback to improve treatment integrity of classwide behavior plans: An investigation of observer reactivity. *Journal of Applied Behavior Analysis, 41*, 417–422. doi:10.1901/jaba.2008.41-417
- *Coddling, R. S., Skowron, J., & Pace, G. M. (2005). Back to basics: Training teachers to interpret curriculum-based measurement data and create observable and measurable objectives. *Behavioral Interventions, 20*, 165–176. doi:10.1002/bin.194
- *Coddling, R. S., & Smyth, C. A. (2008). Using performance feedback to decrease classroom transition time and examine collateral effects on academic engagement. *Journal of Educational & Psychological Consultation, 18*, 325–345. doi:10.1080/10474410802463312
- *Coleman-Martin, M. B., & Heller, K. W. (2004). Using a modified constant prompt-delay procedure to teach spelling to students with physical disabilities. *Journal of Applied Behavior Analysis, 37*, 469–480. doi:10.1901/jaba.2004.37-469
- Collie-Akers, V., Schultz, J. A., Carson, V., Fawcett, S. B., & Ronan, M. (2009). Evaluating mobilization strategies with neighborhood and faith organizations to reduce risk for health disparities. *Health Promotion Practice, 10*(2, Suppl), 118S–127S. doi:10.1177/1524839908331271
- *Collins, S., Higbee, T. S., & Salzberg, C. L. (2009). The effects of video modeling on staff implementation of a problem-solving intervention with adults with developmental disabilities. *Journal of Applied Behavior Analysis, 42*, 849–854.
- *Conelea, C. A., & Woods, D. W. (2008). Examining the impact of distraction on tic suppression in children and adolescents with Tourette syndrome. *Behaviour Research and Therapy, 46*, 1193–1200.
- *Conroy, M. A., Asmus, J. M., Sellers, J. A., & Ladwig, C. N. (2005). The use of an antecedent-based intervention to decrease stereotypic behavior in a general education classroom: A case study. *Focus on Autism and Other Developmental Disabilities, 20*, 223–230. doi:10.1177/10883576050200040401
- Cooper, M. D. (2006). Exploratory analyses of the effects of managerial support and feedback consequences on behavioral safety maintenance. *Journal of Organizational Behavior Management, 26*, 1–41. doi:10.1300/J075v26n03_01
- *Cory, L., Dattilo, J., & Williams, R. (2006). Effects of a leisure education program on social knowledge and skills of youth with cognitive disabilities. *Therapeutic Recreation Journal, 40*, 144–164.

(Appendix continues)

- Coryn, C. L. S., Schröter, D. C., & Hanssen, C. E. (2009). Adding a time-series design element to the success case method to improve methodological rigor: An application for nonprofit program evaluation. *American Journal of Evaluation, 30*, 80–92. doi:10.1177/1098214008326557
- *Craig-Unkefer, L. A., & Kaiser, A. P. (2003). Increasing peer-directed social-communication skills of children enrolled in Head Start. *Journal of Early Intervention, 25*, 229–247. doi:10.1177/105381510302500401
- *Crawley, S. H., Lynch, P., & Vannest, K. (2006). The use of self-monitoring to reduce off-task behavior and cross-correlation examination of weekends and absences as an antecedent to off-task behavior. *Child & Family Behavior Therapy, 28*, 29–48. doi:10.1300/J019v28n02_03
- *Creech, J., & Golden, J. A. (2009). Increasing Braille practice and reading comprehension in a student with visual impairment and moderate mental retardation: An initial study and follow-up. *Journal of Developmental and Physical Disabilities, 21*, 225–233. doi:10.1007/s10882-009-9137-9
- Crosland, K. A., Cigales, M., Dunlap, G., Neff, B., Clark, H. B., Giddings, T., & Blanco, A. (2008). Using staff training to decrease the use of restrictive procedures at two facilities for foster care children. *Research on Social Work Practice, 18*, 401–409. doi:10.1177/1049731507314006
- Crosland, K. A., Dunlap, G., Sager, W., Neff, B., Wilcox, C., Blanco, A., & Giddings, T. (2008). The effects of staff training on the types of interactions observed at two group homes for foster care children. *Research on Social Work Practice, 18*, 410–420. doi:10.1177/1049731507314000
- *Crozier, S., & Tincani, M. J. (2005). Using a modified social story to decrease disruptive behavior of a child with autism. *Focus on Autism and Other Developmental Disabilities, 20*, 150–157. doi:10.1177/10883576050200030301
- *Culig, K. M., Dickinson, A. M., Lindstrom-Hazel, D., & Austin, J. (2008). Combining workstation design and performance management to increase ergonomically correct computer typing postures. *Journal of Organizational Behavior Management, 28*, 146–175. doi:10.1080/01608060802251064
- Da Fonte, M. A., & Taber-Doughty, T. (2010). The use of graphic symbols in infancy: How early can we start? *Early Child Development and Care, 180*, 417–439. doi:10.1080/03004430802009141
- *Dallery, J., Glenn, I. M., & Raiff, B. R. (2007). An Internet-based abstinence reinforcement treatment for cigarette smoking. *Drug and Alcohol Dependence, 86*, 230–238. doi:10.1016/j.drugalcdep.2006.06.013
- *Dallery, J., Meredith, S., & Glenn, I. M. (2008). A deposit contract method to deliver abstinence reinforcement for cigarette smoking. *Journal of Applied Behavior Analysis, 41*, 609–615. doi:10.1901/jaba.2008.41-609
- *Davis, K. M., Boon, R. T., Cihak, D. F., & Fore, C., III. (2010). Power cards to improve conversational skills in adolescents with Asperger syndrome. *Focus on Autism and Other Developmental Disabilities, 25*, 12–22. doi:10.1177/1088357609354299
- de los Angeles Cruz-Almanza, M., Gaona-Márquez, L., & Sánchez-Sosa, J. J. (2006). Empowering women abused by their problem drinker spouses: Effects of a cognitive behavioral intervention. *Salud Mental, 29*, 25–31.
- *DeQuinzio, J. A., Townsend, D. B., & Poulson, C. L. (2008). The effects of forward chaining and contingent social interaction on the acquisition of complex sharing responses by children with autism. *Research in Autism Spectrum Disorders, 2*, 264–275. doi:10.1016/j.rasd.2007.06.006
- *DeRosse, P., & Fields, L. (2010). The contextually controlled, feature-mediated classification of symbols. *Journal of the Experimental Analysis of Behavior, 93*, 225–245. doi:10.1901/jeab.2010.93-225
- *Devlin, P. (2008). Enhancing the job performance of employees with disabilities using the self-determined career development model. *Education and Training in Developmental Disabilities, 43*, 502–513.
- *Digennaro-Reed, F. D., Coddling, R., Catania, C. N., & Maguire, H. (2010). Effects of video modeling on treatment integrity of behavioral interventions. *Journal of Applied Behavior Analysis, 43*, 291–295.
- *Dimling, L. M. (2010). Conceptually based vocabulary intervention: Second graders' development of vocabulary words. *American Annals of the Deaf, 155*, 425–448.
- *Dixon, M. R., & Holton, B. (2009). Altering the magnitude of delay discounting by pathological gamblers. *Journal of Applied Behavior Analysis, 42*, 269–275. doi:10.1901/jaba.2009.42-269
- *Dodd, S., Hupp, S. D. A., Jewell, J. D., & Krohn, E. (2008). Using parents and siblings during a social story intervention for two children diagnosed with PDD-NOS. *Journal of Developmental and Physical Disabilities, 20*, 217–229. doi:10.1007/s10882-007-9090-4
- Dojo, Y., Tanaka-Matsumi, J., & Inoue, N. (2004). Tsuujou gakyuu ni oite "meate kaado" ni yoru mokuhyousettei ga jugyou junbi koudou ni oyobosu kouka [Effect of goal setting with a target behavior card on class preparation behavior of children in a regular classroom]. *Japanese Journal of Behavior Analysis, 19*, 148–160.
- *Donaldson, J. M., & Normand, M. P. (2009). Using goal setting, self-monitoring, and feedback to increase calorie expenditure in obese adults. *Behavioral Interventions, 24*, 73–83. doi:10.1002/bin.277
- Dorminy, K. P., Luscre, D., & Gast, D. L. (2009). Teaching organizational skills to children with high functioning autism and Asperger's syndrome. *Education and Training in Developmental Disabilities, 44*, 538–550.
- *Downs, A., Downs, R. C., & Rau, K. (2008). Effects of training and feedback on discrete trial teaching skills and student performance. *Research in Developmental Disabilities, 29*, 235–246. doi:10.1016/j.ridd.2007.05.001
- *Drager, K. D. R., Postal, V. J., Carrolus, L., Castellano, M., Gagliano, C., & Glynn, J. (2006). The effect of aided language modeling on symbol comprehension and production in 2 preschoolers with autism. *American Journal of Speech-Language Pathology, 15*, 112–125. doi:10.1044/1058-0360(2006)012
- *Driscoll, C., & Carter, M. (2009). The effects of social and isolate toys on the social interaction of preschool children with disabilities. *Journal of Developmental and Physical Disabilities, 21*, 279–300. doi:10.1007/s10882-009-9142-z
- *Driscoll, C., & Carter, M. (2010). The effects of spatial density on the social interaction of preschool children with disabilities. *International Journal of Disability, Development and Education, 57*, 191–206. doi:10.1080/10349121003750836
- *Dufrene, B. A., Reisener, C. D., Olmi, D. J., Zoder-Martell, K., McNutt, M. R., & Horn, D. R. (2010). Peer tutoring for reading fluency as a feasible and effective alternative in response to intervention systems. *Journal of Behavioral Education, 19*, 239–256. doi:10.1007/s10864-010-9111-8
- *Dugas, M. J., & Ladouceur, R. (2000). Treatment of GAD: Targeting intolerance of uncertainty in two types of worry. *Behavior Modification, 24*, 635–657. doi:10.1177/0145445500245002
- *Duhon, G. J., House, S. E., Poncy, B. C., Hastings, K. W., & McClurg, S. C. (2010). An examination of two techniques for promoting response generalization of early literacy skills. *Journal of Behavioral Education, 19*, 62–75. doi:10.1007/s10864-010-9097-2

- *Earleywine, M., & Van Dam, N. T. (2010). Case studies in cannabis vaporization. *Addiction Research & Theory, 18*, 243–249. doi:10.3109/16066350902974753
- Easterbrooks, S. R., & Stoner, M. (2006). Using a visual tool to increase adjectives in the written language of students who are deaf or hard of hearing. *Communication Disorders Quarterly, 27*, 95–109. doi:10.1177/15257401060270020701
- *Ebanks, M. E., & Fisher, W. W. (2003). Altering the timing of academic prompts to treat destructive behavior maintained by escape. *Journal of Applied Behavior Analysis, 36*, 355–359. doi:10.1901/jaba.2003.36-355
- *Ebert, K. D., & Kohnert, K. (2009). Non-linguistic cognitive treatment for primary language impairment. *Clinical Linguistics & Phonetics, 23*, 647–664. doi:10.1080/02699200902998770
- Eckman, N., Williams, K. E., Riegel, K., & Paul, C. (2008). Teaching chewing: A structured approach. *American Journal of Occupational Therapy, 62*, 514–521.
- *Eikenhout, N., & Austin, J. (2005). Using goals, feedback, reinforcement, and a performance matrix to improve customer service in a large department store. *Journal of Organizational Behavior Management, 24*, 27–62. doi:10.1300/J075v24n03_02
- Eikeseth, S., & Nasset, R. (2003). Behavioral treatment of children with phonological disorder: The efficacy of vocal imitation and sufficient-response-exemplar training. *Journal of Applied Behavior Analysis, 36*, 325–337. doi:10.1901/jaba.2003.36-325
- *Eisen, A. R., Raleigh, H., & Neuhoff, C. C. (2008). The unique impact of parent training for separation anxiety disorder in children. *Behavior Therapy, 39*, 195–206. doi:10.1016/j.beth.2007.07.004
- *Elias, N. C., Goyos, C., Saunders, M., & Saunders, R. (2008). Teaching manual signs to adults with mental retardation using matching-to-sample procedures and stimulus equivalence. *Analysis of Verbal Behavior, 24*, 1–13.
- *Embregts, P. J. C. M. (2000). Effectiveness of video feedback and self-management on inappropriate social behavior of youth with mild mental retardation. *Research in Developmental Disabilities, 21*, 409–423. doi:10.1016/S0891-4222(00)00052-4
- *Endo, Y., Ohkubo, K., Gomi, Y., Noguchi, M., Takahashi, N., Takei, S., . . . Noro, F. (2007). Shougakkou no seisou bamen ni okeru sougoison kata shuudan zuihan saga(shou,sei,narikuse) no tekiyou: Gakkyuu kibo kainyuu no kouka to shakaiteki datousei no kentou [Application of interdependent group-oriented contingencies to cleaning behaviors of students in an elementary school: Effects of class-wide intervention and social validity]. *Japanese Journal of Behavior Analysis, 22*, 17–30.
- *Engel, J. M., Jensen, M. P., & Schwartz, L. (2004). Outcome of biofeedback-assisted relaxation for pain in adults with cerebral palsy: Preliminary findings. *Applied Psychophysiology and Biofeedback, 29*, 135–140. doi:10.1023/B:APBI.0000026639.95223.6f
- *Fabiano, G. A., & Pelham, W. E., Jr. (2003). Improving the effectiveness of behavioral classroom interventions for attention-deficit/hyperactivity disorder: A case study. *Journal of Emotional and Behavioral Disorders, 11*, 124–130. doi:10.1177/106342660301100206
- *Facon, B., Beghin, M., & Rivière, V. (2007). The reinforcing effect of contingent attention on verbal perseverations of two children with severe visual impairment. *Journal of Behavior Therapy and Experimental Psychiatry, 38*, 23–28. doi:10.1016/j.jbtep.2006.01.001
- Fazio, D., Martin, G. L., Arnal, L., & Yu, D. C. T. (2009). Instructing university students to conduct discrete-trials teaching with children with autism. *Research in Autism Spectrum Disorders, 3*, 57–66. doi:10.1016/j.rasd.2008.04.002
- Feather, J. S., & Ronan, K. R. (2006). Trauma-focused cognitive-behavioural therapy for abused children with posttraumatic stress disorder: A pilot study. *New Zealand Journal of Psychology, 35*, 132–145.
- *Feather, J. S., & Ronan, K. R. (2009). Trauma-focused CBT with maltreated children: A clinic-based evaluation of a new treatment manual. *Australian Psychologist, 44*, 174–194. doi:10.1080/00050060903147083
- Fenstermacher, K., Olympia, D., & Sheridan, S. M. (2006). Effectiveness of a computer-facilitated interactive social skills training program for boys with attention deficit hyperactivity disorder. *School Psychology Quarterly, 21*, 197–224. doi:10.1521/scpq.2006.21.2.197
- Ferguson, H., Myles, B. S., & Hagiwara, T. (2005). Using a personal digital assistant to enhance the independence of an adolescent with Asperger syndrome. *Education and Training in Developmental Disabilities, 40*, 60–67.
- *Ferrara, S. L. N. (2005). Reading fluency and self-efficacy: A case study. *International Journal of Disability, Development and Education, 52*, 215–231. doi:10.1080/10349120500252858
- *Fienup, D. M., & Doepke, K. (2008). Evaluation of a changing criterion intervention to increase fluent responding with an elementary age student with autism. *International Journal of Behavioral Consultation and Therapy, 4*, 297–303.
- *Filter, K. J., & Horner, R. H. (2009). Function-based academic interventions for problem behavior. *Education & Treatment of Children, 32*, 1–19. doi:10.1353/etc.0.0043
- *Finkel, A. S., Weber, K. P., & Derby, K. M. (2004). Use of a Braille Exchange Communication System to improve articulation and acquire mands with a legally blind and developmentally disabled female. *Journal of Developmental and Physical Disabilities, 16*, 321–336. doi:10.1007/s10882-004-0689-4
- *Finnigan, E., & Starr, E. (2010). Increasing social responsiveness in a child with autism: A comparison of music and non-music interventions. *Autism, 14*, 321–348. doi:10.1177/1362361309357747
- *Fischer, J. L., Howard, J. S., Sparkman, C. R., & Moore, A. G. (2010). Establishing generalized syntactical responding in young children with autism. *Research in Autism Spectrum Disorders, 4*, 76–88. doi:10.1016/j.rasd.2009.07.009
- *Fleming, C. V., Wheeler, G. M., Cannella-Malone, H. I., Basbagill, A. R., Chung, Y.-C., & Day, K. G. (2010). An evaluation of the use of eye gaze to measure preference of individuals with severe physical and developmental disabilities. *Developmental Neurorehabilitation, 13*, 266–275. doi:10.3109/17518421003705706
- *Flood, W. A., & Wilder, D. A. (2004). The use of differential reinforcement and fading to increase time away from a caregiver in a child with separation anxiety disorder. *Education & Treatment of Children, 27*, 1–8.
- *Forquer, L. M., & Johnson, C. M. (2005). Continuous white noise to reduce resistance going to sleep and night wakings in toddlers. *Child & Family Behavior Therapy, 27*, 1–10. doi:10.1300/J019v27n02_01
- *Forquer, L. M., & Johnson, C. M. (2007). Continuous white noise to reduce sleep latency and night wakings in college students. *Sleep and Hypnosis, 9*, 60–66.
- *Forrest, K., & Luzzini, J. (2008). A comparison of oral motor and production training for children with speech sound disorders. *Seminars in Speech and Language, 29*, 304–311. doi:10.1055/s-0028-1103394
- Foxx, R. M., Schreck, K. A., Garito, J., Smith, A., & Weisenberger, S. (2004). Replacing the echolalia of children with autism with functional use of verbal labeling. *Journal of Developmental and Physical Disabilities, 16*, 307–320. doi:10.1007/s10882-004-0688-5

(Appendix continues)

- *France, K. G., & Blampied, N. M. (2005). Modifications of systematic ignoring in the management of infant sleep disturbance: Efficacy and infant distress. *Child & Family Behavior Therapy, 27*, 1–16. doi:10.1300/J019v27n01_01
- *Franzen, K., & Kamps, D. (2008). The utilization and effects of positive behavior support strategies on an urban school playground. *Journal of Positive Behavior Interventions, 10*, 150–161. doi:10.1177/1098300708316260
- Freia, W. D., Arnold, C. L., & Vittimberga, G. L. (2001). A demonstration of the effects of augmentative communication on the extreme aggressive behavior of a child with autism within an integrated preschool setting. *Journal of Positive Behavior Interventions, 3*, 194–198. doi:10.1177/109830070100300401
- *Freeman, P., Rees, T., & Hardy, L. (2009). An intervention to increase social support and improve performance. *Journal of Applied Sport Psychology, 21*, 186–200. doi:10.1080/10413200902785829
- Fujita, Y., & Hasegawa, Y. (2003). Tei karorii shokuhin sentaku koudou wo you ita genryu purogu ramu [Weight control: Selection of low-calorie food]. *Japanese Journal of Behavior Analysis, 18*, 3–9.
- *Ganz, J. B., Bourgeois, B. C., Flores, M. M., & Campos, B. A. (2008). Implementing visually cued imitation training with children with autism spectrum disorders and developmental delays. *Journal of Positive Behavior Interventions, 10*, 56–66. doi:10.1177/1098300707311388
- *Ganz, J. B., & Flores, M. M. (2008). Effects of the use of visual strategies in play groups for children with autism spectrum disorders and their peers. *Journal of Autism and Developmental Disorders, 38*, 926–940. doi:10.1007/s10803-007-0463-4
- *Ganz, J. B., & Flores, M. M. (2009). The effectiveness of direct instruction for teaching language to children with autism spectrum disorders: Identifying materials. *Journal of Autism and Developmental Disorders, 39*, 75–83. doi:10.1007/s10803-008-0602-6
- *Ganz, J. B., Kaylor, M., Bourgeois, B., & Hadden, K. (2008). The impact of social scripts and visual cues on verbal communication in three children with autism spectrum disorders. *Focus on Autism and Other Developmental Disabilities, 23*, 79–94. doi:10.1177/1088357607311447
- *Ganz, J. B., & Sigafoos, J. (2005). Self-monitoring: Are young adults with MR and autism able to utilize cognitive strategies independently? *Education and Training in Developmental Disabilities, 40*, 24–33.
- *Garrity, M. L., Luiselli, J. K., & McCollum, S. A. (2008). Effects of a supervisory intervention on assessment of interobserver agreement by educational service providers. *Behavioral Interventions, 23*, 105–112. doi:10.1002/bin.258
- *Gena, A., Couloura, S., & Kymissis, E. (2005). Modifying the affective behavior of preschoolers with autism using in-vivo or video modeling and reinforcement contingencies. *Journal of Autism and Developmental Disorders, 35*, 545–556. doi:10.1007/s10803-005-0014-9
- German, D. J. (2002). A phonologically based strategy to improve word-finding abilities in children. *Communication Disorders Quarterly, 23*, 177–190. doi:10.1177/15257401020230040301
- *Gilbertson, D., Witt, J. C., Duhon, G., & Dufrene, B. (2008). Using brief assessments to select math fluency and on-task behavior interventions: An investigation of treatment utility. *Education & Treatment of Children, 31*, 167–181. doi:10.1353/etc.0.0023
- *Girling-Butcher, R. D., & Ronan, K. R. (2009). Brief cognitive-behavioural therapy for children with anxiety disorders: Initial evaluation of a program designed for clinic settings. *Behaviour Change, 26*, 27–53. doi:10.1375/bech.26.1.27
- Glassman, T. J., Dodd, V., Miller, E. M., & Braun, R. E. (2010). Preventing high-risk drinking among college students: A social marketing case study. *Social Marketing Quarterly, 16*, 92–110. doi:10.1080/15245004.2010.522764
- Goldkamp, J. S., & Vilcica, E. R. (2008). Targeted enforcement and adverse system side effects: The generation of fugitives in Philadelphia. *Criminology: An Interdisciplinary Journal, 46*, 371–409. doi:10.1111/j.1745-9125.2008.00113.x
- Gómez, S., López, F., Martín, C. B., Barnes-Holmes, Y., & Barnes-Holmes, D. (2007). Exemplar training and a derived transformation of functions in accordance with symmetry and equivalence. *The Psychological Record, 57*, 273–294.
- *Goodman, J. I., Brady, M. P., Duffy, M. L., Scott, J., & Pollard, N. E. (2008). The effects of “bug-in-ear” supervision on special education teachers’ delivery of learn units. *Focus on Autism and Other Developmental Disabilities, 23*, 207–216. doi:10.1177/1088357608324713
- *Gorman, D. M., & Huber, J. C., Jr. (2007). Do medical cannabis laws encourage cannabis use? *International Journal on Drug Policy, 18*, 160–167. doi:10.1016/j.drugpo.2006.10.001
- *Gravina, N., Austin, J., Schoedtler, L., & Loewy, S. (2008). The effects of self-monitoring on safe posture performance. *Journal of Organizational Behavior Management, 28*, 238–259. doi:10.1080/01608060802454825
- *Gravina, N., Lindstrom-Hazel, D., & Austin, J. (2007). The effects of workstation changes and behavioral interventions on safe typing postures in an office. *Work: Journal of Prevention, Assessment & Rehabilitation, 29*, 245–253.
- *Gravina, N., Wilder, D. A., White, H., & Fabian, T. (2004). The effect of raffle odds on signing in at a treatment center for adults with mental illness. *Journal of Organizational Behavior Management, 24*, 31–42. doi:10.1300/J075v24n04_02
- *Gregg, M. J., Hrycaiko, D., Mactavish, J. B., & Martin, G. L. (2004). A mental skills package for Special Olympics athletes: A preliminary study. *Adapted Physical Activity Quarterly, 21*, 4–18.
- *Grey, I., Healy, O., Leader, G., & Hayes, D. (2009). Using a Time Timer to increase appropriate waiting behavior in a child with developmental disabilities. *Research in Developmental Disabilities, 30*, 359–366. doi:10.1016/j.ridd.2008.07.001
- *Grisson, T., Ward, P., Martin, B., & Leenders, N. Y. J. M. (2005). Physical activity in physical education: Teacher or technology effects. *Family & Community Health, 28*, 125–129.
- *Grskovic, J. A., Hall, A. M., Montgomery, D. J., Vargas, A. U., Zentall, S. S., & Belfiore, P. J. (2004). Reducing time-out assignments for students with emotional/behavioral disorders in a self-contained classroom. *Journal of Behavioral Education, 13*, 25–36. doi:10.1023/B:JOB.0000011258.06561.82
- Gryiec, M., Grandy, S., & McLaughlin, T. F. (2004). The effects of the copy, cover, and compare procedure in spelling with an elementary student with fetal alcohol syndrome. *Journal of Precision Teaching & Celeration, 20*, 2–8.
- Gupta, A., & Naorem, T. (2003). Cognitive retraining in epilepsy. *Brain Injury, 17*, 161–174. doi:10.1080/0269905021000010195
- *Gyovai, L. K., Cartledge, G., Kourea, L., Yurick, A., & Gibson, L. (2009). Early reading intervention: Responding to the learning needs of young at-risk English language learners. *Learning Disability Quarterly, 32*, 143–162.
- *Haddad, K., & Tremayne, P. (2009). The effects of centering on the free-throw shooting performance of young athletes. *The Sport Psychologist, 23*, 118–136.
- *Hall, L. J., Grundon, G. S., Pope, C., & Romero, A. B. (2010). Training paraprofessionals to use behavioral strategies when educating learners with autism spectrum disorders across environments. *Behavioral Interventions, 25*, 37–51.
- Halsteinli, V. (2010). Treatment intensity in child and adolescent mental health services and health care reform in Norway, 1998–2006. *Psychiatric Services, 61*, 280–285. doi:10.1176/appi.ps.61.3.280

(Appendix continues)

- Hamilton, R. A., Scott, D., & MacDougall, M. P. (2007). Assessing the effectiveness of self-talk interventions on endurance performance. *Journal of Applied Sport Psychology, 19*, 226–239. doi:10.1080/1041320070123061
- *Hansen, D. L., & Morgan, R. L. (2008). Teaching grocery store purchasing skills to students with intellectual disabilities using a computer-based instruction program. *Education and Training in Developmental Disabilities, 43*, 431–442.
- *Hanser, G. A., & Erickson, K. A. (2007). Integrated word identification and communication instruction for students with complex communication needs: Preliminary results. *Focus on Autism and Other Developmental Disabilities, 22*, 268–278. doi:10.1177/10883576070220040901
- *Harding, J. W., Wacker, D. P., Berg, W. K., Winborn-Kemmerer, L., Lee, J. F., & Ibrahimovic, M. (2009). Analysis of multiple manding topographies during functional communication training. *Education & Treatment of Children, 32*, 21–36. doi:10.1353/etc.0.0045
- Hart, J. M., Fritz, J. M., Kerrigan, D. C., Saliba, E. N., Gansnedder, B. M., & Ingersoll, C. D. (2006). Quadriceps inhibition after repetitive lumbar extension exercise in persons with a history of low back pain. *Journal of Athletic Training, 41*, 264–269.
- *Hartley, E. T., Kehle, T. J., & Bray, M. A. (2002). Increasing student classroom participation through self-modeling. *Journal of Applied School Psychology, 19*, 51–63.
- *Hartnedy, S. L., Mozzoni, M. P., & Fahoum, Y. (2005). The effect of fluency training on math and reading skills in neuropsychiatric diagnosis children: A multiple baseline design. *Behavioral Interventions, 20*, 27–36. doi:10.1002/bin.167
- *Haslam, S. A., & Reicher, S. (2007). Identity entrepreneurship and the consequences of identity failure: The dynamics of leadership in the BBC prison study. *Social Psychology Quarterly, 70*, 125–147. doi:10.1177/019027250707000204
- Hastie, P. A., & Sharpe, T. (2006). Implementation guidelines: Introducing a changing-criterion design to hold students accountable in structured physical activity settings. *Journal of Evidence-Based Practices for Schools, 7*, 89–91.
- Hastie, P. A., & Sharpe, T. (2006). Introducing a changing-criterion design to hold students accountable in structured physical activity settings. *Journal of Evidence-Based Practices for Schools, 7*, 73–88.
- *Hayter, S., Scott, E., McLaughlin, T. F., & Weber, K. P. (2007). The use of a modified direct instruction flashcard system with two high school students with developmental disabilities. *Journal of Developmental and Physical Disabilities, 19*, 409–415. doi:10.1007/s10882-007-9059-3
- Hayward, D., Eikeseth, S., Gale, C., & Morgan, S. (2009). Assessing progress during treatment for young children with autism receiving intensive behavioural interventions. *Autism, 13*, 613–633. doi:10.1177/1362361309340029
- *Heering, P. W., & Wilder, D. A. (2006). The use of dependent group contingencies to increase on-task behavior in two general education classrooms. *Education & Treatment of Children, 29*, 459–468.
- *Hernandez, E., Hanley, G. P., Ingvarsson, E. T., & Tiger, J. H. (2007). A preliminary evaluation of the emergence of novel mand forms. *Journal of Applied Behavior Analysis, 40*, 137–156. doi:10.1901/jaba.2007.96-05
- *Hettroni, O. E., & Tannous, J. (2004). Effects of a computer-based intervention program on the communicative functions of children with autism. *Journal of Autism and Developmental Disorders, 34*, 95–113. doi:10.1023/B:JADD.0000022602.40506.bf
- *Higbee, T. S., Chang, S.-M., & Endicott, K. (2005). Noncontingent access to preferred sensory stimuli as a treatment for automatically reinforced stereotypy. *Behavioral Interventions, 20*, 177–184. doi:10.1002/bin.190
- *Hillman, H. L., & Miller, L. K. (2009). The effects of a spouse implemented contingency contract on asthma medication adherence. *The Behavior Analyst Today, 10*, 1–6.
- *Himle, M. B., Woods, D. W., Conelea, C. A., Bauer, C. C., & Rice, K. A. (2007). Investigating the effects of tic suppression on premonitory urge ratings in children and adolescents with Tourette's syndrome. *Behaviour Research and Therapy, 45*, 2964–2976. doi:10.1016/j.brat.2007.08.007
- Hirasawa, N., Fujiwara, Y., & Yamane, M. (2009). Gakkou chiiki bamen ni okeru sutaffu no kinou ni moto(zu)ku kainyuu ni oyobosu butsuriteki settei no kouka [Physical arrangements and staff implementation of function-based interventions in school and community settings]. *Japanese Journal of Special Education, 46*, 435–446.
- Hirayoshi, S., & Nakajima, S. (2003). Ratto ha kime rareta jikan jitto rebaa wo oshi shoku(zoku) kerare ruka? Hanou(hannou) jizoku jikan bunka kyouta to hanou(hannou) topo gurahu i [Do rats press the lever for longer than the required duration? Differential reinforcement of response duration and response topography]. *Japanese Journal of Behavior Analysis, 18*, 99–107.
- *Hitchcock, C. H., Prater, M. A., & Dowrick, P. W. (2004). Reading comprehension and fluency: Examining the effects of tutoring and video self-modeling on first-grade students with reading difficulties. *Learning Disability Quarterly, 27*, 89–103. doi:10.2307/1593644
- *Holzer, M. L., Madaus, J. W., Bray, M. A., & Kehle, T. J. (2009). The test-taking strategy intervention for college students with learning disabilities. *Learning Disabilities Research & Practice, 24*, 44–56. doi:10.1111/j.1540-5826.2008.01276.x
- Hoskins, S., Coleman, M., & McNeely, D. (2005). Stress in careers of individuals with dementia and community mental health teams: An uncontrolled evaluation study. *Journal of Advanced Nursing, 50*, 325–333. doi:10.1111/j.1365-2648.2005.03396.x
- *Hough, M. S. (2010). Melodic intonation therapy and aphasia: Another variation on a theme. *Aphasiology, 24*, 775–786. doi:10.1080/02687030903501941
- Howard, C. D., Barrett, A. F., & Frick, T. W. (2010). Anonymity to promote peer feedback: Pre-service teachers' comments in asynchronous computer-mediated communication. *Journal of Educational Computing Research, 43*, 89–112. doi:10.2190/EC.43.1.f
- Høyve, A., Rezvy, G., Hansen, V., & Olstad, R. (2006). The effect of gender in diagnosing early schizophrenia: An experimental case simulation study. *Social Psychiatry and Psychiatric Epidemiology, 41*, 549–555. doi:10.1007/s00127-006-0066-y
- Huitema, B. E. (2004). Analysis of interrupted time-series experiments using ITSE: A critique. *Understanding Statistics, 3*, 27–46. doi:10.1207/s15328031us0301_
- *Hundert, J. P. (2007). Training classroom and resource preschool teachers to develop inclusive class interventions for children with disabilities: Generalization to new intervention targets. *Journal of Positive Behavior Interventions, 9*, 159–173. doi:10.1177/10983007070090030401
- Hupp, S. D. A., & Allen, K. D. (2005). Using an audio cueing procedure to increase rate of parental attention during parent training. *Child & Family Behavior Therapy, 27*, 43–49. doi:10.1300/J019v27n02_04
- *Ingersoll, B., Dvortcsak, A., Whalen, C., & Sikora, D. (2005). The effects of a developmental, social-pragmatic language intervention on rate of expressive language production in young children with autistic spectrum disorders. *Focus on Autism and Other Developmental Disabilities, 20*, 213–222. doi:10.1177/10883576050200040301

(Appendix continues)

- *Ingersoll, B., & Gergans, S. (2007). The effect of a parent-implemented imitation intervention on spontaneous imitation skills in young children with autism. *Research in Developmental Disabilities, 28*, 163–175. doi:10.1016/j.ridd.2006.02.004
- Ingersoll, B., & Lalonde, K. (2010). The impact of object and gesture imitation training on language use in children with autism spectrum disorder. *Journal of Speech, Language, and Hearing Research, 53*, 1040–1051. doi:10.1044/1092-4388(2009/09-0043)
- *Ingersoll, B., Lewis, E., & Kroman, E. (2007). Teaching the imitation and spontaneous use of descriptive gestures in young children with autism using a naturalistic behavioral intervention. *Journal of Autism and Developmental Disorders, 37*, 1446–1456. doi:10.1007/s10803-006-0221-z
- *Ingersoll, B., & Schreibman, L. (2006). Teaching reciprocal imitation skills to young children with autism using a naturalistic behavioral approach: Effects on language, pretend play, and joint attention. *Journal of Autism and Developmental Disorders, 36*, 487–505. doi:10.1007/s10803-006-0089-y
- *Ingvarsson, E. T., & Hanley, G. P. (2006). An evaluation of computer-based programmed instruction for promoting teachers' greetings of parents by name. *Journal of Applied Behavior Analysis, 39*, 203–214. doi:10.1901/jaba.2006.18-05
- Iqbal, N., Caswell, H. L., Hare, D. J., Pilkington, O., Mercer, S., & Duncan, S. (2009). Neuropsychological profiles of patients with juvenile myoclonic epilepsy and their siblings: A preliminary controlled experimental video-EEG case series. *Epilepsy & Behavior, 14*, 516–521. doi:10.1016/j.yebeh.2008.12.025
- Ishida, M. (2004). Effects of recasts on the acquisition of the aspectual form -te i-(ru) by learners of Japanese as a foreign language. *Language Learning, 54*, 311–394. doi:10.1111/j.1467-9922.2004.00257.x
- *Ivy, J. W., & Schreck, K. A. (2008). A behavioral approach to training day care workers. *International Journal of Behavioral Consultation and Therapy, 4*, 227–238.
- *Jameson, J. M., McDonnell, J., Johnson, J. W., Riesen, T., & Polychronis, S. (2007). A comparison of one-to-one embedded instruction in the general education classroom and one-to-one massed practice instruction in the special education classroom. *Education & Treatment of Children, 30*, 23–44. doi:10.1353/etc.2007.0001
- *Jansson, S., & Söderlund, A. (2004). A new treatment programme to improve balance in elderly people—an evaluation of an individually tailored home-based exercise programme in five elderly women with a feeling of unsteadiness. *Disability and Rehabilitation: An International, Multidisciplinary Journal, 26*, 1431–1443. doi:10.1080/09638280400000245
- *Jason, L. A., Braciszewski, J., Olson, B. D., & Ferrari, J. R. (2005). Increasing the number of mutual help recovery homes for substance abusers: Effects of government policy and funding assistance. *Behavior and Social Issues, 14*, 71–79.
- Jindal-Snape, D. (2004). Generalization and maintenance of social skills of children with visual impairments: Self-evaluation and the role of feedback. *Journal of Visual Impairment & Blindness, 98*, 470–483.
- *Jöbges, M., Heuschkel, G., Pretzel, C., Illhardt, C., Renner, C., & Hummelshaim, H. (2004). Repetitive training of compensatory steps: A therapeutic approach for postural instability in Parkinson's disease. *Journal of Neurology, Neurosurgery & Psychiatry, 75*, 1682–1687. doi:10.1136/jnnp.2003.016550
- *Johnston, S. S., Buchanan, S., & Davenport, L. (2009). Comparison of fixed and gradual array when teaching sound-letter correspondence to two children with autism who use AAC. *Augmentative and Alternative Communication, 25*, 136–144. doi:10.1080/07434610902921516
- Jones, P. H., & Ryan, B. P. (2001). Experimental analysis of the relationship between speaking rate and stuttering during mother–child conversation. *Journal of Developmental and Physical Disabilities, 13*, 279–305. doi:10.1023/A:1016610420533
- *Jung, S., Sainato, D. M., & Davis, C. A. (2008). Using high-probability request sequences to increase social interactions in young children with autism. *Journal of Early Intervention, 30*, 163–187. doi:10.1177/1053815108317970
- *Kahng, S., Boscoe, J. H., & Byrne, S. (2003). The use of escape contingency and a token economy to increase food acceptance. *Journal of Applied Behavior Analysis, 36*, 349–353. doi:10.1901/jaba.2003.36-349
- Kalarchian, M. A., Marcus, M., Levine, M. D., Haas, G. L., Greeno, C. G., Weissfeld, L. A., & Qin, L. (2005). Behavioral treatment of obesity in patients taking antipsychotic medications. *Journal of Clinical Psychiatry, 66*, 1058–1063. doi:10.4088/JCP.v66n0815
- *Kapoor, V. G., Bray, M. A., & Kehle, T. J. (2010). School-based intervention: Relaxation and guided imagery for students with asthma and anxiety disorder. *Canadian Journal of School Psychology, 25*, 311–327. doi:10.1177/0829573510375551
- *Karmali, I., Greer, R. D., Nuzzolo-Gomez, R., Ross, D. E., & Riveravaldes, C. (2005). Reducing palilalia by presenting tact corrections to young children with autism. *Analysis of Verbal Behavior, 21*, 145–153.
- *Kashinath, S., Woods, J., & Goldstein, H. (2006). Enhancing generalized teaching strategy use in daily routines by parents of children with autism. *Journal of Speech, Language, and Hearing Research, 49*, 466–485. doi:10.1044/1092-4388(2006/036)
- *Kay, S., Harchik, A. F., & Luiselli, J. K. (2006). Elimination of drooling by an adolescent student with autism attending public high school. *Journal of Positive Behavior Interventions, 8*, 24–28. doi:10.1177/10983007060080010401
- Keen, B., & Jacobs, D. (2009). Racial threat, partisan politics, and racial disparities in prison admissions: A panel analysis. *Criminology: An Interdisciplinary Journal, 47*, 209–238. doi:10.1111/j.1745-9125.2009.00143.x
- *Keen, D., Brannigan, K. L., & Cuskelly, M. (2007). Toilet training for children with autism: The effects of video modeling category. *Journal of Developmental and Physical Disabilities, 19*, 291–303. doi:10.1007/s10882-007-9044-x
- *Keller, C. L., Brady, M. P., & Taylor, R. L. (2005). Using self-evaluation to improve student teacher interns' use of specific praise. *Education and Training in Developmental Disabilities, 40*, 368–376.
- Kellett, S. (2006). The treatment of compulsive hoarding with object-affect fusion informed CBT: Initial experimental case evidence. *Behavioural and Cognitive Psychotherapy, 34*, 481–485. doi:10.1017/S1352465806003006
- *Kelley, C., & Loy, D. P. (2008). Comparing the effects of aquatic and land-based exercise on the physiological stress response of women with fibromyalgia. *Therapeutic Recreation Journal, 42*, 103–118.
- Kerler, W. A., III, & Killough, L. N. (2009). The effects of satisfaction with a client's management during a prior audit engagement, trust, and moral reasoning on auditors' perceived risk of management fraud. *Journal of Business Ethics, 85*, 109–136. doi:10.1007/s10551-008-9752-x
- Killu, K., Weber, K. P., & McLaughlin, T. F. (2001). An evaluation of repeated readings across various counting periods of see to think, think to say, and think to write channels with a university student with learning disabilities. *Journal of Precision Teaching & Celeration, 17*, 39–57.

(Appendix continues)

- *Kim, S., Oah, S., & Dickinson, A. M. (2005). The impact of public feedback on three recycling-related behaviors in South Korea. *Environment and Behavior*, *37*, 258–274. doi:10.1177/0013916504267639
- Kiran, S., & Roberts, P. M. (2010). Semantic feature analysis treatment in Spanish-English and French-English bilingual aphasia. *Aphasiology*, *24*, 231–261. doi:10.1080/02687030902958365
- *Kirby, K. C., Kerwin, M. L. E., Carpenedo, C. M., Rosenwasser, B. J., & Gardner, R. S. (2008). Interdependent group contingency management for cocaine-dependent methadone maintenance patients. *Journal of Applied Behavior Analysis*, *41*, 579–595. doi:10.1901/jaba.2008.41-579
- *Kleeberger, V., & Miranda, P. (2010). Teaching generalized imitation skills to a preschooler with autism using video modeling. *Journal of Positive Behavior Interventions*, *12*, 116–127. doi:10.1177/1098300708329279
- *Koegel, R. L., Openden, D., & Koegel, L. K. (2004). A systematic desensitization paradigm to treat hypersensitivity to auditory stimuli in children with autism in family contexts. *Research and Practice for Persons with Severe Disabilities*, *29*, 122–134. doi:10.2511/rpsd.29.2.122
- *Koegel, R. L., Shirotova, L., & Koegel, L. K. (2009). Antecedent stimulus control: Using orienting cues to facilitate first-word acquisition for nonresponders with autism. *The Behavior Analyst*, *32*, 281–284.
- *Koegel, R. L., Shirotova, L., & Koegel, L. K. (2009). Brief report: Using individualized orienting cues to facilitate first-word acquisition in nonresponders with autism. *Journal of Autism and Developmental Disorders*, *39*, 1587–1592. doi:10.1007/s10803-009-0765-9
- *Kohler, F. W., Greteman, C., Raschke, D., & Highnam, C. (2007). Using a buddy skills package to increase the social interactions between a preschooler with autism and her peers. *Topics in Early Childhood Special Education*, *27*, 155–163. doi:10.1177/02711214070270030601
- Koopmans, R., & Olzak, S. (2004). Discursive opportunities and the evolution of right-wing violence in Germany. *American Journal of Sociology*, *110*, 198–230. doi:10.1086/386271
- *Koul, R., Corwin, M., & Hayes, S. (2005). Production of graphic symbol sentences by individuals with aphasia: Efficacy of a computer-based augmentative and alternative communication intervention. *Brain and Language*, *92*, 58–77. doi:10.1016/j.bandl.2004.05.008
- *Kourea, L., Cartledge, G., & Musti-Rao, S. (2007). Improving the reading skills of urban elementary students through total class peer tutoring. *Remedial and Special Education*, *28*, 95–107. doi:10.1177/07419325070280020801
- Kramarski, B., & Hirsch, C. (2003). Using computer algebra systems in mathematical classrooms. *Journal of Computer Assisted Learning*, *19*, 35–45. doi:10.1046/j.0266-4909.2003.00004.x
- *Kramer, T. J., Caldarella, P., Christensen, L., & Shatzer, R. H. (2010). Social and emotional learning in the kindergarten classroom: Evaluation of the Strong Start curriculum. *Early Childhood Education Journal*, *37*, 303–309. doi:10.1007/s10643-009-0354-8
- Kumar, R., Pati, N. C., & Mohanty, S. (2004). Efficacy of an errorless training procedure on acquisition and maintenance of money naming by mentally retarded. *Social Science International*, *20*, 48–64.
- Kuosma, K., Hjerrild, J., Pedersen, P. U., & Hundrup, Y. A. (2008). Assessment of the nutritional status among residents in a Danish nursing home: Health effects of a formulated food and meal policy. *Journal of Clinical Nursing*, *17*, 2288–2293. doi:10.1111/j.1365-2702.2007.02203.x
- *Kwak, L., Kremers, S. P. J., van Baak, M. A., & Brug, J. (2007). A poster-based intervention to promote stair use in blue- and white-collar worksites. *Preventive Medicine*, *45*, 177–181. doi:10.1016/j.ypmed.2007.05.005
- *Labrecque, J., Marchand, A., Dugas, M. J., & Letarte, A. (2007). Efficacy of cognitive behavioral therapy for comorbid panic disorder with agoraphobia and generalized anxiety disorder. *Behavior Modification*, *31*, 616–637. doi:10.1177/0145445507301132
- *Ladd, M. V., Luiselli, J. K., & Baker, L. (2009). Continuous access to competing stimulation as intervention for self-injurious skin picking in a child with autism. *Child & Family Behavior Therapy*, *31*, 54–60. doi:10.1080/07317100802701400
- *Ladouceur, R., Léger, É., Dugas, M., & Freeston, M. H. (2004). Cognitive behavioral treatment of generalized anxiety disorder (GAD) for older adults. *International Psychogeriatrics*, *16*, 195–207. doi:10.1017/S1041610204000274
- *Lammi, B. M., & Law, M. (2003). The effects of family-centred functional therapy on the occupational performance of children with cerebral palsy. *Canadian Journal of Occupational Therapy/Revue Canadienne D'Ergothérapie*, *70*, 285–297.
- Lancioni, G. E., Singh, N. N., O'Reilly, M. F., Campodonico, F., Piazzolla, G., Scalini, L., & Oliva, D. (2005). Impact of favorite stimuli automatically delivered on step responses of persons with multiple disabilities during their use of walker devices. *Research in Developmental Disabilities*, *26*, 71–76. doi:10.1016/j.ridd.2004.04.003
- *Lane, K. L., Little, M. A., Redding-Rhodes, J., Phillips, A., & Welsh, M. T. (2007). Outcomes of a teacher-led reading intervention for elementary students at risk for behavioural disorders. *Exceptional Children*, *74*, 47–70.
- *Lane, K. L., Rogers, L. A., Parks, R. J., Weisenbach, J. L., Mau, A. C., Merwin, M. T., & Bergman, W. A. (2007). Function-based interventions for students who are nonresponsive to primary and secondary prevention efforts: Illustrations at the elementary and middle school levels. *Journal of Emotional and Behavioral Disorders*, *15*, 169–183. doi:10.1177/10634266070150030401
- Lang, R., Shogren, K. A., Machalicek, W., Rispoli, M., O'Reilly, M., Baker, S., & Regester, A. (2009). Video self-modeling to teach classroom rules to two students with Asperger's. *Research in Autism Spectrum Disorders*, *3*, 483–488. doi:10.1016/j.rasd.2008.10.001
- *Lannie, A. L., & Martens, B. K. (2004). Effects of task difficulty and type of contingency on students' allocation of responding to math worksheets. *Journal of Applied Behavior Analysis*, *37*, 53–65. doi:10.1901/jaba.2004.37-53
- Lannie, A. L., & Martens, B. K. (2008). Targeting performance dimensions in sequence according to the instructional hierarchy: Effects on children's math work within a self-monitoring program. *Journal of Behavioral Education*, *17*, 356–375. doi:10.1007/s10864-008-9073-2
- Lanovaz, M. J., Fletcher, S. E., & Rapp, J. T. (2009). Identifying stimuli that alter immediate and subsequent levels of vocal stereotypy: A further analysis of functionally matched stimulation. *Behavior Modification*, *33*, 682–704. doi:10.1177/0145445509344972
- *Laushey, K. M., Heflin, L. J., Shippen, M., Alberto, P. A., & Fredrick, L. (2009). Concept mastery routines to teach social skills to elementary children with high functioning autism. *Journal of Autism and Developmental Disorders*, *39*, 1435–1448. doi:10.1007/s10803-009-0757-9
- *Law, S.-P., Yeung, O., & Chiu, K. M. Y. (2008). Treatment for anomia in Chinese using an ortho-phonological cueing method. *Aphasiology*, *22*, 139–163. doi:10.1080/02687030701191358

(Appendix continues)

- Lawrence, J. M., Watkins, M. L., Ershoff, D., Petitti, D. B., Chiu, V., Postlethwaite, D., & Erickson, J. D. (2003). Design and evaluation of interventions promoting periconceptional multivitamin use. *American Journal of Preventive Medicine, 25*, 17–24. doi:10.1016/S0749-3797(03)00097-7
- *Leaf, J. B., Taubman, M., Bloomfield, S., Palos-Rafuse, L., Leaf, R., McEachin, J., & Oppenheim, M. L. (2009). Increasing social skills and pro-social behavior for three children diagnosed with autism through the use of a teaching package. *Research in Autism Spectrum Disorders, 3*, 275–289. doi:10.1016/j.rasd.2008.07.003
- *LeBlanc, L. A., Carr, J. E., Crossett, S. E., Bennett, C. M., & Detweiler, D. D. (2005). Intensive outpatient behavioral treatment of primary urinary incontinence of children with autism. *Focus on Autism and Other Developmental Disabilities, 20*, 98–105. doi:10.1177/10883576050200020601
- LeBlanc, L. A., Geiger, K. B., Sautter, R. A., & Sidener, T. M. (2007). Using the Natural Language Paradigm (NLP) to increase vocalizations of older adults with cognitive impairments. *Research in Developmental Disabilities, 28*, 437–444. doi:10.1016/j.ridd.2006.06.004
- *Leblanc, M.-P., Ricciardi, J. N., & Luiselli, J. K. (2005). Improving discrete trial instruction by paraprofessional staff through an abbreviated performance feedback intervention. *Education & Treatment of Children, 28*, 76–82.
- *Lee, R., & Sturmey, P. (2006). The effects of lag schedules and preferred materials on variable responding in students with autism. *Journal of Autism and Developmental Disorders, 36*, 421–428. doi:10.1007/s10803-006-0080-7
- *Leew, S. V., Stein, N. G., & Gibbard, W. B. (2010). Weighted vests' effect on social attention for toddlers with autism spectrum disorders. *Canadian Journal of Occupational Therapy/Revue Canadienne D'Ergothérapie, 77*, 113–124. doi:10.2182/cjot.2010.77.2.7
- Lehmann, C. M., & Heagy, C. D. (2008). Effects of professional experience and group interaction on information requested in analyzing IT cases. *Journal of Education for Business, 83*, 347–354. doi:10.3200/JOEB.83.6.347-354
- Lehmann, I., & Crimando, W. (2008). Unintended consequences of state and federal antidiscrimination and family medical leave legislation on the employment rates of persons with disabilities. *Rehabilitation Counseling Bulletin, 51*, 159–169. doi:10.1177/0034355207312111
- *Levingston, H. B., Neef, N. A., & Cihon, T. M. (2009). The effects of teaching precurent behaviors on children's solution of multiplication and division word problems. *Journal of Applied Behavior Analysis, 42*, 361–367. doi:10.1901/jaba.2009.42-361
- *Li, Q., Wang, X.-C., & Cheng, L.-G. (2008). Multiple-baseline design on pretend game for the rectification of children's aggressive behavior. *Chinese Mental Health Journal, 22*, 175–178.
- *Li, Y. (2007). Recovering from spousal bereavement in later life: Does volunteer participation play a role. *The Journals of Gerontology: Series B: Psychological Sciences and Social Sciences, 62*, S257–S266.
- *Liberatore, J. S., & Luyben, P. D. (2009). The effects of feedback and positive reinforcement on the on-task behavior of dancers. *Journal of Prevention & Intervention in the Community, 37*, 200–208. doi:10.1080/10852350902976122
- *Liddle, H. A., Rowe, C. L., Gonzalez, A., Henderson, C. E., Dakof, G. A., & Greenbaum, P. E. (2006). Changing provider practices, program environment, and improving outcomes by transporting multidimensional family therapy to an adolescent drug treatment setting. *The American Journal on Addictions, 15*(Suppl. 1), 102–112. doi:10.1080/10550490601003698
- *Lien-Thorne, S., & Kamps, D. (2005). Replication study of the first step to success early intervention program. *Behavioral Disorders, 31*, 18–32.
- *Lienemann, T. O., Graham, S., Leader-Janssen, B., & Reid, R. (2006). Improving the writing performance of struggling writers in second grade. *The Journal of Special Education, 40*, 66–78. doi:10.1177/00224669060400020301
- *Lindsay, P., Maynard, I., & Thomas, O. (2005). Effects of hypnosis on flow states and cycling performance. *The Sport Psychologist, 19*, 164–177.
- Liso, D. R. (2010). The effects of choice making on toy engagement in nonambulatory and partially ambulatory preschool students. *Topics in Early Childhood Special Education, 30*, 91–101. doi:10.1177/0271121409344354
- *Loewy, S., & Bailey, J. (2007). The effects of graphic feedback, goal-setting, and manager praise on customer service behaviors. *Journal of Organizational Behavior Management, 27*, 15–26. doi:10.1300/J075v27n03_02
- *Loftin, R. L., Odom, S. L., & Lantz, J. F. (2008). Social interaction and repetitive motor behaviors. *Journal of Autism and Developmental Disorders, 38*, 1124–1135. doi:10.1007/s10803-007-0499-5
- *Lohrmann, S., & Talerico, J. (2004). Anchor the boat: A classwide intervention to reduce problem behavior. *Journal of Positive Behavior Interventions, 6*, 113–120. doi:10.1177/10983007040060020601
- *Loncola, J. A., & Craig-Unkefer, L. (2005). Teaching social communication skills to young urban children with autism. *Education and Training in Developmental Disabilities, 40*, 243–263.
- López, G. C., Guzmán, L. H., Sierra, A. V., & Meza, V. (2003). Entrenamiento en habilidades de afrontamiento y competencia prosocial de jóvenes con historia de calle [Training in coping and pro-social competence abilities in homeless youngsters]. *Revista Mexicana de Psicología, 20*, 201–209.
- Lubitsh, G., Doyle, C., & Valentine, J. (2005). The impact of theory of constraints (TOC) in an NHS trust. *Journal of Management Development, 24*, 116–131. doi:10.1108/02621710510579482
- Luciano-Soriano, M. C., Molina-Cobos, F. J., & Gómez-Becerra, I. (2000). Say-do-report training to change chronic behaviors in mentally retarded subjects. *Research in Developmental Disabilities, 21*, 355–366. doi:10.1016/S0891-4222(00)00048-2
- Luk, R., Ferrence, R., & Gmel, G. (2006). The economic impact of a smoke-free bylaw on restaurant and bar sales in Ottawa, Canada. *Addiction, 101*, 738–745. doi:10.1111/j.1360-0443.2006.01434.x
- Lyerla, F., LeRouge, C., Cooke, D. A., Turpin, D., & Wilson, L. (2010). A nursing clinical decision support system and potential predictors of head-of-bed position for patients receiving mechanical ventilation. *American Journal of Critical Care, 19*, 39–47. doi:10.4037/ajcc2010836
- *Maag, J. W., & Anderson, J. M. (2006). Effects of sound-field amplification to increase compliance of students with emotional and behavior disorders. *Behavioral Disorders, 31*, 378–393.
- *MacArthur, C. A., & Lembo, L. (2009). Strategy instruction in writing for adult literacy learners. *Reading and Writing, 22*, 1021–1039. doi:10.1007/s11145-008-9142-x
- *Machalicek, W., Shogren, K., Lang, R., Rispoli, M., O'Reilly, M. F., Franco, J. H., & Sigafos, J. (2009). Increasing play and decreasing the challenging behavior of children with autism during recess with activity schedules and task correspondence training. *Research in Autism Spectrum Disorders, 3*, 547–555. doi:10.1016/j.rasd.2008.11.003

(Appendix continues)

- *Madaus, M. M. R., Kehle, T. J., Madaus, J., & Bray, M. A. (2003). Mystery motivator as an intervention to promote homework completion and accuracy. *School Psychology International, 24*, 369–377. doi:10.1177/01430343030244001
- *Mancil, G. R., Conroy, M. A., & Haydon, T. F. (2009). Effects of a modified milieu therapy intervention on the social communicative behaviors of young children with autism spectrum disorders. *Journal of Autism and Developmental Disorders, 39*, 149–163. doi:10.1007/s10803-008-0613-3
- *Manuel, J. C., Sunseri, M. A., Olson, R., & Scolari, M. (2007). A diagnostic approach to increase reusable dinnerware selection in a cafeteria. *Journal of Applied Behavior Analysis, 40*, 301–310. doi:10.1901/jaba.2007.143-05
- *Marcus, A., Sinnott, B., Bradley, S., & Grey, I. (2010). Treatment of idiopathic toe-walking in children with autism using GaitSpot Auditory Speakers and simplified habit reversal. *Research in Autism Spectrum Disorders, 4*, 260–267. doi:10.1016/j.rasd.2009.09.012
- Martens, B. K., Eckert, T. L., Begeny, J. C., Lewandowski, L. J., DiGennaro, F. D., Montarello, S. A., . . . Fiese, B. H. (2007). Effects of a fluency-building program on the reading performance of low-achieving second and third grade students. *Journal of Behavioral Education, 16*, 39–54.
- *Martens, B. K., Gertz, L. E., de Lacy Werder, C. S., & Rymanowski, J. L. (2010). Agreement between descriptive and experimental analyses of behavior under naturalistic test conditions. *Journal of Behavioral Education, 19*, 205–221. doi:10.1007/s10864-010-9110-9
- Martin, N., Fink, R., & Laine, M. (2004). Treatment of word retrieval deficits with contextual priming. *Aphasiology, 18*, 457–471. doi:10.1080/02687030444000129
- *Martins, M. P., & Harris, S. L. (2006). Teaching children with autism to respond to joint attention initiations. *Child & Family Behavior Therapy, 28*, 51–68. doi:10.1300/J019v28n01_04
- *Marvin, K. L., Rapp, J. T., Stenske, M. T., Rojas, N. R., Swanson, G. J., & Bartlett, S. M. (2010). Response repetition as an error-correction procedure for sight-word reading: A replication and extension. *Behavioral Interventions, 25*, 109–127. doi:10.1002/bin.299
- *Massaro, D. W., & Light, J. (2004). Improving the vocabulary of children with hearing loss. *The Volta Review, 104*, 141–174.
- Mastel-Smith, B., Binder, B., Malecha, A., Hersch, G., Symes, L., & McFarlane, J. (2006). Testing therapeutic life review offered by home care workers to decrease depression among home-dwelling older women. *Issues in Mental Health Nursing, 27*, 1037–1049. doi:10.1080/01612840600943689
- *Matchett, D. L., & Burns, M. K. (2009). Increasing word recognition fluency with an English-language learner. *Journal of Evidence-Based Practices for Schools, 10*, 194–206.
- Mausbach, B. T., Coon, D. W., Patterson, T. L., & Grant, I. (2008). Engagement in activities is associated with affective arousal in Alzheimer's caregivers: A preliminary examination of the temporal relations. *Behavior Therapy, 39*, 366–374. doi:10.1016/j.beth.2007.10.002
- *Mauszycki, S. C., & Wambaugh, J. L. (2008). The effects of rate control treatment on consonant production accuracy in mild apraxia of speech. *Aphasiology, 22*, 906–920. doi:10.1080/02687030701800818
- *Mayfield, K. H., & Vollmer, T. R. (2007). Teaching math skills to at-risk students using home-based peer tutoring. *Journal of Applied Behavior Analysis, 40*, 223–237. doi:10.1901/jaba.2007.108-05
- *Mazzotti, V. L., Test, D. W., Wood, C. L., & Richter, S. (2010). Effects of computer-assisted instruction on students' knowledge of postschool options. *Career Development for Exceptional Individuals, 33*, 25–40. doi:10.1177/0885728809338714
- *McCarthy, P. J., Jones, M. V., Harwood, C. G., & Davenport, L. (2010). Using goal setting to enhance positive affect among junior multievent athletes. *Journal of Clinical Sport Psychology, 4*, 53–68.
- *McCartney, E. J., Anderson, C. M., & English, C. L. (2005). Effect of brief clinic-based training on the ability of caregivers to implement escape extinction. *Journal of Positive Behavior Interventions, 7*, 18–32. doi:10.1177/10983007050070010301
- *McClellan, C. B., Cohen, L. L., & Moffett, K. (2009). Time out based discipline strategy for children's non-compliance with cystic fibrosis treatment. *Disability and Rehabilitation: An International, Multidisciplinary Journal, 31*, 327–336. doi:10.1080/09638280802051713
- *McCurdy, B. L., Lannie, A. L., & Barnabas, E. (2009). Reducing disruptive behavior in an urban school cafeteria: An extension of the Good Behavior Game. *Journal of School Psychology, 47*, 39–54. doi:10.1016/j.jsp.2008.09.003
- *McDonnell, J., Johnson, J. W., Polychronis, S., Riesen, T., Jameson, M., & Kercher, K. (2006). Comparison of one-to-one embedded instruction in general education classes with small group instruction in special education classes. *Education and Training in Developmental Disabilities, 41*, 125–138.
- *McDougall, D. (2005). The range-bound changing criterion design. *Behavioral Interventions, 20*, 129–137. doi:10.1002/bin.189
- *McEwen, S. E., Polatajko, H. J., Huijbregts, M. P. J., & Ryan, J. D. (2010). Inter-task transfer of meaningful, functional skills following a cognitive-based treatment: Results of three multiple baseline design experiments in adults with chronic stroke. *Neuropsychological Rehabilitation, 20*, 541–561. doi:10.1080/09602011003638194
- McGoey, K. E., Schneider, D. L., Rezzetano, K. M., Prodan, T., & Tankersley, M. (2010). Classwide intervention to manage disruptive behavior in the kindergarten classroom. *Journal of Applied School Psychology, 26*, 247–261. doi:10.1080/15377903.2010.495916
- *McKee, S. A., Harris, G. T., Rice, M. E., & Silk, L. (2007). Effects of a Snoezelen room on the behavior of three autistic clients. *Research in Developmental Disabilities, 28*, 304–316. doi:10.1016/j.ridd.2006.04.001
- McNeil, M. R., Katz, W. F., Fossett, T. R. D., Garst, D. M., Szuminsky, N. J., Carter, G., & Lim, K. Y. (2010). Effects of online augmented kinematic and perceptual feedback on treatment of speech movements in apraxia of speech. *Folia Phoniatrica et Logopaedica, 62*, 127–133. doi:10.1159/000287211
- *Mechling, L. C., & Gustafson, M. (2009). Comparison of the effects of static picture and video prompting on completion of cooking related tasks by students with moderate intellectual disabilities. *Exceptionality, 17*, 103–116. doi:10.1080/09362830902805889
- Mesmer, E. M., Duhon, G. J., Hogan, K., Newry, B., Hommema, S., Fletcher, C., & Boso, M. (2010). Generalization of sight word accuracy using a common stimulus procedure: A preliminary investigation. *Journal of Behavioral Education, 19*, 47–61. doi:10.1007/s10864-010-9103-8
- *Miguel, C. F., Petursdottir, A. I., & Carr, J. E. (2005). The effects of multiple-tact and receptive-discrimination training on the acquisition of intraverbal behavior. *Analysis of Verbal Behavior, 21*, 27–41.
- *Miller, J. A., Austin, J., & Rohn, D. (2004). Teaching pedestrian safety skills to children. *Environment and Behavior, 36*, 368–385. doi:10.1177/0013916503260880

(Appendix continues)

- Milne, D., & Westerman, C. (2001). Evidence-based clinical supervision: Rationale and illustration. *Clinical Psychology & Psychotherapy*, 8, 444–457. doi:10.1002/cpp.297
- *Morgan, L., & Goldstein, H. (2004). Teaching mothers of low socioeconomic status to use decontextualized language during storybook reading. *Journal of Early Intervention*, 26, 235–252. doi:10.1177/105381510402600401
- Morrison, J. Q., & Jones, K. M. (2007). The effects of positive peer reporting as a class-wide positive behavior support. *Journal of Behavioral Education*, 16, 111–124. doi:10.1007/s10864-006-9005-y
- *Morrison, L., Kamps, D., Garcia, J., & Parker, D. (2001). Peer mediation and monitoring strategies to improve initiations and social skills for students with autism. *Journal of Positive Behavior Interventions*, 3, 237–250. doi:10.1177/109830070100300405
- *Mozingo, D. B., Smith, T., Riordan, M. R., Reiss, M. L., & Bailey, J. S. (2006). Enhancing frequency recording by developmental disabilities treatment staff. *Journal of Applied Behavior Analysis*, 39, 253–256. doi:10.1901/jaba.2006.55-05
- *Mruzek, D. W., Cohen, C., & Smith, T. (2007). Contingency contracting with students with autism spectrum disorders in a public school setting. *Journal of Developmental and Physical Disabilities*, 19, 103–114. doi:10.1007/s10882-007-9036-x
- *Mullane, J., & Corkum, P. (2006). Case series: Evaluation of a behavioral sleep intervention for three children with attention-deficit/hyperactivity disorder and dyssomnia. *Journal of Attention Disorders*, 10, 217–227. doi:10.1177/1087054706288107
- *Müller, K., Bütefisch, C. M., Seitz, R. J., & Hömberg, V. (2007). Mental practice improves hand function after hemiparetic stroke. *Restorative Neurology and Neuroscience*, 25, 501–511.
- *Munroe-Chandler, K. J., Hall, C. R., Fishburne, G. J., & Shannon, V. (2005). Using cognitive general imagery to improve soccer strategies. *European Journal of Sport Science*, 5, 41–49.
- *Murphy, K. A., Theodore, L. A., Aloiso, D., Alric-Edwards, J. M., & Hughes, T. L. (2007). Interdependent group contingency and mystery motivators to reduce preschool disruptive behavior. *Psychology in the Schools*, 44, 53–63. doi:10.1002/pits.20205
- *Murray, L. L., Ballard, K., & Karcher, L. (2004). Linguistic specific treatment: Just for Broca's aphasia? *Aphasiology*, 18, 785–809. doi:10.1080/02687030440000273
- *Nakamura, B. J., Pestle, S. L., & Chorpita, B. F. (2009). Differential sequencing of cognitive behavioral techniques for reducing child and adolescent anxiety. *Journal of Cognitive Psychotherapy*, 23, 114–135. doi:10.1891/0889-8391.23.2.114
- Nakonezny, P. A., Reddick, R., & Rodgers, J. L. (2004). Did divorces decline after the Oklahoma City bombing? *Journal of Marriage and Family*, 66, 90–100. doi:10.1111/j.1741-3737.2004.00007.x
- *Naoui, N., Yokoyama, K., & Yamamoto, J.-i. (2006). Matrix training for expressive and receptive two-word utterances in children with autism. *Japanese Journal of Special Education*, 43, 505–518.
- *Naoui, N., Yokoyama, K., & Yamamoto, J.-i. (2007). Intervention for tact as reporting in children with autism. *Research in Autism Spectrum Disorders*, 1, 174–184. doi:10.1016/j.rasd.2006.08.005
- Nasar, J. L. (2003). Prompting drivers to stop for crossing pedestrians. *Transportation Research Part F: Traffic Psychology and Behaviour*, 6, 175–182. doi:10.1016/S1369-8478(03)00024-X
- *Neddenriep, C. E., Skinner, C. H., Wallace, M. A., & McCallum, E. (2009). ClassWide peer tutoring: Two experiments investigating the generalized relationship between increased oral reading fluency and reading comprehension. *Journal of Applied School Psychology*, 25, 244–269. doi:10.1080/15377900802487185
- *Neef, N. A., Bicard, D. F., Endo, S., Coury, D. L., & Aman, M. G. (2005). Evaluation of pharmacological treatment of impulsivity in children with attention deficit hyperactivity disorder. *Journal of Applied Behavior Analysis*, 38, 135–146. doi:10.1901/jaba.2005.116-02
- *Neef, N. A., Marckel, J., Ferreri, S., Jung, S., Nist, L., & Armstrong, N. (2004). Effects of modeling versus instructions on sensitivity to reinforcement schedules. *Journal of Applied Behavior Analysis*, 37, 267–281. doi:10.1901/jaba.2004.37-267
- *Nelson, J. S., Alber, S. R., & Gordy, A. (2004). Effects of systematic error correction and repeated readings on the reading accuracy and proficiency of second graders with disabilities. *Education & Treatment of Children*, 27, 186–198.
- *Newman, B., & Ten Eyck, P. (2005). Self-management of initiations by students diagnosed with autism. *Analysis of Verbal Behavior*, 21, 117–122.
- Nguyen, D. M., Yu, C. T., Martin, T. L., Fregeau, P., Pogorzelec, C., & Martin, G. L. (2009). Teaching object-picture matching to improve concordance between object and picture preferences for individuals with developmental disabilities: Pilot study. *Journal on Developmental Disabilities*, 15, 53–64.
- *Noda, W., & Tanaka-Matsumi, J. (2009). Effect of a classroom-based behavioral intervention package on the improvement of children's sitting posture in Japan. *Behavior Modification*, 33, 263–273. doi:10.1177/0145445508321324
- *Normand, M. P. (2008). Increasing physical activity through self-monitoring, goal setting, and feedback. *Behavioral Interventions*, 23, 227–236. doi:10.1002/bin.267
- *Normand, M. P., & Knoll, M. L. (2006). The effects of a stimulus-stimulus pairing procedure on the unprompted vocalizations of a young child diagnosed with autism. *Analysis of Verbal Behavior*, 22, 81–85.
- *O'Callaghan, P. M., Allen, K. D., Powell, S., & Salama, F. (2006). The efficacy of noncontingent escape for decreasing children's disruptive behavior during restorative dental treatment. *Journal of Applied Behavior Analysis*, 39, 161–171. doi:10.1901/jaba.2006.79-05
- *O'Callaghan, P. M., Reitman, D., Northup, J., Hupp, S. D. A., & Murphy, M. A. (2003). Promoting social skills generalization with ADHD-diagnosed children in a sports setting. *Behavior Therapy*, 34, 313–330. doi:10.1016/S0005-7894(03)80003-5
- Okinaka, T., & Shimazaki, T. (2010). Effects of self-recording and self-goal-setting on accuracy of first service in soft tennis. *Japanese Journal of Behavior Analysis*, 24, 43–47.
- Okuda, K. (2005). Behavioral consultation services for school-refusal students with high-functioning pervasive developmental disorders: Token economy and changing reinforcement criteria. *Japanese Journal of Behavior Analysis*, 20, 2–12.
- Okuyama, T., & Isawa, S. (2010). Jiheishouji ni okeru jiko oyobi tasha shiten no sau(sayuu,sou,tokaku) benbetsu no keisei: Kouji jouken saga(shou,sei,narikuse) benbetsu ni yoru bunseki to shiten hanka no kentou [Right-left discrimination from one's own and another person's viewpoint in children with autism: Higher-order conditional discrimination and generalization of viewpoint]. *Japanese Journal of Behavior Analysis*, 24, 2–16.
- *O'Reilly, M. F., O'Halloran, M., Sigafos, J., Lancioni, G. E., Green, V., Edrisinha, C., . . . Olive, M. (2005). Evaluation of video feedback and self-management to decrease schoolyard aggression and increase pro-social behaviour in two students with behavioural disorders. *Educational Psychology*, 25, 199–206. doi:10.1080/0144341042000301157

- *Ota, K. (2010). Hattatsu shougaiji no shoji hanou(hannou) no seikakusei ni oyobosu jiko kirokuno kouka [Self-recording and accuracy of writing responses by students with developmental disabilities]. *Japanese Journal of Behavior Analysis*, *24*, 17–29.
- *Ottone, S., & Ponzano, F. (2010). Competition and cooperation in markets: The experimental case of a winner-take-all setting. *The Journal of Socio-Economics*, *39*, 163–170. doi:10.1016/j.socec.2009.10.001
- *Palmen, A., Didden, R., & Korzilius, H. (2010). Effectiveness of behavioral skills training on staff performance in a job training setting for high-functioning adolescents with autism spectrum disorders. *Research in Autism Spectrum Disorders*, *4*, 731–740. doi:10.1016/j.rasd.2010.01.012
- Pampino, R. N., Jr., MacDonald, J. E., Mullin, J. E., & Wilder, D. A. (2003). Weekly feedback vs. daily feedback: An application in retail. *Journal of Organizational Behavior Management*, *23*, 21–43. doi:10.1300/J075v23n02_03
- *Pan-Skadden, J., Wilder, D. A., Sparling, J., Severtson, E., Donaldson, J., Postma, N., . . . Neidert, P. (2009). The use of behavioral skills training and in-situ training to teach children to solicit help when lost: A preliminary investigation. *Education & Treatment of Children*, *32*, 359–370. doi:10.1353/etc.0.0063
- *Pappas, D. N., Skinner, C. H., & Skinner, A. L. (2010). Supplementing accelerated reading with classwide interdependent group-oriented contingencies. *Psychology in the Schools*, *47*, 887–902. doi:10.1002/pits.20512
- *Park, S., Singer, G. H. S., & Gibson, M. (2005). The functional effect of teacher positive and neutral affect on task performance of students with significant disabilities. *Journal of Positive Behavior Interventions*, *7*, 237–246. doi:10.1177/10983007050070040501
- *Pasiali, V. (2004). The use of prescriptive therapeutic songs in a home-based environment to promote social skills acquisition by children with autism: Three case studies. *Music Therapy Perspectives*, *22*, 11–20.
- *Patterson, D. L., & van der Mars, H. (2008). Distant interactions and their effects on children's physical activity levels. *Physical Education and Sport Pedagogy*, *13*, 277–294. doi:10.1080/17408980701345808
- *Peach, R. K., & Reuter, K. A. (2010). A discourse-based approach to semantic feature analysis for the treatment of aphasic word retrieval failures. *Aphasiology*, *24*, 971–990. doi:10.1080/02687030903058629
- *Peck, H. L., Bray, M. A., & Kehle, T. J. (2003). Relaxation and guided imagery: A school-based intervention for children with asthma. *Psychology in the Schools*, *40*, 657–675. doi:10.1002/pits.10127
- *Peck, H. L., Kehle, T. J., Bray, M. A., & Theodore, L. A. (2005). Yoga as an intervention for children with attention problems. *School Psychology Review*, *34*, 415–424.
- *Pennington, L., Miller, N., Robson, S., & Steen, N. (2010). Intensive speech and language therapy for older children with cerebral palsy: A systems approach. *Developmental Medicine & Child Neurology*, *52*, 337–344. doi:10.1111/j.1469-8749.2009.03366.x
- *Peterson, P., Carta, J. J., & Greenwood, C. (2005). Teaching enhanced milieu language teaching skills to parents in multiple risk families. *Journal of Early Intervention*, *27*, 94–109. doi:10.1177/105381510502700205
- *Peterson, S. M. P., Caniglia, C., Royster, A. J., Macfarlane, E., Plowman, K., Baird, S. J., & Wu, N. (2005). Blending functional communication training and choice making to improve task engagement and decrease problem behaviour. *Educational Psychology*, *25*, 257–274. doi:10.1080/0144341042000301193
- *Petscher, E. S., & Bailey, J. S. (2006). Effects of training, prompting, and self-monitoring on staff behavior in a classroom for students with disabilities. *Journal of Applied Behavior Analysis*, *39*, 215–226. doi:10.1901/jaba.2006.02-05
- *Pétursdóttir, A.-L., McMaster, K., McComas, J. J., Bradfield, T., Braganza, V., Koch-McDonald, J., . . . Scharf, H. (2009). Brief experimental analysis of early reading interventions. *Journal of School Psychology*, *47*, 215–243. doi:10.1016/j.jsp.2009.02.003
- *Pétursdóttir, A.-L., & Sigurdardóttir, Z. G. (2006). Increasing the skills of children with developmental disabilities through staff training in behavioral teaching techniques. *Education and Training in Developmental Disabilities*, *41*, 264–279.
- *Pétursdóttir, A.-L., Carr, J. E., Lechago, S. A., & Almason, S. M. (2008). An evaluation of intraverbal training and listener training for teaching categorization skills. *Journal of Applied Behavior Analysis*, *41*, 53–68. doi:10.1901/jaba.2008.41-53
- *Phaneuf, L., & McIntyre, L. L. (2007). Effects of individualized video feedback combined with group parent training on inappropriate maternal behavior. *Journal of Applied Behavior Analysis*, *40*, 737–741.
- *Phillips, K. J., & Mudford, O. C. (2008). Functional analysis skills training for residential caregivers. *Behavioral Interventions*, *23*, 1–12. doi:10.1002/bin.252
- Pingzhi, Y. (2004). A reversal design experiment on the game modification of preschool children's social withdrawal. *Psychological Science (China)*, *27*, 231–233.
- Pitman, M. J. (2007). Functional analysis and treatment of socially stigmatizing ambulation. *The Behavior Analyst Today*, *8*, 284–297.
- *Ploszay, A. J., Gentner, N. B., Skinner, C. H., & Wrisberg, C. A. (2006). The effects of multisensory imaging in conjunction with physical movement rehearsal on golf putting performance. *Journal of Behavioral Education*, *15*, 249–257. doi:10.1007/s10864-006-9034-6
- Plow, M. A., Mathiowetz, V., & Lowe, D. A. (2009). Comparing individualized rehabilitation to a group wellness intervention for persons with multiple sclerosis. *American Journal of Health Promotion*, *24*, 23–26.
- *Plumer, P. J., & Stoner, G. (2005). The relative effects of classwide peer tutoring and peer coaching on the positive social behaviors of children with ADHD. *Journal of Attention Disorders*, *9*, 290–300. doi:10.1177/1087054705280796
- *Porritt, M., Burt, A., & Poling, A. (2006). Increasing fiction writers' productivity through an Internet-based intervention. *Journal of Applied Behavior Analysis*, *39*, 393–397. doi:10.1901/jaba.2006.134-05
- *Pullen, P. C., Lane, H. B., Lloyd, J. W., Nowak, R., & Ryals, J. (2005). Effects of explicit instruction on decoding of struggling first grade students: A data-based case study. *Education & Treatment of Children*, *28*, 63–76.
- *Putnam, R. F., Handler, M. W., Ramirez-Platt, C. M., & Luiselli, J. K. (2003). Improving student bus-riding behavior through a whole-school intervention. *Journal of Applied Behavior Analysis*, *36*, 583–590. doi:10.1901/jaba.2003.36-583
- Pyles, M. K., & Hahn, E. J. (2009). Smoke-free legislation and charitable gaming in Kentucky. *Tobacco Control: An International Journal*, *18*, 60–62. doi:10.1136/tc.2008.027532
- *Quesnel, C., Savard, J., Simard, S., Ivers, H., & Morin, C. M. (2003). Efficacy of cognitive behavioral therapy for insomnia in women treated for nonmetastatic breast cancer. *Journal of Consulting and Clinical Psychology*, *71*, 189–200. doi:10.1037/0022-006X.71.1.189
- *Quilty, K. M. (2007). Teaching paraprofessionals how to write and implement social stories for students with autism spectrum disorders. *Remedial and Special Education*, *28*, 182–189. doi:10.1177/07419325070280030701

(Appendix continues)

- *Raghavendra, P., & Oaten, R. (2007). Effects of speech and print feedback on spelling performance of a child with cerebral palsy using a speech generating device. *Disability and Rehabilitation: Assistive Technology*, 2, 299–308. doi:10.1080/17483100701256388
- Raiff, B. R., Faix, C., Turturici, M., & Dallery, J. (2010). Breath carbon monoxide output is affected by speed of emptying the lungs: Implications for laboratory and smoking cessation research. *Nicotine & Tobacco Research*, 12, 834–838. doi:10.1093/ntr/ntq090
- Rantz, W. G., Dickinson, A. M., Sinclair, G. A., & Van Houten, R. (2009). The effect of feedback on the accuracy of checklist completion during instrument flight training. *Journal of Applied Behavior Analysis*, 42, 497–509.
- *Rassau, A., & Arco, L. (2003). Effects of chat-based on-line cognitive behavior therapy on study related behavior and anxiety. *Behavioural and Cognitive Psychotherapy*, 31, 377–381. doi:10.1017/S1352465803003126
- *Rathel, J. M., Drasgow, E., & Christle, C. C. (2008). Effects of supervisor performance feedback on increasing preservice teachers' positive communication behaviors with students with emotional and behavioral disorders. *Journal of Emotional and Behavioral Disorders*, 16, 67–77. doi:10.1177/1063426607312537
- *Raviv, T., & Wadsworth, M. E. (2010). The efficacy of a pilot prevention program for children and caregivers coping with economic strain. *Cognitive Therapy and Research*, 34, 216–228. doi:10.1007/s10608-009-9265-7
- *Raymer, A. M., Ciampitti, M., Holliday, B., Singletary, F., Blonder, L. X., Ketterson, T., . . . Rothi, L. J. G. (2007). Semantic-phonologic treatment for noun and verb retrieval impairments in aphasia. *Neuropsychological Rehabilitation*, 17, 244–270. doi:10.1080/0960210600814661
- *Rebsamen, M., Boucheix, J.-M., & Fayol, M. (2010). Quality control in the optical industry: From a work analysis of lens inspection to a training programme, an experimental case study. *Applied Ergonomics*, 41, 150–160. doi:10.1016/j.apergo.2009.07.004
- *Regan, K. S., Mastropieri, M. A., & Scruggs, T. E. (2005). Promoting expressive writing among students with emotional and behavioral disturbance via dialogue journals. *Behavioral Disorders*, 31, 33–50.
- Reichle, J., & McComas, J. (2004). Conditional use of a request for assistance. *Disability and Rehabilitation: An International, Multidisciplinary Journal*, 26, 1255–1262. doi:10.1080/09638280412331280262
- *Reichow, B., Barton, E. E., Sewell, J. N., Good, L., & Wolery, M. (2010). Effects of weighted vests on the engagement of children with developmental delays and autism. *Focus on Autism and Other Developmental Disabilities*, 25, 3–11. doi:10.1177/1088357609353751
- *Reinhardt, D., Theodore, L. A., Bray, M. A., & Kehle, T. J. (2009). Improving homework accuracy: Interdependent group contingencies and randomized components. *Psychology in the Schools*, 46, 471–488. doi:10.1002/pits.20391
- *Reinke, W. M., Lewis-Palmer, T., & Martin, E. (2007). The effect of visual performance feedback on teacher use of behavior-specific praise. *Behavior Modification*, 31, 247–263. doi:10.1177/0145445506288967
- *Renvall, K., Laine, M., & Martin, N. (2007). Treatment of anomia with contextual priming: Exploration of a modified procedure with additional semantic and phonological tasks. *Aphasiology*, 21, 499–527. doi:10.1080/02687030701254248
- *Reynolds, B., Dallery, J., Shroff, P., Patak, M., & Leraas, K. (2008). A web-based contingency management program with adolescent smokers. *Journal of Applied Behavior Analysis*, 41, 597–601. doi:10.1901/jaba.2008.41-597
- *Ribes, E., Vargas, I., Luna, D., & Martínez, C. (2009). Adquisición y transferencia de una discriminación condicional en una secuencia de cinco criterios distintos de ajuste funcional. [Acquisition and transfer of a conditional discrimination in a sequence of five different functional adjustment criteria]. *Acta Comportamentalia*, 17, 299–331.
- *Riesen, T., McDonnell, J., Johnson, J. W., Polychronis, S., & Jameson, M. (2003). A comparison of constant time delay and simultaneous prompting within embedded instruction in general education classes with students with moderate to severe disabilities. *Journal of Behavioral Education*, 12, 241–259. doi:10.1023/A:1026076406656
- *Rimondini, M., Del Piccolo, L., Goss, C., Mazzi, M., Paccaloni, M., & Zimmermann, C. (2010). The evaluation of training in patient-centred interviewing skills for psychiatric residents. *Psychological Medicine: A Journal of Research in Psychiatry and the Allied Sciences*, 40, 467–476. doi:10.1017/s0033291709990730
- Rizvi, S. L., & Linehan, M. M. (2005). The treatment of maladaptive shame in borderline personality disorder: A pilot study of “opposite action.” *Cognitive and Behavioral Practice*, 12, 437–447. doi:10.1016/S1077-7229(05)80071-9
- *Rodriguez, B. J., Loman, S. L., & Horner, R. H. (2009). A preliminary analysis of the effects of coaching feedback on teacher implementation fidelity of First Step to Success. *Behavior Analysis in Practice*, 2, 11–21.
- *Rodriguez, M., Wilder, D. A., Therrien, K., Wine, B., Miranti, R., Daratany, K., . . . Rodriguez, M. (2005). Use of the performance diagnostic checklist to select an intervention designed to increase the offering of promotional stamps at two sites of a restaurant franchise. *Journal of Organizational Behavior Management*, 25, 17–35. doi:10.1300/J075v25n03_02
- Romanowich, P., Bourret, J., & Vollmer, T. R. (2007). Further analysis of the matching law to describe two- and three-point shot allocation by professional basketball players. *Journal of Applied Behavior Analysis*, 40, 311–315. doi:10.1901/jaba.2007.119-05
- *Rosales, R., Stone, K., & Rehfeldt, R. A. (2009). The effects of behavioral skills training on implementation of the Picture Exchange Communication System. *Journal of Applied Behavior Analysis*, 42, 541–549.
- *Rosales, R., Worsdell, A., & Trahan, M. (2010). Comparison of methods for varying item presentation during noncontingent reinforcement. *Research in Autism Spectrum Disorders*, 4, 367–376. doi:10.1016/j.rasd.2009.10.004
- Rose, H. M. S., & Ludwig, T. D. (2009). Swimming pool hygiene: Self-monitoring, task clarification, and performance feedback increase lifeguard cleaning behaviors. *Journal of Organizational Behavior Management*, 29, 69–79. doi:10.1080/01608060802660157
- *Ross, S. W., & Horner, R. H. (2009). Bully prevention in positive behavior support. *Journal of Applied Behavior Analysis*, 42, 747–759.
- *Ruiz-Olivares, R., Pino, M. J., & Herruzo, J. (2010). Reduction of disruptive behaviors using an intervention based on the Good Behavior Game and the say-do-report correspondence. *Psychology in the Schools*, 47, 1046–1058. doi:10.1002/pits.20523
- *Ryan, S. (2009). The effects of a sound-field amplification system on managerial time in middle school physical education settings. *Language, Speech, and Hearing Services in Schools*, 40, 131–137. doi:10.1044/0161-1461(2008/08-0038)
- *Saecker, L. B., Skinner, C. H., Sager-Brown, K., & Roberts, A. S. (2009). Using responsiveness data and learning theories to modify interventions: Cover, copy, and compare to enhance number-writing accuracy. *Journal of Evidence-Based Practices for Schools*, 10, 171–187.

(Appendix continues)

- Sakamoto, M., Muto, T., & Mochizuki, A. (2003). Yougogakkou kyoushi ni okeru jikokettei shien pakke ji no kouka nikansuru kentou [Enhancing the self-determination of students with autism: Evaluation of a training package for teachers]. *Japanese Journal of Behavior Analysis, 18*, 25–37.
- Salem, S., Fazzino, D., Arnal, L., Fregeau, P., Thomson, K., Martin, G. L., & Yu, C. T. (2009). A self-instructional package for teaching university students to conduct discrete-trials teaching with children with autism. *Journal on Developmental Disabilities, 15*, 21–29.
- Sante, A. D., McLaughlin, T. F., & Weber, K. P. (2001). The use and evaluation of a direct instruction flash card strategy on multiplication math facts mastery with two students with developmental disabilities and attention deficit hyperactivity disorder. *Journal of Precision Teaching & Celeration, 17*, 68–75.
- *Sarokoff, R. A., & Sturmey, P. (2008). The effects of instructions, rehearsal, modeling, and feedback on acquisition and generalization of staff use of discrete trial teaching and student correct responses. *Research in Autism Spectrum Disorders, 2*, 125–136. doi:10.1016/j.rasd.2007.04.002
- Scattone, D., Tingstrom, D. H., & Wilczynski, S. M. (2006). Increasing appropriate social interactions of children with autism spectrum disorders using social stories. *Focus on Autism and Other Developmental Disabilities, 21*, 211–222. doi:10.1177/10883576060210040201
- *Schadler, J. J., Jr., Wilder, D. A., & Blakely, E. (2009). Signaling stimulus presentation during treatment with noncontingent reinforcement: Visual versus vocal signals. *Behavioral Interventions, 24*, 107–116. doi:10.1002/bin.279
- *Scheeler, M. C., & Lee, D. L. (2002). Using technology to deliver immediate corrective feedback to preservice teachers. *Journal of Behavioral Education, 11*, 231–241. doi:10.1023/A:1021158805714
- *Scherrer, M. D., & Wilder, D. A. (2008). Training to increase safe tray carrying among cocktail servers. *Journal of Applied Behavior Analysis, 41*, 131–135. doi:10.1901/jaba.2008.41-131
- *Schilling, D. L., Washington, K., Billingsley, F. F., & Deitz, J. (2003). Classroom seating for children with attention deficit hyperactivity disorder: Therapy balls versus chairs. *American Journal of Occupational Therapy, 57*, 534–541.
- *Schindler, H. R., & Horner, R. H. (2005). Generalized reduction of problem behavior of young children with autism: Building trans-situational interventions. *American Journal on Mental Retardation, 110*, 36–47. doi:10.1352/0895-8017(2005)110<36:GROPBO>2.0.CO;2
- *Schisler, R., Joseph, L. M., Konrad, M., & Alber-Morgan, S. (2010). Comparison of the effectiveness efficiency of oral and written retelling and passage review as strategies for comprehending text. *Psychology in the Schools, 47*, 135–152.
- *Schneider, N., & Goldstein, H. (2009). Social Stories improve the on-task behavior for children with language impairment. *Journal of Early Intervention, 31*, 250–264.
- *Schneider, N., & Goldstein, H. (2010). Using social stories and visual schedules to improve socially appropriate behaviors in children with autism. *Journal of Positive Behavior Interventions, 12*, 149–160.
- *Schneider, S. L., & Frens, R. A. (2005). Training four-syllable CV patterns in individuals with acquired apraxia of speech: Theoretical implications. *Aphasiology, 19*, 451–471. doi:10.1080/02687030444000886
- Schwebel, D. C., Summerlin, A. L., Bounds, M. L., & Morrongiello, B. A. (2006). The Stamp-in-Safety program: A behavioral intervention to reduce behaviors that can lead to unintentional playground injury in a preschool setting. *Journal of Pediatric Psychology, 31*, 152–162. doi:10.1093/jpepsy/psj001
- Scott, V. B., Jr., Robare, R. D., Raines, D. B., Konwinski, S. J. M., Chanin, J. A., & Tolley, R. S. (2003). Emotive writing moderates the relationship between mood awareness and athletic performance in collegiate tennis players. *North American Journal of Psychology, 5*, 311–324.
- Shaw, R., & Simms, T. (2009). Reducing attention-maintained behavior through the use of positive punishment, differential reinforcement of low rates, and response marking. *Behavioral Interventions, 24*, 249–263. doi:10.1002/bin.287
- *Shelton, D., LeGros, K., Norton, L., Stanton-Cook, S., Morgan, J., & Masterman, P. (2007). Randomised controlled trial: A parent-based group education programme for overweight children. *Journal of Paediatrics and Child Health, 43*, 799–805. doi:10.1111/j.1440-1754.2007.01150.x
- Shepard, D. S., Bail, R. N., & Merritt, C. G. (2003). Cost-effectiveness of USAID's regional program for family planning in West Africa. *Studies in Family Planning, 34*, 117–126. doi:10.1111/j.1728-4465.2003.00117.x
- Sherriff, K. L., Wallis, M., & Chaboyer, W. (2007). Nurses' attitudes to and perceptions of knowledge and skills regarding evidence-based practice. *International Journal of Nursing Practice, 13*, 363–369. doi:10.1111/j.1440-172X.2007.00651.x
- *Shimizu, H., Yoon, S., & McDonough, C. S. (2010). Teaching skills to use a computer mouse in preschoolers with developmental disabilities: Shaping moving a mouse and eye-hand coordination. *Research in Developmental Disabilities, 31*, 1448–1461. doi:10.1016/j.ridd.2010.06.013
- Shin, J. H. (2009). Application of repeated-measures analysis of variance and hierarchical linear model in nursing research. *Nursing Research, 58*, 211–217. doi:10.1097/NNR.0b013e318199b5ae
- *Shipherd, J. C., Beck, J. G., Hamblen, J. L., Lackner, J. M., & Freeman, J. B. (2003). A preliminary examination of treatment for posttraumatic stress disorder in chronic pain patients: A case study. *Journal of Traumatic Stress, 16*, 451–457. doi:10.1023/A:1025754310462
- Sigafoos, J., Drasgow, E., Halle, J. W., O'Reilly, M., Seely-York, S., Edrisinha, C., & Andrews, A. (2004). Teaching VOCA use as a communicative repair strategy. *Journal of Autism and Developmental Disorders, 34*, 411–422. doi:10.1023/B:JADD.0000037417.04356.9c
- *Sigmon, S. C., & Higgins, S. T. (2006). Voucher-based contingent reinforcement of marijuana abstinence among individuals with serious mental illness. *Journal of Substance Abuse Treatment, 30*, 291–295. doi:10.1016/j.jsat.2006.02.001
- Sigurdsson, S. O., & Austin, J. (2008). Using real-time visual feedback to improve posture at computer workstations. *Journal of Applied Behavior Analysis, 41*, 365–375. doi:10.1901/jaba.2008.41-365
- *Sigurdsson, V., Foxall, G., & Saevarsson, H. (2010). In-store experimental approach to pricing and consumer behavior. *Journal of Organizational Behavior Management, 30*, 234–246. doi:10.1080/01608061.2010.499029
- *Sigurðardóttir, Z. G., & Sighvatsson, M. B. (2006). Operant conditioning and errorless learning procedures in the treatment of chronic aphasia. *International Journal of Psychology, 41*, 527–540. doi:10.1080/00207590500492625
- *Silverman, A. H., Haines, A. A., Davies, W. H., & Parton, E. (2003). A cognitive behavioral adherence intervention for adolescents with Type 1 diabetes. *Journal of Clinical Psychology in Medical Settings, 10*, 119–127. doi:10.1023/A:1023346222153

(Appendix continues)

- *Simmons-Mackie, N. N., Kearns, K. P., & Potechin, G. (2005). Treatment of aphasia through family member training. *Aphasiology, 19*, 583–593. doi:10.1080/02687030444000408
- *Simpson, K., & Keen, D. (2010). Teaching young children with autism graphic symbols embedded within an interactive song. *Journal of Developmental and Physical Disabilities, 22*, 165–177. doi:10.1007/s10882-009-9173-5
- *Simpson, S., Bell, L., Britton, P., Mitchell, D., Morrow, E., Johnston, A. L., & Brebner, J. (2006). Does video therapy work? A single case series of bulimic disorders. *European Eating Disorders Review, 14*, 226–241. doi:10.1002/erv.686
- *Singer-Dudek, J., & Greer, R. D. (2005). A long-term analysis of the relationship between fluency and the training and maintenance of complex math skills. *The Psychological Record, 55*, 361–376.
- *Singh, N. N., Lancioni, G. E., Joy, S. D. S., Winton, A. S. W., Sabaawi, M., Wahler, R. G., & Singh, J. (2007). Adolescents with conduct disorder can be mindful of their aggressive behavior. *Journal of Emotional and Behavioral Disorders, 15*, 56–63. doi:10.1177/10634266070150010601
- *Singh, N. N., Lancioni, G. E., Winton, A. S. W., Adkins, A. D., Singh, J., & Singh, A. N. (2007). Mindfulness training assists individuals with moderate mental retardation to maintain their community placements. *Behavior Modification, 31*, 800–814. doi:10.1177/0145445507300925
- *Singh, N. N., Lancioni, G. E., Winton, A. S. W., Curtis, W. J., Wahler, R. G., Sabaawi, M., . . . McAleavey, K. (2006). Mindful staff increase learning and reduce aggression in adults with developmental disabilities. *Research in Developmental Disabilities, 27*, 545–558. doi:10.1016/j.ridd.2005.07.002
- *Singh, N. N., Lancioni, G. E., Winton, A. S. W., Singh, A. N., Adkins, A. D., & Singh, J. (2009). Mindful staff can reduce the use of physical restraints when providing care to individuals with intellectual disabilities. *Journal of Applied Research in Intellectual Disabilities, 22*, 194–202. doi:10.1111/j.1468-3148.2008.00488.x
- *Sliminng, E. C., Montes, P. B., Bustos, C. F., Hoyuelos, X. P., & Vio, C. G. (2009). Efectos de un programa combinado de técnicas de modificación conductual para la disminución de la conducta disruptiva y el aumento de la conducta prosocial en escolares Chilenos [Effects of a combined program of behavior modification techniques for decreasing disruptive behavior and increasing prosocial behavior in Chilean school children]. *Acta Colombiana de Psicología, 12*, 67–76.
- *Slowiak, J. M., Madden, G. J., & Mathews, R. (2005). The effects of a combined task clarification, goal setting, feedback, and performance contingent consequence intervention package on telephone customer service in a medical clinic environment. *Journal of Organizational Behavior Management, 25*, 15–35. doi:10.1300/J075v25n04_02
- *Smidt, A., Balandin, S., Reed, V., & Sigafos, J. (2007). A communication training programme for residential staff working with adults with challenging behaviour: Pilot data on intervention effects. *Journal of Applied Research in Intellectual Disabilities, 20*, 16–29. doi:10.1111/j.1468-3148.2006.00336.x
- *Smith, J. D., Handler, L., & Nash, M. R. (2010). Therapeutic assessment for preadolescent boys with oppositional defiant disorder: A replicated single-case time-series design. *Psychological Assessment, 22*, 593–602. doi:10.1037/a0019697
- *Solberg, K. M., Hanley, G. P., Layer, S. A., & Ingvarsson, E. T. (2007). The effects of reinforcer pairing and fading on preschoolers' snack selections. *Journal of Applied Behavior Analysis, 40*, 633–644.
- Sorenson, S. B., Wiebe, D. J., & Berk, R. A. (2002). Legalized abortion and the homicide of young children: An empirical investigation. *Analyses of Social Issues and Public Policy, 2*, 239–256. doi:10.1111/j.1530-2415.2002.00040.x
- *Sprague, J., & Perkins, K. (2009). Direct and collateral effects of the First Step to Success program. *Journal of Positive Behavior Interventions, 11*, 208–221. doi:10.1177/1098300708330935
- *Squires, J., Wilder, D. A., Fixsen, A., Hess, E., Rost, K., Curran, R., & Zonneveld, K. (2007). The effects of task clarification, visual prompts, and graphic feedback on customer greeting and up-selling in a restaurant. *Journal of Organizational Behavior Management, 27*, 1–13. doi:10.1300/J075v27n03_01
- Stanton-Chapman, T. L., Denning, C. B., & Jamison, K. R. (2008). Exploring the effects of a social communication intervention for improving requests and word diversity in preschoolers with disabilities. *Psychology in the Schools, 45*, 644–664. doi:10.1002/pits.20315
- *Stanton-Chapman, T. L., Jamison, K. R., & Denning, C. B. (2008). Building school communication skills in young children with disabilities: An intervention to promote peer social interactions in preschool settings. *Early Childhood Services: An Interdisciplinary Journal of Effectiveness, 2*, 225–251.
- *Stanton-Chapman, T. L., Kaiser, A. P., Vijay, P., & Chapman, C. (2008). A multicomponent intervention to increase peer-directed communication in Head Start children. *Journal of Early Intervention, 30*, 188–212. doi:10.1177/1053815108318746
- *Stapleton, S., Adams, M., & Atterton, L. (2007). A mobile phone as a memory aid for individuals with traumatic brain injury: A preliminary investigation. *Brain Injury, 21*, 401–411. doi:10.1080/02699050701252030
- *Staubitz, J. E., Cartledge, G., Yurick, A. L., & Lo, Y.-Y. (2005). Repeated reading for students with emotional or behavioral disorders: Peer- and trainer-mediated instruction. *Behavioral Disorders, 31*, 51–64.
- *Stichter, J. P., Hudson, S., & Sasso, G. M. (2005). The use of structural analysis to identify setting events in applied settings for students with emotional/behavioral disorders. *Behavioral Disorders, 30*, 403–420.
- *Stichter, J. P., Randolph, J. K., Kay, D., & Gage, N. (2009). The use of structural analysis to develop antecedent-based interventions for students with autism. *Journal of Autism and Developmental Disorders, 39*, 883–896. doi:10.1007/s10803-009-0693-8
- *Stormont, M. A., Smith, S. C., & Lewis, T. J. (2007). Teacher implementation of precorrection and praise statements in Head Start classrooms as a component of a program-wide system of positive behavior support. *Journal of Behavioral Education, 16*, 280–290. doi:10.1007/s10864-007-9040-3
- Strand, E. A., Stoeckel, R., & Baas, B. (2006). Treatment of severe childhood apraxia of speech: A treatment efficacy study. *Journal of Medical Speech-Language Pathology, 14*, 297–307.
- *Strong, A. C., Wehby, J. H., Falk, K. B., & Lane, K. L. (2004). The impact of a structured reading curriculum and repeated reading on the performance of junior high students with emotional and behavioral disorders. *School Psychology Review, 33*, 561–581.
- Stuart, A., Frazier, C. L., Kalinowski, J., & Vos, P. W. (2008). The effect of frequency altered feedback on stuttering duration and type. *Journal of Speech, Language, and Hearing Research, 51*, 889–897. doi:10.1044/1092-4388(2008)065
- *Taber-Doughty, T., Shurr, J., Brewer, J., & Kubik, S. (2010). Standard care and telecare services: Comparing the effectiveness of two service systems with consumers with intellectual disabilities. *Journal of Intellectual Disability Research, 54*, 843–859. doi:10.1111/j.1365-2788.2010.01314.x
- Tanol, G., Johnson, L., McComas, J., & Cote, E. (2010). Responding to rule violations or rule following: A comparison of two versions of the Good Behavior Game with kindergarten students. *Journal of School Psychology, 48*, 337–355. doi:10.1016/j.jsp.2010.06.001

- *Tarbox, R. S. F., Ghezzi, P. M., & Wilson, G. (2006). The effects of token reinforcement on attending in a young child with autism. *Behavioral Interventions, 21*, 155–164. doi:10.1002/bin.213
- *Taylor, B. A., & Hoch, H. (2008). Teaching children with autism to respond to and initiate bids for joint attention. *Journal of Applied Behavior Analysis, 41*, 377–391. doi:10.1901/jaba.2008.41-377
- *Taylor, B. A., Hoch, H., Potter, B., Rodriguez, A., Spinnato, D., & Kalaigian, M. (2005). Manipulating establishing operations to promote initiations toward peers in children with autism. *Research in Developmental Disabilities, 26*, 385–392. doi:10.1016/j.ridd.2004.11.003
- *Taylor, M., Gillies, R. M., & Ashman, A. F. (2009). Cognitive training, conflict resolution and exercise: Effects on young adolescents' well-being. *Australian Journal of Guidance and Counselling, 19*, 131–149. doi:10.1375/ajgc.19.2.131
- *Taylor, R., & Iacono, T. (2003). AAC and scripting activities to facilitate communication and play. *Advances in Speech Language Pathology, 5*, 79–93. doi:10.1080/14417040510001669111
- *ter Kuile, M. M., Bulté, I., Weijnenborg, P. T. M., Beekman, A., Melles, R., & Onghena, P. (2009). Therapist-aided exposure for women with lifelong vaginismus: A replicated single-case design. *Journal of Consulting and Clinical Psychology, 77*, 149–159. doi:10.1037/a0014273
- *Tereshko, L., MacDonald, R., & Ahearn, W. H. (2010). Strategies for teaching children with autism to imitate response chains using video modeling. *Research in Autism Spectrum Disorders, 4*, 479–489. doi:10.1016/j.rasd.2009.11.005
- *Theodore, L. A., DioGuardi, R. J., Hughes, T. L., Aloiso, D., Carlo, M., & Eccles, D. (2009). A class-wide intervention for improving homework performance. *Journal of Educational & Psychological Consultation, 19*, 275–299. doi:10.1080/10474410902888657
- *Thomas, O., Maynard, I., & Hanton, S. (2007). Intervening with athletes during the time leading up to competition: Theory to practice II. *Journal of Applied Sport Psychology, 19*, 398–418. doi:10.1080/10413200701599140
- *Thompson, C. K., Kearns, K. P., & Edmonds, L. A. (2006). An experimental analysis of acquisition, generalisation, and maintenance of naming behaviour in a patient with anomia. *Aphasiology, 20*, 1226–1244. doi:10.1080/02687030600875655
- *Thorne, S., & Kamps, D. (2008). The effects of a group contingency intervention on academic engagement and problem behavior of at-risk students. *Behavior Analysis in Practice, 1*, 12–18.
- *Thothathiri, M., Schwartz, M. F., & Thompson-Schill, S. L. (2010). Selection for position: The role of left ventrolateral prefrontal cortex in sequencing language. *Brain and Language, 113*, 28–38. doi:10.1016/j.bandl.2010.01.002
- *Tiger, J. H., & Hanley, G. P. (2005). An example of discovery research involving the transfer of stimulus control. *Journal of Applied Behavior Analysis, 38*, 499–509. doi:10.1901/jaba.2005.139-04
- *Tijs, E., & Matyas, T. A. (2006). Bilateral training does not facilitate performance of copying tasks in poststroke hemiplegia. *Neurorehabilitation and Neural Repair, 20*, 473–483. doi:10.1177/1545968306287900
- *Tincani, M., Crozier, S., & Alazetta, L. (2006). The Picture Exchange Communication System: Effects on manding and speech development for school-aged children with autism. *Education and Training in Developmental Disabilities, 41*, 177–184.
- Tittelbach, D., DeAngelis, M., Sturmey, P., & Alvero, A. M. (2007). The effects of task clarification, feedback, and goal setting on student advisors' office behaviors and customer service. *Journal of Organizational Behavior Management, 27*, 27–37. doi:10.1300/J075v27n03_03
- *Todd, T., Reid, G., & Butler-Kisber, L. (2010). Cycling for students with ASD: Self-regulation promotes sustained physical activity. *Adapted Physical Activity Quarterly, 27*, 226–241.
- Tonon, M. A. (2007). A longitudinal study of the impact of village health education on environmental sanitation. *International Quarterly of Community Health Education, 28*, 109–126. doi:10.2190/IQ.28.2.c
- Topbaş, S., & Ünal, Ö. (2010). An alternating treatment comparison of minimal and maximal opposition sound selection in Turkish phonological disorders. *Clinical Linguistics & Phonetics, 24*, 646–668. doi:10.3109/02699206.2010.486464
- *Trembath, D., Balandin, S., Togher, L., & Stancliffe, R. J. (2009). Peer-mediated teaching and augmentative and alternative communication for preschool-aged children with autism. *Journal of Intellectual and Developmental Disability, 34*, 173–186. doi:10.1080/13668250902845210
- *Trent, J. A., Kaiser, A. P., & Wolery, M. (2005). The use of responsive interaction strategies by siblings. *Topics in Early Childhood Special Education, 25*, 107–118. doi:10.1177/02711214050250020101
- Trent, M., Judy, S. L., Ellen, J. M., & Walker, A. (2006). Use of an institutional intervention to improve quality of care for adolescents treated in pediatric ambulatory settings for pelvic inflammatory disease. *Journal of Adolescent Health, 39*, 50–56. doi:10.1016/j.jadohealth.2005.08.008
- *Trovato, M., Slomine, B., Pidcock, F., & Christensen, J. (2006). Case study: The efficacy of donepezil hydrochloride on memory functioning in three adolescents with severe traumatic brain injury. *Brain Injury, 20*, 339–343. doi:10.1080/02699050500487811
- *Tsao, L.-L., & Odom, S. L. (2006). Sibling-mediated social interaction intervention for young children with autism. *Topics in Early Childhood Special Education, 26*, 106–123. doi:10.1177/02711214060260020101
- *Vallières, A., Morin, C. M., & Guay, B. (2005). Sequential combinations of drug and cognitive behavioral therapy for chronic insomnia: An exploratory study. *Behaviour Research and Therapy, 43*, 1611–1630. doi:10.1016/j.brat.2004.11.011
- van der Sluis, C. K., Datema, L., Saan, I., Stant, D., & Dijkstra, P. U. (2009). Effects of a nurse practitioner on a multidisciplinary consultation team. *Journal of Advanced Nursing, 65*, 625–633. doi:10.1111/j.1365-2648.2008.04916.x
- *Van Houten, R., & Malenfant, J. E. L. (2004). Effects of a driver enforcement program on yielding to pedestrians. *Journal of Applied Behavior Analysis, 37*, 351–363. doi:10.1901/jaba.2004.37-351
- *Van Houten, R., Malenfant, J. E. L., Austin, J., & Lebbon, A. (2005). The effects of a seatbelt-gearshift delay prompt on the seatbelt use of motorists who do not regularly wear seatbelts. *Journal of Applied Behavior Analysis, 38*, 195–203. doi:10.1901/jaba.2005.48-04
- *Van Norman, R. K., & Wood, C. L. (2008). Effects of prerecorded sight words on the accuracy of tutor feedback. *Remedial and Special Education, 29*, 96–107. doi:10.1177/0741932507311634
- *Van Rie, G. L., & Heflin, L. J. (2009). The effect of sensory activities on correct responding for children with autism spectrum disorders. *Research in Autism Spectrum Disorders, 3*, 783–796. doi:10.1016/j.rasd.2009.03.001
- *van Vonderen, A. (2004). Effectiveness of immediate verbal feedback on trainer behaviour during communication training with individuals with intellectual disability. *Journal of Intellectual Disability Research, 48*, 245–251. doi:10.1111/j.1365-2788.2003.00555.x
- *van Vonderen, A., & de Bresser, A. (2005). The effect of supervisory feedback, self-recording, and graphic feedback on trainer behavior during one-to-one training. *Behavioral Interventions, 20*, 273–284. doi:10.1002/bin.198

- van Vonderen, A., de Swart, C., & Didden, R. (2010). Effectiveness of instruction and video feedback on staff's use of prompts and children's adaptive responses during one-to-one training in children with severe to profound intellectual disability. *Research in Developmental Disabilities, 31*, 829–838. doi:10.1016/j.ridd.2010.02.008
- van Vonderen, A., Duker, P., & Didden, R. (2010). Instruction and video feedback to improve staff's trainer behaviour and response prompting during one-to-one training with young children with severe intellectual disability. *Research in Developmental Disabilities, 31*, 1481–1490. doi:10.1016/j.ridd.2010.06.009
- *van Vonderen, A., Duker, P., & Didden, R. (2010). Professional development improves staff's implementation of rehabilitation programmes for children with severe-to-profound intellectual disability. *Developmental Neurorehabilitation, 13*, 351–359. doi:10.3109/17518423.2010.493916
- VanDerHeyden, A. M., Witt, J. C., & Gilbertson, D. (2007). A multi-year evaluation of the effects of a response to intervention (RTI) model on identification of children for special education. *Journal of School Psychology, 45*, 225–256. doi:10.1016/j.jsp.2006.11.004
- *VanWormer, J. J. (2004). Pedometers and brief e-counseling: Increasing physical activity for overweight adults. *Journal of Applied Behavior Analysis, 37*, 421–425. doi:10.1901/jaba.2004.37-421
- *Vichi, C., Andery, M. A. P. A., & Glenn, S. S. (2009). A metacontingency experiment: The effects of contingent consequences on patterns of interlocking contingencies of reinforcement. *Behavior and Social Issues, 18*, 1–17.
- *Vidoni, C., & Ward, P. (2009). Effects of fair play instruction on student social skills during a middle school sport education unit. *Physical Education and Sport Pedagogy, 14*, 285–310. doi:10.1080/17408980802225818
- *Vintere, P., Hemmes, N. S., Brown, B. L., & Poulson, C. L. (2004). Gross-motor skill acquisition by preschool dance students under self-instruction procedures. *Journal of Applied Behavior Analysis, 37*, 305–322. doi:10.1901/jaba.2004.37-305
- *Wade, C. M., Ortiz, C., & Gorman, B. S. (2007). Two-session group parent training for bedtime noncompliance in Head Start preschoolers. *Child & Family Behavior Therapy, 29*, 23–55. doi:10.1300/J019v29n03_03
- Wagenaar, A. C., Maldonado-Molina, M. M., Erickson, D. J., Ma, L., Tobler, A. L., & Komro, K. A. (2007). General deterrence effects of U.S. statutory DUI fine and jail penalties: Long-term follow-up in 32 states. *Accident Analysis and Prevention, 39*, 982–994. doi:10.1016/j.aap.2007.01.003
- *Walberg, J. L., & Craig-Unkefer, L. A. (2010). An examination of the effects of a social communication intervention on the play behaviors of children with autism spectrum disorder. *Education and Training in Autism and Developmental Disabilities, 45*, 69–80.
- *Walker, H. C., Phillips, D. E., Boswell, D. B., Guthrie, B. L., Guthrie, S. L., Nicholas, A. P., . . . Watts, R. L. (2009). Relief of acquired stuttering associated with Parkinson's disease by unilateral left subthalamic brain stimulation. *Journal of Speech, Language, and Hearing Research, 52*, 1652–1657. doi:10.1044/1092-4388(2009/08-0089)
- Wambaugh, J. L., & Mauszycki, S. C. (2010). Sound production treatment: Application with severe apraxia of speech. *Aphasiology, 24*, 814–825. doi:10.1080/02687030903422494
- Wambaugh, J., & Nessler, C. (2004). Modification of sound production treatment for apraxia of speech: Acquisition and generalisation effects. *Aphasiology, 18*, 407–427. doi:10.1080/02687030444000165
- *Warnes, E., & Allen, K. D. (2005). Biofeedback treatment of paradoxical vocal fold motion and respiratory distress in an adolescent girl. *Journal of Applied Behavior Analysis, 38*, 529–532. doi:10.1901/jaba.2005.26-05
- *Watanabe, T., Kanayama, Y., & Muto, T. (2007). Tsujou gakyuu no tanninkyoushi to kyoun hojousha no komyu niki shon no koujou: Komyu niki shon kaado no kaizen ni yoru tanninkyoushi karano komento no zoudai [Improving communication between regular class teachers and teaching assistants: Increasing teachers' comments by modifying communication cards]. *Japanese Journal of Behavior Analysis, 22*, 39–48.
- Webb, O. J., & Eves, F. F. (2007). Effects of environmental changes in a stair climbing intervention: Generalization to stair descent. *American Journal of Health Promotion, 22*, 38–44.
- Webb, O. J., & Eves, F. F. (2007). Promoting stair climbing: Intervention effects generalize to a subsequent stair ascent. *American Journal of Health Promotion, 22*, 114–119.
- *Wehby, J. H., Lane, K. L., & Falk, K. B. (2005). An inclusive approach to improving early literacy skills of students with emotional and behavioral disorders. *Behavioral Disorders, 30*, 155–169.
- *Weiner, J. S. (2005). Peer-mediated conversational repair in students with moderate and severe disabilities. *Research and Practice for Persons with Severe Disabilities, 30*, 26–37. doi:10.2511/rpsd.30.1.26
- *Weiskop, S., Richdale, A., & Matthews, J. (2005). Behavioural treatment to reduce sleep problems in children with autism or fragile X syndrome. *Developmental Medicine & Child Neurology, 47*, 94–104. doi:10.1017/S0012162205000186
- *West, E. A. (2008). Effects of verbal cues versus pictorial cues on the transfer of stimulus control for children with autism. *Focus on Autism and Other Developmental Disabilities, 23*, 229–241. doi:10.1177/1088357608324715
- *Westerlund, D., Granucci, E. A., Gamache, P., & Clark, H. B. (2006). Effects of peer mentors on work-related performance of adolescents with behavioral and/or learning disabilities. *Journal of Positive Behavior Interventions, 8*, 244–251. doi:10.1177/10983007060080040601
- *Whalen, C., & Schreibman, L. (2003). Joint attention training for children with autism using behavior modification procedures. *Journal of Child Psychology and Psychiatry, 44*, 456–468. doi:10.1111/1469-7610.00135
- Wheatley, R. K., West, R. P., Charlton, C. T., Sanders, R. B., Smith, T. G., & Taylor, M. J. (2009). Improving behavior through differential reinforcement: A praise note system for elementary school students. *Education & Treatment of Children, 32*, 551–571. doi:10.1353/etc.0.0071
- *Whelan, R., Barnes-Holmes, D., & Dymond, S. (2006). The transformation of consequential functions in accordance with the relational frames of more-than and less-than. *Journal of the Experimental Analysis of Behavior, 86*, 317–335. doi:10.1901/jeab.2006.113-04
- *Wilder, D. A., & Atwell, J. (2006). Evaluation of a guided compliance procedure to reduce noncompliance among preschool children. *Behavioral Interventions, 21*, 265–272. doi:10.1002/bin.222
- Will, K. E., Sabo, C. S., & Porter, B. E. (2009). Evaluation of the Boost 'em in the Back Seat Program: Using fear and efficacy to increase booster seat use. *Accident Analysis and Prevention, 41*, 57–65. doi:10.1016/j.aap.2008.09.007
- Williamson, B. D., Campbell-Whatley, G. D., & Lo, Y.-y. (2009). Using a random dependent group contingency to increase on-task behaviors of high school students with high incidence disabilities. *Psychology in the Schools, 46*, 1074–1083. doi:10.1002/pits.20445
- *Winn, B. D., Skinner, C. H., Allin, J. D., & Hawkins, J. A. (2004). Practicing school consultants can empirically validate interventions: A description and demonstration of the non-concurrent multiple-baseline design. *Journal of Applied School Psychology, 20*, 109–128. doi:10.1300/J370v20n02_07

- *Wong, C. J., Dillon, E. M., Sylvest, C. E., & Silverman, K. (2004). Contingency management of reliable attendance of chronically unemployed substance abusers in a therapeutic workplace. *Experimental and Clinical Psychopharmacology*, *12*, 39–46. doi:10.1037/1064-1297.12.1.39
- *Wong, C. J., Dillon, E. M., Sylvest, C., & Silverman, K. (2004). Evaluation of a modified contingency management intervention for consistent attendance in therapeutic workplace participants. *Drug and Alcohol Dependence*, *74*, 319–323. doi:10.1016/j.drugalcdep.2003.12.013
- Wong, M. L., Chan, R., & Koh, D. (2004). Long-term effects of condom promotion programmes for vaginal and oral sex on sexually transmitted infections among sex workers in Singapore. *AIDS*, *18*, 1195–1199. doi:10.1097/00002030-200405210-00013
- *Woods, D. W., & Twohig, M. P. (2002). Using habit reversal to treat chronic vocal tic disorder in children. *Behavioral Interventions*, *17*, 159–168. doi:10.1002/bin.115
- *Woods, J., Kashinath, S., & Goldstein, H. (2004). Effects of embedding caregiver-implemented teaching strategies in daily routines on children's communication outcomes. *Journal of Early Intervention*, *26*, 175–193. doi:10.1177/105381510402600302
- Wragg, J. A., & Whitehead, R. E. (2004). CBT for adolescents with psychosis: Investigating the feasibility & effectiveness of early intervention using a single case design. *Behavioural and Cognitive Psychotherapy*, *32*, 313–329. doi:10.1017/S1352465804001389
- *Wu, H., & Miller, L. K. (2007). A tutoring package to teach pronunciation of Mandarin Chinese characters. *Journal of Applied Behavior Analysis*, *40*, 583–586. doi:10.1901/jaba.2007.40-583
- *Yi, J. I., Christian, L., Vittimberga, G., & Lowenkron, B. (2006). Generalized negatively reinforced manding in children with autism. *Analysis of Verbal Behavior*, *22*, 21–33.
- Yon, A., & Scogin, F. (2009). Behavioral activation as a treatment for geriatric depression. *Clinical Gerontologist: The Journal of Aging and Mental Health*, *32*, 91–103. doi:10.1080/07317110802478016
- Youmans, G., Holland, A., Muñoz, M. L., & Bourgeois, M. (2005). Script training and automaticity in two individuals with aphasia. *Aphasiology*, *19*, 435–450. doi:10.1080/02687030444000877
- *Zens, N. K., Gillon, G. T., & Moran, C. (2009). Effects of phonological awareness and semantic intervention on word-learning in children with SLI. *International Journal of Speech-Language Pathology*, *11*, 509–524. doi:10.3109/17549500902926881
- Zeoli, A. M., & Webster, D. W. (2010). Effects of domestic violence policies, alcohol taxes and police staffing levels on intimate partner homicide in large US cities. *Injury Prevention*, *16*, 90–95. doi:10.1136/ip.2009.024620
- Zimmerman, R. S., Palmgreen, P. M., Noar, S. M., Lustria, M. L. A., Lu, H.-Y., & Horosewski, M. L. (2007). Effects of a televised two-city safer sex mass media campaign targeting high-sensation-seeking and impulsive-decision-making young adults. *Health Education & Behavior*, *34*, 810–826. doi:10.1177/1090198107299700
- *Ziolkowski, R. A., & Goldstein, H. (2008). Effects of an embedded phonological awareness intervention during repeated book reading on preschool children with language delays. *Journal of Early Intervention*, *31*, 67–90. doi:10.1177/1053815108324808
- Zisimopoulos, D. A. (2010). Enhancing multiplication performance in students with moderate intellectual disabilities using pegword mnemonics paired with a picture fading technique. *Journal of Behavioral Education*, *19*, 117–133. doi:10.1007/s10864-010-9104-7
- *Zuluaga, C. A., & Normand, M. P. (2008). An evaluation of the high-probability instruction sequence with and without programmed reinforcement for compliance with high-probability instructions. *Journal of Applied Behavior Analysis*, *41*, 453–457. doi:10.1901/jaba.2008.41-453

Received March 21, 2011

Revision received March 31, 2012

Accepted April 20, 2012 ■